

Yellow flag iris (Iris pseudacorus). Source: Donald Cameron & the Native Plant Trust.

Prepared by Cathy Kavassalis and Claudette Sims with editorial assistance from Katherine Baird, Candi Jeronimo, Lynne Patenaude, Renee Sandelowsky, and Freyja Whitten - May 10, 2023. On behalf of the Canadian Coalition for Invasive Plant Regulation - CCIPR.ca



APPENDICES

Table of Contents cont.

REDUCING THE SALES OF INVASIVE PLANTS	1
CANADA'S OBLIGATIONS UNDER THE CONVENTION ON BIOLOGICAL DIVERSITY	
FEDERAL LEGISLATION AND INVASIVE PLANTS	31
THE CANADIAN ENVIRONMENTAL PROTECTION ACT AS A MODEL FOR INVASIVE PLANT REGULATION	33
FEDERAL SEED LEGISLATION	36
FEDERAL PLANT LEGISLATION	38
PROVINCIAL AND TERRITORIAL REGULATIONS	42
British Columbia (BC):	45
ALBERTA (AB):	
Saskatchewan (SK):	
MANITOBA (MB):	
Ontario (ON):	
Québec (QC):	
New Brunswick (NB):	
Nova Scotia (NS):	
NEWFOUNDLAND AND LABRADOR (NL):	
PRINCE EDWARD ISLAND (PE):	
Northwest Territories (NT):	
NUNAVUT (NU):	
Yukon (YT):	
Summary:	
INVASIVE PLANT REGULATIONS IN THE U.S	53
Maine (ME):	
New Hampshire (NH):	
VERMONT (VT):	57
New York (NY):	58
PENNSYLVANIA (PA):	59
Оню (ОН):	59
MICHIGAN (MI):	59
MINNESOTA (MN):	60
North Dakota (ND):	61
Montana (MT):	61
Idaho (ID):	61
Washington (WA):	61
Alaska (AK):	62
Summary	62
SELECTED CASES STUDIES	63
AQUATIC INVASIVE SPECIES — FLOWING THROUGH A GAP	
THE CASE OF BARBERRY (BERBERIS SPP.)	
THE CASE OF TREE-OF-HEAVEN (AILANTHUS ALTISSIMA)	
THE CASE OF GIANT REED (ARUNDO DONAX)	
THE CASE OF KNOTWEEDS — THREATS OF HYBRIDIZATION AND THE NEED FOR A NATIONAL DATABASE	71

The Case of Purple Loosestrife (<i>Lythrum salicaria</i>)	72
THE CASE OF YELLOW FLAG IRIS (IRIS PSEUDACORUS)	
THE CASE OF EUROPEAN WATER-CHESTNUT (TRAPA NATANS)	
THE CASE OF MILFOILS (MYRIOPHYLLUM SPP.) — A COMPLEX NATIONAL THREAT	76
EU REGULATION 1143/2014 ON INVASIVE ALIEN SPECIES	77
AUSTRALIA'S APPROACH	78
DATABASE DEVELOPMENT AND PLANT RISK ASSESSMENTS	80
THE ORNAMENTAL HORTICULTURE SECTOR – COSTS AND OPPORTUNITIES	82
REFERENCES AND RESOURCES	84
FIGURES:	
Figure 1. Traits of invasive plants. Adapted from: Ratnayake, 2014.	
Figure 2. Gardens are the primary pathway for invasive plants. Adapted from "Update of Reichard's	
(1994) Review." Source: Culley et al, 2020.	2
Figure 3. Three Phases of Invasion. Source: Ni, 2022.	
Figure 4. Intentional and unintentional pathways. Source: C. Kavassalis, 2022	
Figure 5. Invasion curve illustrating how costs rise with time and spread. Source F. Herald, 2022	
Figure 6. Responding to invasive plants is a shared responsibility. Source. CFIA, 2011	
TABLES:	
Table 1: Departments and associated regulations that could be applied to invasive plants	32
Table 2: Justification for regulatory measures presented in the Risk Management Document for four	
plants prohibited under the Plant Protection Act	40
Table 3: Numbers of plants regulated by various jurisdictions in Canada	43
Table 4: Ten regulated weeds in Canada illustrating inconsistencies.	44
Table 5: Invasive aquatic plants regulated in Canada.	44
Table 6: Select unregulated invasive plant species in Ontario and their impacts	49
Table 7: Examples of ornamental plants regulated in three or more North American jurisdictions	55
Table 8: Maine Do Not Sell Plant List (2022).	56
Table 9: Risk assessments and regulations for invasive aquatic plants with volumes of sale in Canada	
Table 10: Aquatic plants identified by the CFIA as requiring risk assessment in 2007	
Table 11: Milfoils (<i>Myriophyllum</i> spp.) risk assessment scores.	76
UPDATED MAY 10, 2023	

CANADA'S OBLIGATIONS UNDER THE CONVENTION ON BIOLOGICAL DIVERSITY

We are facing an unprecedented biodiversity crisis with more than one million species facing extinction globally, including 640 at-risk species in Canada. This rapid decline of biodiversity has critical implications for humanity, from the collapse of food, economic, and health systems, to the disruption of entire supply chains. The Government of Canada is committed to taking ambitious actions to restore and protect the natural safety net granted by biodiversity (Minister Guilbeault).¹

In December 2022, the Conference of the Parties to the *Convention on Biological Diversity* (CBD) adopted the Kunming-Montreal Global Biodiversity Framework to preserve and protect nature and its essential services to people. A key target is to **prevent or reduce the rate of introduction and establishment of invasive alien species by 50%, and control or eradicate such species to eliminate or reduce their impacts**.² To achieve this target for invasive plants, Canada **MUST** attend to their primary pathway – **the intentional introduction of ornamental plants**.³

Canada has been a party to the *Convention on Biological Diversity* (CBD) since its inception in 1992. The CBD is an international legally binding instrument for "the conservation of biological diversity a party to this convention.⁴ As a signator, Canada has agreed to "**Prevent the introduction of, control, or eradicate those alien species which threaten ecosystems, habitats, or species**."⁵ Under the CBD, "invasive alien species" is defined as a species whose movement by human agency, indirect or direct, outside of its natural range (past or present) threatens biological diversity.⁶

¹ "This was part of Minister Guilbeault's statement on Canada's commitment to the protection and recovery of species at risk and restoring natural areas and biodiversity (Environment and Climate Change Canada, 2022). His words echo the words of Prof. Josef Settele who co-chaired the recent global assessment of biodiversity and ecosystem services: "Ecosystems, species, wild populations, local varieties and breeds of domesticated plants and animals are shrinking, deteriorating or vanishing. The essential, interconnected web of life on Earth is getting smaller and increasingly frayed. . .. This loss is a direct result of human activity and constitutes a direct threat to human well-being in all regions of the world" (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES), 2019a).

² United Nations "Press Release: Nations Adopt Four Goals, 23 Targets for 2030 In Landmark UN Biodiversity Agreement," <u>2022</u>; Target 6, CBD COP-15, <u>2022</u>.

³ CFIA, "Invasive Alien Plants in Canada Technical Report," 2008b.

⁴ Convention on Biological Diversity (CBD), <u>1992</u>. "The Convention on Biological Diversity (CBD) is the international legal instrument for "the conservation of biological diversity, the sustainable use of its components and the fair and equitable sharing of the benefits arising out of the utilization of genetic resources" that has been ratified by 196 nations. Its overall objective is to encourage actions, which will lead to a sustainable future. The conservation of biodiversity is a common concern of humankind" (United Nations, "Convention on Biological Diversity, key international instrument for sustainable development," <u>n.d.</u>).

⁵ Secretariat of the Convention on Biological Diversity, "The CBD and Invasive Alien Species," <u>2021</u>. The CBD definition is distinct from that used by the IPPC. From the International Standards for Phytosanitary Measures (ISPM) glossary: "An invasive alien species is an alien species (CBD) that by its establishment or spread has become injurious to plants, or that by risk analysis (CBD) is shown to be potentially injurious to plants," (ISPM-5, "Glossary of phytosanitary terms," <u>2023</u>).

⁶ CBD COP-6, "Alien species that threaten ecosystems, habitats or species," 2002.

To meet our obligations under the CBD, Canada developed a *Canadian Biodiversity Strategy* (1995) directing the government to: "take all necessary steps to prevent the introduction of harmful alien organisms, ensuring that there is **adequate legislation** and enforcement **to control introductions or escapes** of harmful alien organisms and improving preventive mechanisms such as screening standards and **risk assessment** procedures." In 2010, the Conference of the Parties to the CBD adopted the "*Strategic Plan for Biodiversity 2011–2020 and the Aichi Targets*" to motivate more effective and urgent global actions. In response, Canada prepared matching national biodiversity goals. By 2020, Canada pledged "collective efforts by all governments to identify high **priority pathways** of invasive species into Canada, **improve national and regional regulatory** frameworks, and introduce education and outreach efforts to reduce the introduction and spread of IAPS."

By focusing primarily on the regulation of weedy plant species that cause economic losses in the agricultural sector, and failing to value environmental impacts,⁹ the Canadian Food Inspection Agency (CFIA) has failed to close or slow the flow of invasive species through the plant trades. In this regard, the CFIA has done little to address Canada's obligations under the CBD. This has become a global issue.

According to the Secretariat of the International Plant Protection Convention (IPPC),

The IPPC has historically maintained that the adverse consequences of pests, including those concerning uncultivated/unmanaged plants, wild flora, habitats and ecosystems, are measured in economic terms. References to the terms economic effects, economic impacts, potential economic importance and economically unacceptable impact and the use of the word economic in the IPPC and in ISPMs [International Standards for Phytosanitary Measures] has resulted in some misunderstanding of the application of such terms and of the focus of the IPPC. The scope of the Convention applies to the protection of wild flora resulting in an important contribution to the conservation of biological diversity. However, it has been misinterpreted that the IPPC is only commercially focused and limited in scope. It has not been clearly understood that the IPPC can account for environmental concerns in economic terms. This has created issues of consistency with other agreements, including the Convention on Biological Diversity . . . 10

To remedy this misinterpretation, the IPPC Secretariat updated their guidelines to clarify that environmental concerns should be accounted for in economic terms using monetary or non-monetary values. Further they asserted that contracting parties have the right to take actions with respect to pests (including invasive plants) for which the economic damages cannot be easily quantified.

Transformative change is required to address the unprecedented biodiversity crisis. While claiming to dedicate attention to biodiversity, "there is little evidence of an integrated approach within provinces and territories and across the federation." ¹¹ For Canada to address the problem and stop the sale of

⁷ The Aichi biodiversity targets were established by the UN CBD and consist of **20 specific targets to address and mitigate biodiversity loss across the globe**.

⁸ Gov. of Canada, "2020 Biodiversity Goals & Targets for Canada," 2016.

⁹ CFIA considers environmental impacts as a contributing factor for supporting the case for regulation, but not in determination of costs, which halts the assessment process. The CFIA follows Regional Standards for determining "Economic Impacts" developed by the North American Plant Protection Organization (NAPPO, 2008). This is contrary to guidelines developed under the IPPC in the International Sanitary and Phytosanitary Measures (ISPMs) Glossary: Food and Agricultural Organisation (FAO) ISPMs-5, 2022 pp. 27-30.

¹⁰ ISPM-5, 2023c, p.28.

¹¹ Ray, Grimm & Olive, <u>2021</u>. "The biodiversity crisis in Canada: failures and challenges of federal and sub-national strategic and legal frameworks." Facets. 6.

invasive plants, while complying with the SPS Agreement and IPPC, Canada must follow the guidelines of the Interim Commission for Phytosanitary Measures (ICPM):

- Enhance plant protection laws and policies, where needed, to include the protection of wild flora and biodiversity from plants that are invasive alien species; . . .
- Give particular attention, when carrying out **pest risk analysis**, to the possibility that introduced **plants** could act as **invasive** alien species, . . .
- Improve communication between national CBD focal points¹² and IPPC contact points."¹³

Synergies between the CBD and IPPC should be found to develop a more robust Canadian regulatory policy that can reduce the flow of invasive ornamental plants entering Canada and within Canada. Since these measures are trade-restrictive, they must be justified by a sound scientific understanding of the threats invasive plants can pose to biodiversity.¹⁴

It is therefore imperative that Canada develops **a robust national screening and risk assessment system** to provide the technical justification for regulatory action. It is crucial to prioritize actions based on the level of risk involved, where impacts on biodiversity are given the same level of importance as impacts on agriculture, forestry, and other economic sectors. This should involve cross departmental expertise from the Canadian Food Inspection Agency, Environment and Climate Change Canada, the Biodiversity Convention Office, Fisheries and Oceans Canada, Natural Resources Canada, and Parks Canada. It will also require "coordination with Regional Plant Protection Organizations (RPPOs), which also contribute to the objectives and activities of both the CBD and IPPC." ¹⁵

FEDERAL LEGISLATION AND INVASIVE PLANTS

While several federal departments and or agencies have responsibilities to prevent the introduction or spread of substances or organisms considered harmful to life, health, property or the environment, the regulation of invasive plants falls primarily to the Canadian Food Inspection Agency (CFIA) (Table 1). Other departments and agencies have regulations that could apply to invasive plants, but in practice the CFIA has sole authority over plants under the *Plant Protection Act* and *Seeds Act*. Fisheries and Oceans Canada (DFO) can apply *Aquatic Invasive Species Regulations*, but do not address plants. Environment and Climate Change Canada (ECCC) have several regulations to protect the environment, like the *Canadian Environmental Protection Act* (CEPA). As will be discussed further below, none are used to restrict the flow of invasive ornamental plants.

¹² Biodivcanada is Canada's CBD focal point and the CFIA is the IPPC contact point.

¹³ Food and Agriculture Organization of the United Nations, "Seventh Interim Commission on Phytosanitary Measures," 2005, 20; Secretariat of the Convention on Biological Diversity', "Notification of National level collaboration between agencies responsible for biodiversity and plant protection," 2006. Included in the FAO: "Recommendation on: Threats to biodiversity posed by alien species: actions within the framework of the IPPC," 2017. p.1-2.

¹⁴ In 1998, European Communities imposed a general moratorium on the importation of bioengineered produce. This was challenged and found unlawful. "For an SPS measure to be legal, it must be intended to bring about sanitary or phytosanitary protection with a backing of scientific evidence in compliance with the SPS Agreement," (Mogomotsi, Mogomotsi & Moeti, "WTO Law and Jurisprudence on Invasive Alien Species in the Global South," 2022).

¹⁵ Standards and Trade Development Facility (STDF) developed recommendations for parties to the IPPC, CBD and SPS Agreement in a report on International Trade and Invasive Alien Species, <u>2013</u>.

Table 1: Departments and associated regulations that could be applied to invasive plants.

Department or	Federal Legislation with indirect or direct reference to introduced species or
Agency	substances
Canadian Food Inspection Agency	Canadian Food Inspection Agency Act — Establishes CFIA as responsible for the administration and enforcement of the Canada Agricultural Products Act, Fish Inspection Act, Health of Animals Act, Plant Protection Act and Seeds Act. The Minister of Agriculture is expressly designated as responsible for the Acts used to regulate invasive plants classified as pests. Plant Protection Act — Under this Act, the CFIA has the authority to restrict the import, sale, possession, and movement of certain plant pests. Seeds Act — No person shall sell, import or export in contravention of the regulations any seed that presents a risk of harm to human, animal or plant health or the environment.
Agriculture and Agri- Food Canada	See Plant Protection Act and Seeds Act above.
Environment and Climate Change Canada	Canadian Environmental Protection Act — Specific act for the purpose of preventing pollution or, to put it in other terms, causing the entry into the environment of certain toxic substances. This authority is already applied to plants and other organisms that are covered under the biotechnology provisions of the New Substances Notification Regulations. Canadian Wildlife Act and Species at Risk Act — Both acts provide for measures, where necessary, for the protection of any species of wildlife in danger of extinction. Migratory Birds Convention Act — Canada is responsible to take such measures as may be necessary to control the importation of live animals and plants which it determines to be hazardous to the preservation of birds. Wild animal and Plant Protection and Regulation of International and Inter-provincial Trade Act — The responsible minister may make regulations regarding the transport of animals and plants listed under the act between provinces where the minister of the province to where the species is being imported deems it harmful to the environment.
Parks Canada	Canada National Parks Act – The Minister is responsible for the maintenance or restoration of ecological integrity, through the protection of natural resources and natural processes.
Fisheries and Oceans Canada	Fisheries Act — No person shall deposit or permit the deposit of a deleterious substance of any type in water frequented by fish (36-3). Aquatic Invasive Species Regulations — It is prohibited to possess, import or transport listed invasive species, but no plants are yet included. Coastal Fisheries Protection Act Fisheries Development Act Oceans Act
Health Canada	Controlled Drugs and Substances Act Pest Control Products Act
Industry Canada	National Research Council Act
Natural Resources	Department of Natural Resources Act Forestry Act – It is not permitted to release a deleterious substance into water, which would degrade or alter the quality of the water or habitat.

Public Safety and Emergency Preparedness- Canada Border Services Agency	Customs Act
Transport Canada	Transportation of Dangerous Goods Act – Provides for control of organisms considered by the Governor in Council to be dangerous to life, health, property or the environment when handled, offered for transport or transported and prescribed to be included in this class.

THE CANADIAN ENVIRONMENTAL PROTECTION ACT AS A MODEL FOR INVASIVE PLANT REGULATION

In 1988, Canada amalgamated laws to create the *Canadian Environmental Protection Act* (CEPA) and has since revised it several times to address gaps and shortcomings. ¹⁶ This Act is intended "to protect the environment, including its biological diversity, and human health" from the "risk of any adverse effects of the use and release of toxic substances."

The Act begins with the following declaration: THE PROTECTION OF THE ENVIRONMENT IS ESSENTIAL TO THE WELL-BEING OF CANADIANS.¹⁷

... a substance is toxic if it is entering or may enter the environment in a quantity or concentration or under conditions that (a) have or may have an immediate or long-term harmful effect on the environment or its biological diversity; (b) constitute or may constitute a danger to the environment on which life depends; or (c) constitute or may constitute a danger in Canada to human life or health.

How similar is the definition of a toxic substance to an invasive alien plant species? Regulating invasive plants should be done to protect the environment, including biological diversity and human health from adverse effects. Toxic substances and invasive plants can both have immediate or long-term effects on the environment and its biological diversity.

Many of the arguments made in the preamble for this federal regulation could serve as a model for the regulation of invasive alien species. Consider these simple substitutions made in this extract:

Below is an edited Preamble [exchanging invasive alien species for toxic substances and biodiversity conservation for pollution prevention . . .]

Preamble Canadian Environmental Protection Act, 1999 [Canadian Invasive Species Act],

Whereas the Government of Canada seeks to achieve sustainable development that is based on an ecologically efficient use of natural, social and economic resources and acknowledges the need to integrate environmental, economic and social factors in the making of all decisions by government and private entities;

¹⁶ Environment and Climate Change Canada, "Timeline: Major milestones of Environment and Climate Change Canada," 2021.

 $^{^{17}}$ Canadian Environmental Protection Act, 1999 (S.C. 1999, c. 33) (CEPA). Act current to 2023-04-20 and last amended on 2021-05-01 $\frac{2023}{2020}$.

Whereas the Government of Canada is committed to implementing pollution prevention [supporting biodiversity conservation] as a national goal and as the priority approach to environmental protection;

Whereas the Government of Canada acknowledges the need to virtually eliminate the most persistent and bioaccumulative toxic substances [highly invasive alien species] and the need to control and manage pollutants and wastes [invasive alien species] if their release into the environment cannot be prevented;

Whereas the Government of Canada recognizes the importance of an ecosystem approach;

Whereas the Government of Canada will continue to demonstrate national leadership in establishing environmental standards, ecosystem objectives and environmental quality guidelines and codes of practice;

Whereas the Government of Canada is committed to implementing the precautionary principle that, where there are threats of serious or irreversible damage, lack of full scientific certainty shall not be used as a reason for postponing cost-effective measures to prevent environmental degradation;

Whereas the Government of Canada recognizes that all governments in Canada have authority that enables them to protect the environment and recognizes that all governments face environmental problems that can benefit from cooperative resolution;

Whereas the Government of Canada recognizes the importance of endeavouring, in cooperation with provinces, territories and aboriginal peoples, to achieve the highest level of environmental quality for all Canadians and ultimately contribute to sustainable development;

Whereas the Government of Canada recognizes that the risk of toxic substances [invasive alien species] in the environment is a matter of national concern and that toxic substances-[invasive alien species], once introduced into the environment, cannot always be contained within geographic boundaries;

Whereas the Government of Canada recognizes the integral role of science, as well as the role of traditional aboriginal knowledge, in the process of making decisions relating to the protection of the environment and human health and that environmental or health risks and social, economic and technical matters are to be considered in that process; ...

Whereas the Government of Canada is committed to ensuring that its operations and activities on federal and aboriginal lands are carried out in a manner that is consistent with the principles of pollution prevention [biodiversity conservation] and the protection of the environment and human health;

Whereas the Government of Canada will endeavour to remove threats to biological diversity through pollution prevention [invasive alien species prevention], the control and management of the risk of any adverse effects of the use and release of toxic substances, pollutants and wastes [invasive alien species], and the virtual elimination of toxic substances [highly invasive alien species];

And whereas the Government of Canada must be able to fulfil its international obligations in respect of the environment; ...]

As CEPA states: "The Government of Canada must be able to fulfill its international obligations in respect of the environment." Like federally regulated toxic substances, once introduced into the environment, invasive plant species cannot always be contained within geographic boundaries. New legislation is needed to respect our international obligations under the CBD and to respect our environment.

In 1999, CEPA was updated to address concerns about living organisms that are the product of biotechnology. Updated again in 2005, the *New Substances Notification Regulations (Organisms)* SOR/2005-248 allow for the assessment of new living organisms, including plants, prior to their

introduction into the Canadian marketplace and the imposition of control measures if deemed necessary.¹⁸

The new substance notification process begins with a pre-import or pre-manufacture notification of the substance, where any company or individual intending to import or manufacture a new substance in Canada must submit a package containing all information prescribed in the *New Substances Notification Regulations*. This information will be used to conduct a risk assessment. A key aspect of the information requested is a description of the biological and ecological characteristics of the organism to provide a basic understanding of the organism's behaviour in the environment. The information is that which is known from a review of the scientific literature and from results available in unpublished laboratory or experimental field studies. Notifiers are not required to generate data from tests to fulfil the information requirements outlined in the following. This must include:

- Life cycle and life history stages of the organism, including any means to survive environmental stresses, such as dormant stages.
- Reproductive biology, including species with which the organism could interbreed in Canada.
- Involvement in adverse ecological effects including pathogenicity, toxicity, and invasiveness.
- Descriptions of the global geographic distribution if not native to Canada
- Potential for dispersal of traits by gene transfer.
- Locations and situations where the organism have caused adverse ecological effects.
- Involvement in biogeochemical cycling (e.g., carbon, sulphur, and nitrogen).
- Interactions with other organisms in the environment (e.g., parasites, hosts, predators, prey, symbionts, competitors).
- Conditions required for survival, growth, reproduction, and overwintering.
- Capability of the organism to act as a vector for agents involved in adverse effects.
- Mechanisms of dispersal of the organism (e.g., its ability to spread to other sites) and modes of interaction with any dispersal agents.

The risks posed by the organisms are determined both by their hazardous properties and by the nature of the exposure that takes place. Under the purview of the Minister of Health and the Minister of the Environment, scientists assess new organisms to determine whether they present or may present a risk to the environment or to human health. Decisions are based on a scientific evaluation of the risk posed by a substance, which considers both the hazardous properties of the substance (such as toxicity to aquatic organisms) and the nature and extent of the exposure of Canadians or the environment to the substance. This allows the Government of Canada to determine whether a risk management measure is needed, and if so, what type of control is best suited for reducing or preventing the potential harm.¹⁹

To comply with CEPA, Environment and Climate Change Canada (ECCC) and Health Canada screened and categorized over 23,000 substances that existed in Canada prior to the Act. By 2006, 4,300 were prioritized for further assessment. Today, the evaluations for those priority substances have largely been completed.²⁰ Results are published online in Canada's Existing Substances Assessment Repository

¹⁸ ECCC, "Guidelines for the Notification and Testing of New Substances: Organisms," 2010 modified <u>2022</u>; (Gov. of Canada, "Understanding the *Canadian Environmental Protection Act*, 2022).

¹⁹ ECCC (Environment and Climate Change Canada), "Risk assessment of chemical substances," 2022; ECCC,

[&]quot;Guidelines for the Notification and Testing of New Substances: Organisms," 2022.

²⁰ ECCC (Environment and Climate Change Canada), "UPDATE – Strengthening the Canadian Environmental Protection Act, 1999 and recognizing a right to a healthy environment" 2023.

(CESAR).²¹ In addition, hundreds of new substances not yet in the market are screened annually. "Every year an average of 500 regulatory declarations are submitted for chemicals, polymers and living organisms under subsections 81(1), (3) and (4) and 106(1), (3) and (4) of the *Canadian Environmental Protection Act*, 1999 and around 100 waivers are granted." ²² The risk assessment process and the assessments are publicly accessible. ²³ Canada needs to require the same level of screening, assessment and documentation for non-native plants existing and new to Canada.

It is worth considering expanding the regulatory authority of the ECCC to address invasive terrestrial plants whose risks and impacts are primarily environmental, while leaving regulation of invasive aquatic plants to Fisheries and Oceans under the *Aquatic Invasive Species Regulations*, and invasive plants whose impacts are primarily related to agriculture to CFIA under the *Plant Protection Act*. This would be consistent with the division of responsibilities for species at risk under the *Species at Risk Act*.

FEDERAL SEED LEGISLATION

Seed legislation includes the *Seeds Act* (RSC <u>1985</u>, c S-8), *Weed Seeds Order* (SOR/<u>2016</u>-93), and *Seeds Regulations* (CRC, c 1400, 2022). The *Seeds Act* regulates seeds and seed potatoes.

The main purpose of the *Seeds Act* is to ensure that farmers have access to seed that is high quality, meaning there are 'minimum standards for [varietal] purity, germination, quality, and disease for seeds' (S-8, s. 4c). There are also regulations surrounding grading, testing, inspection, naming, labeling, and documentation before being sold.²⁴

The Weed Seeds Order (WSO) aims to prevent new weed species from being introduced into Canada from seed products.²⁵ The WSO states that "No person shall sell, import or export in contravention of the regulations any seed²⁶ that presents a risk of harm to human, animal or plant health or the environment" (RSC 1985, c S-8).

As of Nov. 2022, there were 96 plants identified as Noxious Weeds including: 26 Class 1 Prohibited Noxious Weeds, 36 Class 2 Primary Noxious Weeds, 29 Class 3 Secondary Noxious Weeds, five Class 4 Secondary Noxious Weeds, and 43 Class 5 Noxious Weeds (Class 5 includes Class 2 species).

The amount of weed seed that can be present in a seed product is listed in Grade Tables, described within Schedule I of the *Seeds Regulations*.²⁷ All products must be screened for Class 1 and 2 weeds, but not all products need to be screened for other classes. No Prohibited Noxious Weeds seeds may be

²¹ ECCC and Health Canada. "Chemical substances fact sheets and frequently asked questions," <u>2022</u>; Organization for Economic Co-operation and Development (OECD), "Canada's Existing Substances Assessment Repository," <u>n.d.</u>. ²² Department of the Environment, "Waiver of information requirements for living organisms (subsection 106(9) of the Canadian Environmental Protection Act, 1999," <u>2021</u>.

²³ Government of Canada, "Risk assessment of chemical substances," 2022; Organisation for Economic Cooperation and Development (OECD) eChemPortal, "Canada's Existing Substances Assessment Repository," n.d.. ²⁴ Pham, "Let's Talk About Seeds: Recommendations for More Meaningful Public Participation in Canadian Seed Policy," 2019.

²⁵ CFIA, "Weed Seeds Order," 2019b.

²⁶ For the purposes of the Act, "seed means any plant part of any species belonging to the plant kingdom, represented, sold or used to grow a plant."

²⁷ Seeds Regulations (C.R.C., c. 1400) Schedule 1 (Regulations are current to <u>2023</u>-04-20 and last amended on 2020-04-23); CFIA, "Weed Seeds Order to Grade Table Cross Reference," <u>2013</u>.

present in any product.²⁸ Some seeds from Classes 2-6 may be permitted, depending on the grade (quality) of the product and the type of seed product e.g., cereal grains, vegetable seeds, turf seed mixtures.²⁹

Noxious Weeds can be native or non-native, invasive or non-invasive. For instance, poison hemlock (*Conium maculatum*) is native to parts of Canada and not invasive but could be dangerous if included in certain seed products and is therefore classified as a Primary Noxious Weed. All dodders (*Cuscuta* spp.) are designated as Class 1 Prohibited Noxious Weeds in Canada, though there are several species native to Canada, like *C. campestris*. Distinguishing between the seeds of the species would be arduous for seed distributors, so all dodder seed is prohibited. ³¹

Similarly, *Prunella vulgaris*, commonly known as self-heal or heal-all, is categorized as a noxious weed with a native variant - *P. vulgaris* L. var. *elongata* Benth, and an introduced variant *P. vulgaris* L. var. *lanceolata* (W. Bart.) and they can hybridize. While it could be argued the introduced variant is invasive and places the native variant at risk, distinguishing between the seeds would be too onerous for distributors, so the species is regulated, rather than just the non-native variants.³² Designating heal-all as a noxious weed does not prevent the sale of the native variant.

Noxious weeds may be further described as either **Quarantine Pests** or **Regulated Non-Quarantine Pests** (RNQP).³³ All Class 1 Prohibited Noxious Weeds are quarantine pests. Kudzu (*Pueraria montana*) described earlier is an example of a quarantine pest prohibited under the *Plant Protection Act* and a Class 1 Prohibited Noxious Weed. No seeds sold in Canada can be contaminated with any kudzu seeds and no plants can be imported or sold.

By comparison, purple loosestrife (*Lythrum salicaria*) is a **RNQP**. It was originally categorized as a Prohibited Noxious Weed in 2005 but was reclassified in 2016 as a Primary Noxious Weed to better align plants regulated under the *Plant Protection Act* and those regulated under the *Seeds Act*. Both Prohibited and Primary Noxious Weeds **have not reached their full ecological range**.

According to the IPPC, quarantine pests must be under official control "with the aim of eradication or containment." By comparison, an RNQP must be under official control "with respect to the specified plants for planting with the aim of suppression."³⁴ Plants for planting means plants intended for a particular purpose like grain crops, vegetables, cut flowers, or turf grass.

Purple loosestrife rarely occurs as a seed contaminant and does not pose a significant problem for areas where seed is sown.³⁵ If it grew in a dry wheat field (highly unlikely), it would require suppression, but

²⁸ See "Weed Seeds Order Definitions" CFIA, <u>2013</u>d.

²⁹ A plant may be listed in two classes. For instance, ox-eye daisy (*Leucanthemum vulgare* Lam. syn, *Chrysanthemum leucanthemum* L.) is listed both as a Class 3 Secondary Noxious Weed and as a Class 5 Noxious Weed, because it can be a problem for both agricultural field products and seed mixes used in landscaping (e.g., turf seed and ground cover seed mixtures). Not all types of products need to be screened for all weed seeds.

³⁰ Costeav & Tardif, "The biology of Canadian weeds. 133. *Cuscuta campestris* Yuncker, *C. gronovii* Willd. ex Schult., *C. umbrosa* Beyr. ex Hook., *C. epithymum* (L.) L. and *C. epilinum* Weihe," 2006.

³¹ Dodders are also prohibited under the *Plant Protection Act*, but native species are excluded (CFIA, "D-12-01: Phytosanitary Requirements to Prevent the Introduction of Plants Regulated as Pests in Canada," 2019).

³² The species is regulated as a Class 5 Noxious Weed and is limited as a component of turf seed mixtures and ground cover seed mixtures.

³³ ISPM-16, "Regulated non-quarantine pests: concept and application," <u>2021</u>e.

³⁴ ISPM-16, 2021e; CFIA, "Weed Seeds Order," 2013d.

³⁵ "In monitoring conducted between 2001 and 2007, one sample in 2001 was found to contain *L. salicaria*" (CFIA, "6.0 Proposed Species Placement and Rationales," 2013f).

no efforts are required to contain it or prevent its spread into a nearby wetland.³⁶ Regulating loosestrife as a noxious weed has very limited impact on its spread into natural ecosystems.

During the reshuffling of weeds in 2016, Ox-eye daisy was downgraded from a Primary Noxious Weed to a Secondary Noxious Weed. Some invasive species, like garlic mustard (*Alliaria petiolata*) were removed from the noxious weed list entirely, as the *Seeds Act* was not considered the appropriate regulatory tool for management. While some weeds were removed, new weeds were placed on the list.³⁷ Ironically, the CFIA imposes less strict regulations on a noxious weed once it becomes widespread, even though it continues to pose a threat to the economy, human health, or animal health. Clearly such a regulatory policy is not consistent with CBD goals and is driven by risks and costs to agriculture rather than the environment.

FEDERAL PLANT LEGISLATION

The legislative basis for the plant protection program in Canada is primarily the *Plant Protection Act* (PPA) and associated regulations. The purpose of the *Plant Protection Act* is "to protect plant life and the **agricultural and forestry sectors** of the Canadian economy by preventing the importation, exportation and spread of **pests** and by controlling or eradicating **pests** in Canada."³⁸

Plants currently regulated under the *Plant Protection Act* are published online.³⁹ Pests in this list are hyperlinked to policy directives. As of Dec. 2022, there were 30 regulated taxa with 21 taxa identified as "pest plants" under directive <u>D-12-01</u>: Phytosanitary Requirements to Prevent the Introduction of Plants Regulated as Pests in Canada. Another group of plants, which are host to rust diseases, are regulated under a different directive, <u>D-01-04</u>: Plant Protection Import and Domestic Movement Requirements for Barberry (Berberis, Mahoberberis and spp.) under the Canadian Barberry Certification Program.

Currently, federal regulatory actions are seldom taken for plants established in Canada, even when there is potential for further spread. This occurs because plants fail to make it through CFIA's **Pest Risk Assessment** (PRA) process. This is a three-stage process with steps prescribed under the *International Standards for Phytosanitary* Measures (ISPMs). 40 Stages include: initiation, pest risk assessment, and pest risk management. A formal PRA document is only prepared for invasive plants if all stages in the process are completed.

In stage one, the potential impact of the plant is considered. To be a pest, there must be indications that by its establishment or spread, a plant can become **injurious to plants**. ⁴¹ If a plant poses threats to human or animal health or to the environment in a manner that does not directly impact plant health, it would not be considered a pest. The pathways for introduction or spread are also considered. ⁴² If a plant

³⁶ If you are scratching your head, you are not alone. There are a lot of details in policy and law that are difficult to follow. You can read more discussions about definitions in the "Weed Seeds Order (WSO) Review - Proposal for Change" (CFIA, 2013b) and then look for definitions in the ISPM documents related to RNQP (ISPM-16, 2021e).

³⁷ For a more detailed discussion around species placement, see the "Weed Seeds Order Review Secondary Consultation Document" (CFIA, <u>2013g</u>) and "Weed Seeds Order Regulatory Impact Analysis" (CFIA, <u>2016</u>b).

³⁸ *Plant Protection Act* (S.C. 1990, c. 22).

³⁹ CFIA, "List of pests regulated by Canada," 2022 (last modified 2022-11-21).

⁴⁰ Described in detail in ISPM-11, "Pest risk analysis for quarantine pests," 2019. p. 8-26.

⁴¹ A plant pest is "Any species, strain or biotype of plant, animal or pathogenic agent injurious to plants or plant products." Note: In the IPPC, "plant pest" is sometimes used for the term "pest" FAO, 1990; revised ISPM 2, 1995; IPPC, 1997; CPM, 2012] ISPM-5, 2023c, p.7; ISPM-5, 2022, p. 32.

⁴² Pathways can include natural dispersal, intentional introduction, and or unintentional introduction.

meets the definition of a potential pest and endangers parts of Canada, the assessment can proceed. The use of this narrow interpretation does not capture the full ecosystem impacts of invasive plant species in Canada and is a key indication of the need for legislative or regulatory change.

In stage two, the risk for invasion is considered and the plant is **categorized** to determine whether the criteria in the definition for a quarantine pest are satisfied.⁴³ **Distribution, official control, and economic importance** are the three key factors considered.

- If a plant cannot establish or spread in Canada, the risk assessment process stops.
- If the plant is widely distributed, the risk assessment process stops.
- If there are no official control measures in place or plans to put controls in place, the risk assessment process stops.
- If there are no potential economic consequences (including environmental consequences), the risk assessment process stops.⁴⁴

Plants that move forward in the assessment process are designated as a **Quarantine Pest** (QP) or a **Regulated Non-Quarantine Pest** (RNQP). As described under the seed legislation section, RNQPs are plants that specifically impact "plants for planting." They are regulated as noxious weeds in Canada for the purposes of seed quality under the *Seeds Act*. If an invasive plant poses risks of potential economic importance to other areas and is not yet present, or present, but not widely distributed and is being officially controlled, It is classified as a quarantine pest and the process continues to stage three.

In stage three, risk management options are considered. International law requires that options proposed should be the **least trade restrictive** to achieve the level of risk determined acceptable. Options can include no action, surveillance, localized control options (e.g., physical removal, pesticides, biocontrol), with prohibitions on trade as a last resort. ⁴⁸ Public consultations are part of the process. Once feedback is reviewed, a course of action is selected, and a final Risk Management Document (RMD) is prepared.

The CFIA completes few PRAs to the final stage. As of Feb. 2023, there were 30 regulated plant taxa of 412 potential pest plants listed in the federal *Weed Risk Analysis Documents*. ⁴⁹ Only 26 had RMDs prepared. (Compare this to the thousands of assessments done for toxic substances under CEPA). Of the prohibited plant species, the majority are agricultural weeds. Only four of the prohibited plants are of some ornamental/horticultural interest. ⁵⁰ Below are excerpts from RMD summaries for giant reed,

⁴³ Stage 2 is described in detail in ISPM-11, "Pest risk analysis for quarantine pests," 2019. p. 11-22.

⁴⁴ The emphasis on environmental consequences is new to the PRA process.

⁴⁵ "Plants for planting" includes seeds, bulbs and tubers, and various kinds of vegetative propagating material used for growing plants (e.g., fruits, cut flowers, wood, grain) (ISPM-16, <u>2021</u>. p. 6.).

⁴⁶ In the U.S. Noxious Weeds plants may not be transported across state lines, this is not the case in Canada.

⁴⁷ Official Control is defined as "The active enforcement of mandatory phytosanitary regulations and the application of mandatory phytosanitary procedures with the objective of eradication or containment of quarantine pests or for the management of regulated non-quarantine pests [ICPM, 2001]" (ISPM – 5-15, 2022). The concept of "official control" is subject to interpretation. IPPC guidelines state that official control should include efforts to eradicate and/or contain plants in the infested area(s), efforts to monitor populations, as well as efforts to restrict the movement of plants (ISPM 5-24).

⁴⁸ ISPM-16, 2021. P. 25.

⁴⁹ CFIA, "Weed risk analysis documents," 2021b.

⁵⁰ Arundo donax, Echium plantagineum, Nassella trichotoma, and Pueraria montana have appeared in the trades in North America and some present risks of hybridizing with other plants in trade, e.g. *N. trichotoma* with *N. tenuissima* (CABI, "Nassella trichotoma (serrated tussock grass," 2019).

Paterson's curse, tussock grass, and kudzu highlighting some of the economic impact and environmental consequences provided as support for regulation.

Table 2: Justification for regulatory measures presented in the Risk Management Document for four plants prohibited under the Plant Protection Act

Prohibited plant	Primary justifications for regulatory measures
Giant Reed (<i>Arundo donax</i>) RMD 2017	Potential Economic and Environmental Consequences Risk Rating for Potential Economic and Environmental Consequences Potential economic and environmental consequences are rated "High" for A. donax, as it has the potential to cause major damage to the environment (i.e., changes to ecosystem processes, community structure and function, loss of biodiversity), it is difficult and costly to control, and it can negatively impact a variety of water-based industries. ⁵¹
Paterson's curse (Echium plantagineum) RMD 2020	Potential economic impact: At least six potential negative economic impacts have been identified for <i>Echium plantagineum</i> : pasture degradation, livestock and crop yield losses, hay and seed contamination, and increased costs of control. Potential environmental impact: Echium plantagineum has the potential to have serious impacts on the environment. The most significant of these are considered to be the potential negative impacts on animal and human health due to the plant's toxic alkaloids and the potential consequences of herbicide resistance in this species. ⁵²
Tussock grass (Nassella trichotoma) RMD 2020	Potential economic consequences Potential economic impact is not significant Potential environmental and social consequences Potential environmental impact is high While this area is very limited these meadows represent a critically endangered ecosystem within Canada. 53
Kudzu (<i>Pueraria</i> montana) RMD 2010	Potential economic consequences The greatest impacts of <i>Pueraria montana</i> are felt by the forestry industry Control costs have been estimated at approximately \$500 US per hectare per year for five years, which exceeds profits for average 25 year-old pine plantations (Britton et al. 2002; Forseth Jr. and Innis 2004) and results in land being taken out of production Potential environmental and social consequences *Pueraria montana** shades and crushes its competitors, killing native vegetation and forming kudzu monocultures ⁵⁴

The PRAs are not written in a consistent fashion making comparisons difficult. This likely reflects different assessors and an evolving process over time. There is evidence that more attention is being given to environmental impacts in more recent assessments. The more recently evaluated Tussock grass was regulated primarily because of environmental impacts. The simultaneous statement in the RMD that "Potential economic impact is not significant," is inconsistent with the IPPC guidelines stating that environmental impacts should be recognized as economic impacts. The structure of the PRAs could be improved. For example, the EU *Non-native species risk analysis – risk assessment template* provides a

⁵¹ CFIA, "RMD-16-02: Pest Risk Management Document for Arundo donax (giant reed) in Canada," 2017.

⁵² CFIA, "RMD-13-04: Consolidated Pest Risk Management Document for pest plants regulated by Canada Appendix 7A: Pest Risk Assessment Summary for *Echium plantagineum* (Paterson's curse)," 2020a.

⁵³ CFIA, "Appendix 9A: Pest Risk Assessment Summary for Nassella trichotoma (serrated tussock)," 2020b.

⁵⁴ There was no RMD available in the CFIA online management documents, but a RMD-10-11 (Consultation) Pest Risk Management Document for *Pueraria montana* (kudzu) in Canada is available at Richters, <u>2010</u>. ⁵⁵ ISPM-5, <u>2023</u>c, p.28.

more rigorous and detailed model. It could be used to develop a more consistent publicly accessible PRA format in Canada.⁵⁶

The Pest Risk Analysis and Invasive Species Panels (PRA ISP) of the North American Plant Protection Organization (NAPPO) have also noted "There are NO AQUATIC PLANTS OR ALGAE regulated under the *Plant Protection Act* and regulations at present." This is a significant oversight. A lack of resources, "lack of scientific capacity . . . lack of an interdepartmental policy" are likely at the root of this problem. As will be described in the case studies, Fisheries and Oceans Canada (DFO) have identified many potential high-risk species, many of these already exist in Canada.

New legislation that explicitly protects Canada's biodiversity and protects human health or more generally animal health from invasive species is crucial. An Act more like the CEPA is needed that requires invasive plants be treated like toxic substance and mandates assessments. This kind of Act should require the screening of the over 1,200 non-native plants existing in Canada to determine if they are causing harm, just as CEPA required the screening of existing substances.⁵⁹

If the CFIA remains the department responsible for invasive plants, the department should:

- correct any lingering misinterpretations of IPPC requirements.
- address the failure to consider invasive aquatic plants.
- ensure the natural environment is given the same attention as the agricultural and forestry sectors.
- develop a screening plan to evaluate existing non-native plants in Canada and prioritize them for assessment.
- coordinate with other departments (e.g., Environment and Climate Change Canada, Biodivcanada, Fisheries and Oceans Canada, Parks Canada).
- publish risk assessments in a public database.

While this will require increased funding, it should save millions in the long term and incalculable damages to the environment.

⁵⁶ See for example: Pergl, "EU Non-native organism risk assessment scheme *Ailanthus altissima* (Tree-of-heaven),"

⁵⁷ Pest Risk Analysis and Invasive Species Panels of the North American Plant Protection Organization (NAPPO): (PRA-ISP) "DD 02: DD 03: The Role of the NAPPO in Addressing Invasive Alien Species," 2011.

⁵⁸ Champion et al., "Border control for potential aquatic weeds," 2007, 36.

⁵⁹ In 2013, 1,295 introduced plant taxa were described in Canada (Desmet & Brouillet, "Database of Vascular Plants of Canada (VASCAN): a community contributed taxonomic checklist of all vascular plants of Canada," <u>2013</u>).

PROVINCIAL AND TERRITORIAL REGULATIONS



Figure 1. Responding to invasive plants is a shared responsibility. Source. CFIA, 2011.

The primary responsibility for managing established and widely distributed invasive plants in Canada falls to the provinces and territories (Figure 8).⁶⁰ In 2011, the CFIA advised provincial and territorial governments to revise noxious weed acts or other regulatory tools to provide them the authority for regulating invasive plants. Some provinces, like Alberta and Manitoba, did update their weed laws to improve their ability regulate plants that pose threats to the environment. Manitoba also updated its *Water Protection Act* to address invasive aquatic plants. Ontario enacted an *Invasive Species Act* (S.O. 2015, c. 22) that explicitly covers plants that may cause an "adverse effect to biodiversity."

⁶⁰ In 2011, a "Canadian Invasive Plant Framework" was developed based on a series of federal, provincial, and territorial workshops. At that time the Government of Canada was given the primary role of preventing the introduction of invasive plants into Canada. Once introduced to Canada, provincial, territorial, and municipal governments were given the responsibility of managing established invasive plants working in collaboration with non-governmental stakeholders, (Venn Diagram credit: Gov. of Canada "Canadian invasive plant framework: A collaborative approach to addressing invasive plants in Canada." 2011, p.15).

Five jurisdictions list no regulated plants (NB, NL, NT, NU, QB). Québec did have regulated plants but repealed its weed control act in 2018 and has not replaced it. Prince Edward Island regulates purple loosestrife alone and neighboring Nova Scotia regulates only ten weedy plants.

Table 3: Numbers of plants regulated by various jurisdictions in Canada.

Federal, provincial, or territorial legislation	Number of regulated plant taxa
CANADA (CAN) Plant Protection Act (SC 1990, c. 22) Seeds Act (R.S.C., 1985, c. S-8)	30 Federally Prohibited Taxa 96 Noxious Weeds: 26 Class 1 Prohibited, 36 Class 2 Primary, 29 Class 3 Secondary, 5 Class 4 Secondary, 43 Class 5 (this include Class 2 taxa)
ALBERTA (AB) Weed Control Act (SA 2008, c.W-5.1) Fisheries (Alberta) Act, RSA 2000, c F-16 BRITISH COLUMBIA (BC)	80 Noxious Weeds: 44 prohibited, 29 noxious, 7 nuisances 16 invasive aquatic plants prohibited 66 Noxious Weeds: 39 provincial, 27 regional
Weed Control Act ([RSBC 1996] CHAPTER 487) MANITOBA (MB) Noxious Weeds Act (S.M. 2015, c.38) Water Protection Act (C.C.S.M. c. W65) Aquatic Invasive Species Regulation	110 Noxious Weeds: 21 Tier 1 prohibited, 18 Tier 2 restricted, 50 Tier 3 (complaint controlled) 21 invasive aquatic plants prohibited
NEW BRUNSWICK (NB) Weed Control Act (SNB 1969, C.21	No lists
NEWFOUNDLAND AND LABRADOR (NL) NORTHWEST TERRITORIES (NT) Protected Areas Act (SNWT 2019, c. 11)	No lists
NOVA SCOTIA (NS) Agricultural Weed Control Act (R.S.N.S. 1989, c. 501)	10 Noxious Weeds: 9 Class 1 threats to agricultural or cultivated land; 1 Class 2 threat to health
NUNAVUT (NU) Wildlife Act (S.Nu. 2020, c.15) ONTARIO (ON)	No lists 25 Noxious Weeds
Weed Control Act (R.S.O. 1990, c. W.5 Invasive Species Act (S.O. 2015, c.22)	15 Invasive alien plants: 5 prohibited; 10 restricted
PRINCE EDWARD ISLAND (PE) Weed Control Act (Chapter W-2-1) Purple Loosestrife Control Regulations	One taxa Lythrum spp.
QUÉBEC (QC) Agricultural Abuses Act (R.S.Q. c. A-2) repealed	List no longer regulated
SASKATCHEWAN (SK) Weed Control Act (Chapter W-11.1 2014, c.19) YUKON (YT)	60 Noxious Weeds: 23 prohibited, 37 noxious, and five nuisance weeds No lists
Environmental Act (RSY 2002, c 76)	

Regulatory actions are often reactive rather than proactive. For instance, *Phragmites australis* subsp. *australis* was well established in Ontario before it was regulated. After prompting from Fisheries and Oceans Canada, a few provinces are being more proactive regarding aquatic invasive plants. For instance, *Manitoba now prohibits over 22 aquatic invasive plants* under a recent update to the Manitoba *Water Protection Act*. Alberta regulates 17 plants (two distinct from Manitoba). Ontario regulates only nine on that list and Saskatchewan only three. (See Table 4).

Table 4: Ten regulated weeds in Canada illustrating inconsistencies.

Scientific name	Common name	Jurisdictions with regulations
Abutilon theophrasti Medik.	Velvetleaf	CAN (S2&5) BC (P) NS (C1)
Acroptilon repens (L.) DC. (=Centaurea repens L.)	Knapweed, Russian	BC MB (T1) SK (N)
Aegilops cylindrica Host (=A. caudata L.)	Jointed goatgrass	CAN (S1) CAN (PPA) AB (P) BC (P) ON (N) SK (P)
Agropyron repens [BC] (= Elymus repens (L.) Gould [CAN]) (=Elytrigia repens [SK])	Quackgrass; couchgrass	CAN (S2&5) BC SK (NW)
Ailanthus altissima (Mill.) Swingle	Tree-of-heaven	AB (P)
Alliaria petiolata (M. Bieb.) Cavara & Grande	Mustard, garlic	AB (P) MB (T1) SK (P)
Alopecurus myosuroides Huds.	Foxtail, slender	CAN (S1) CAN (PPA)
Amaranthus hybridus L.	Pigweed, smooth	MB (T1)
Amaranthus palmeri S. Watson	Amaranth, Palmer	MB (T1)
Amaranthus retroflexus L.	Pigweed, redroot	BC (N)
Amaranthus tuberculatus (Moq.) J.D.Sauer	Tall water-hemp	CAN (S2&5) MB (T1)

There are clear regulatory gaps and discrepancies across Canada. Very few plants used for landscaping purposes are regulated.

Efforts aimed at managing plant health risks vary across the country—some provinces and territories have more robust systems of risk surveillance, monitoring, and management than others. This unevenness creates gaps. Among the most significant risks identified in the plant health system are the information silos produced by different actors who fail to connect, or whose research remains unknown to each other without a shared information network. ⁶¹

A look at the weedy plants species regulated across Canada illustrates some of the inconsistencies in the current system. For instance, a quick look at the first ten terrestrial plant species (sorted alphabetically) illustrates some of the irregularities (Table 5). Only four provinces recognize the potential threat posed by jointed goatgrass (*Aegilops cylindrica*) and others may not be aware to look for its establishment. There is evident naming confusion. The plant called quackgrass or couchgrass is listed under three different scientific names (*Elymus repens* L. is the currently accepted name). Only one province, Alberta, has recognized the threat posed by tree-of-heaven (*Ailanthus altissima*) sold through the plant trades.

Table 5: Invasive aquatic plants regulated in Canada.

Scientific name	Common name	Regulating jurisdictions
Butomus umbellatus	Flowering rush	AB, BC, MB(W), SK
Cabomba caroliniana	Fanwort, carolina fanwort	AB(F), MB(W), ON
Egeria densa	Brazilian waterweed	AB(F), MB(W), ON
Eichhornia crassipes	Water hyacinth	MB(W)

⁶¹ Council of Canadian Academies, & Bennett, "Cultivating Diversity: The Expert Panel on Plant Health Risks in Canada," 2022, xxiii.

⁶² Systematics is fundamental to ecosystem management and biodiversity conservation. The Integrated Taxonomic Information System (ITIS) was developed in the United States to provide access to standardized nomenclature. (IT IS.gov). The World Flora Online (WFO) Plant List is another comprehensive and authoritative source of accepted scientific names for species (WFO Plant List).

Hydrilla verticillata	Hydrilla, water thyme	AB(F), MB(W), ON
Hydrocharis morsus-ranae	European frogbit	AB, MB(W), ON
Impatiens glandulifera	Himalayan balsam	AB, BC, MB(W)
Iris pseudacorus	Yellow (flag) iris	AB, BC, MB(W)
Lagarosiphon major	African oxygenweed	MB(W)
Lythrum salicaria	Purple loosestrife	CAN, AB, BC, MB(W), PE, SK
Lythrum spp.	Loosestrifes any variety or species	PE
Myriophyllum aquaticum	Parrot feather, Brazilian watermilfoil	AB, MB(W), ON
Myriophyllum heterophyllum	Variable leaf watermilfoil	AB(F)
Myriophyllum spicatum	Eurasian watermilfoil	MB(W), SK
Najas minor	Brittle waternymph	MB(W)
Nitellopsis obtusa	Starry stonewort	MB(W)
Nymphoides peltata	Yellow floating heart	AB, MB(W), ON
Phragmites australis subsp. australis	European common reed	AB(F), MB(N) & MB(W)
Pistia stratiotes	Water lettuce	MB(W)
Potamogeton crispus	Curly-leaf pondweed	AB(F), MB(W), SK
Salvinia molesta	Giant salvinia	AB(F)
Stratiotes aloides	Water soldier	AB(F), MB(W), ON
Tamarisk ramosissima	Salt cedar	MB(N)
Tamarisk ramosissima, T. chiniensis,	Salt cedar	AB, MB(W), SK
T. parviflora*		
Tamarisk spp.	Additional salt cedar species	SK
Trapa natans	Water chestnut	AB(F), MB(W), ON
CAN		

CAN – plants regulated under Canada's Seeds Act

AB – plants regulated under the Alberta Weed Control Act; AB(F) are plants regulated under the Fisheries (Alberta) Act Revised Statutes of Alberta 2000 (AB FA)

BC – plants regulated under British Columbia's Weed Control Act

ON – plants regulated under Ontario's *Invasive Species Act*

MB(N) – plants regulated under Manitoba's Noxious Weeds Act; MB(W) – plants regulated under Manitoba's Water Protection Act (*MB specifies cultivars, variety or hybrid)

PE – plants regulated under Prince Edward Island's Purple Loosestrife Control Regulations

SK – plants regulated under Saskatchewan's Weed Control Act

Native aquatic weeds omitted from the list, (e.g., poison hemlock)

A national risk assessment database could help to solve this problem by alerting all regions to potential threats from both weedy and invasive species.

In the summary of regulations that follows, a few plants are highlighted to illustrate the lack of consistency between jurisdictions. In particular, the knotweeds (e.g., bohemian, giant, Himalayan, and Japanese) and aquatic invasive plants are used to point out differences and disparities.

BRITISH COLUMBIA (BC):

British Columbia's *Weed Control Act* (RSBC 1996, c 487) requires that "an occupier must control noxious weeds growing or located on land and premises." There are 39 plants designated noxious weeds within all regions of the province and 27 more within specific regions specified on the BC Weed Control Regulation, (BC Reg 66/85). The Act does not mention invasive species or harm to the environment caused by plants.

The province-wide list includes the four highly invasive knotweeds:

- Japanese knotweed (Fallopia japonica)
- Giant knotweed (Fallopia sachalinensis)
- Bohemian knotweed (Fallopia x bohemica)
- Himalayan knotweed (*Polygonum polystachyum*).

Invasive aguatics on the province-wide noxious weed list include only four aguatic plants (see Table 4).

In 2014, the Inter-Ministry Invasive Species Working Group in British Columbia, encouraged "the strengthening of federal import regulations and assessments for the invasive potential of all proposed new imports e.g., agriculture, horticulture, fish and game stocking, pet and live food trades." The need for a cohesive, comprehensive framework to clarify authority between federal, provincial, local, and Indigenous governments was reiterated in the *Invasive Species Strategy for British Columbia: 2018-2022*, facilitated by the Invasive Species Council of British Columbia. The Federal Government has not yet responded with such a framework, nor is there publicly available information about federal-provincial-territorial working groups if they do currently exist.

New regulatory tools that clearly define jurisdictional responsibility, and improved capacity are required. The strategy document specifically recommends the creation of a harmonized provincial *Invasive Species Act* as current regulatory tools are not addressing the problem. They also identify the need for better collaboration with the Federal Government and "neighbouring jurisdictions to close the key pathways of invasive species."

ALBERTA (AB):

In Alberta, the *Weed Control Act* (SA 2008, c.W-5.1) enables the eradication and control of invasive plants. Alberta's *Weed Control Act* is administered by Agriculture, Forestry and Rural Economic Development and enables legislation for eradication and control of invasive plants. Regulated plants include 44 prohibited noxious weeds, which must be destroyed when found. There are another 29 noxious weeds that may be subject to a control program if a local authority feels they may have significant **ecological or economic impact** on lands within their municipality.⁶⁵

Prohibited noxious weeds include the Japanese, giant and Bohemian knotweeds, but fails to recognize the threat posed by Himalayan knotweed.

The Weed Control Act includes six aquatic invasive plants: Eurasian watermilfoil, flowering rush, Himalayan balsam, purple loosestrife several tamarisk species, and yellow flag iris. In addition to those six, another 11 invasive aquatic plants are prohibited plants under the Fisheries (Alberta) Act Revised Statutes of Alberta 2000 (see Table 4). Having two lists presents some confusion and can make cross border comparisons difficult.

Alberta identified several issues regarding their 2008 legislation:

In 2010 the Province of Alberta revised its *Weed Control Act*, which in turn required the revision of its list of regulated weeds. Issues that emerged . . . taxonomic and nomenclatural complexities;

⁶³ Inter-Ministry Invasive Species Working Group in British Columbia, "The BC Government Invasive Species Strategic Plan," 2014.

⁶⁴ Bergunder et al., "Invasive Species Strategy FOR BRITISH COLUMBIA 2018 – 2022," 2017.

⁶⁵ Alberta, "Provincially regulated weeds," 2023.

a lack of information on species distribution and impacts; the lack of legal jurisdiction over aquatic species; the need for education and training of those involved in enforcing the Act. ⁶⁶

It should be noted there is also a *Pest and Nuisance Control Regulation* (A -184/2001), under the *Agricultural Pests Act* (SA 1984, c A-8.1). The regulation prohibits the import, purchase, or sale of any animals, birds, insects, plants, and/or diseases identified as pests in Part 1 of Schedule 1. However, no plants are listed in the associated Schedule.

SASKATCHEWAN (SK):

Saskatchewan's *Weed Control Act* (<u>SS 2010, c W-11.1</u>) describes the requirements for the containment or control of prohibited, noxious, or nuisance weeds. There are currently 23 prohibited, 37 noxious and five nuisance weeds.⁶⁷ The Act does not discuss invasive plants that cause harm to the environment.

No knotweeds are regulated, even though the two bordering provinces have listed them. Prohibited aquatic invasive plants include flowering rush, Eurasian watermilfoil, yellow floating heart, curly-leaved pondweed, and **all salt cedar species**, not just the three specified by Alberta and Manitoba (see Table 4).

MANITOBA (MB):

Manitoba's Noxious Weeds Act (CCSM c N110) sets out requirements regarding control or destruction measures for different plants that may "negatively affect any aspect of Manitoba's **economy or environment** or the well-being of residents of the province." They are categorized in tiers, with 21 Tier 1, 18 Tier 2, and 50 Tier 3 plants. Tier 1 weeds must be eradicated without conditions. Tier 2 weeds must be managed according to the size of the infestation. Tier 3 weeds must be controlled if the spread would have a negative impact on the economy, the environment, or the well-being of residents nearby. 68

Of the invasive knotweeds, only Japanese Knotweed (Fallopia japonica) is listed as a Tier 1 plant.

Of the invasive aquatic plants, only one species of salt cedar (*Tamarix* ramosissima) is listed as a Tier 1 weed under the *Noxious Weeds Act*. However, three salt cedar species are prohibited under Manitoba's updated *Water Protection Act* (*C.C.S.M. c. W65*). The Act states: "A person must not (a) possess a member of an aquatic invasive species in Manitoba." The associated *Aquatic Invasive Species Regulation* (173/2015) includes the most extensive list of invasive aquatic species of any province and currently includes 20 genera (Table 4). This list is also one of the more precise regarding nomenclature.

Missing from the list are plants like variable leaf watermilfoil and giant salvina prohibited in Alberta, as well as others assessed as high risk by DFO described in the Case of Aquatic Invasive Plants below.

ONTARIO (ON):

Ontario is the only province with an explicit statute to address invasive plant species. The *Invasive Species Act* (S.O. 2015, c.22) has specific provisions to regulate a species that is "harming or is likely to harm the natural environment of Ontario, regardless of whether it is present in Ontario or in a part of

⁶⁶ McClay, "Revising Alberta's Provincial Weeds List: Experiences and Lessons Learned," 2012, 25.

⁶⁷ Saskatchewan Minister of Agriculture, "Designation of prohibited noxious and nuisance weeds," 2010.

⁶⁸ Manitoba gov., "Controlling Noxious Weeds," 2017.

Ontario." "It is illegal to import, possess, deposit, release, transport, breed/grow, buy, sell, lease or trade prohibited invasive species."

Plant species are classified as invasive based on their biological characteristics, their potential for environmental harm, and their potential socio-economic impacts. Those not yet present in Ontario's natural environment are classified as prohibited and those present are restricted. Currently, there are five prohibited and ten restricted invasive plants (O Reg 354/16).

The five prohibited species are aquatic, not yet present:

- Brazilian elodea (*Egeria densa*)
- European water chestnut (*Trapa natans*)
- Hydrilla (*Hydrilla verticillata*)
- Parrotfeather (Myriophyllum aquaticum)
- Water soldier (Stratiotes aloides)

Three additional aquatic species are restricted and present in the province:

- Fanwort (Cabomba caroliniana)
- European frog-bit (Hydrocharis morsus-ranae)
- Yellow Floating Heart (Nympoides pelata)

The restricted list also includes two dog-strangling vines, phragmites, and four knotweeds (note the scientific names used are distinct from those being used by western provinces):

- Bohemian knotweed (*Reynoutria* × *bohemica*)
- Giant knotweed (Reynoutria sachalinensis)
- Himalayan knotweed (Koenigia polystachya)
- Japanese knotweed (Reynoutria japonica)

Ontario also maintains a *Weed Control Act* (R.S.O. 1990, c. W.5). This Act regulates plants that can negatively impact agriculture and horticulture lands. Currently there are 25 species designated as noxious weeds in Ontario (RRO 1990, Reg 1096). Action is complaint driven.

In the 2022 report entitled: "Value-for-Money Audit: Management of Invasive Species," the Ontario Auditor General notes that Ontario has not done enough to regulate the trade of invasive plants used for landscaping and ornamental purposes. 69 Recommendation 1 states:

So that harmful terrestrial species and their pathways are promptly regulated, in line with the goals and objectives of Ontario's *Invasive Species Strategic Plan* (2012), we recommend that the Ministry of Natural Resources and Forestry:

- develop and employ a standardized risk-assessment tool for terrestrial species;
- collaborate with stakeholders to identify potential terrestrial plant invasive species for regulation; and
- assess and address the need to regulate pathways for terrestrial invasive species.

In general, Ontario lacks expertise and financial resources necessary to perform risk assessments including analysis of ecosystem and related economic impacts. This results in inaction or long delays before action is taken. For example, the Ontario Auditor General found that Carolina fanwort—an invasive aquatic plant that crowds out native plants, clogs irrigation systems and interferes with aquatic

⁶⁹ Ontario Auditor General, 2022.

recreation— was regulated in 2022, almost five years after a complete risk assessment was provided to the Ministry by a contracted expert and eight years after Fisheries and Ocean's Canada had performed a Canada-wide risk assessment. ⁷⁰ (See Case of Aquatic Invasive Plants below).

In addition to problems with aquatic plants, the Ontario Auditor General identified 30 terrestrial ornamental plant species that should be considered for regulation under the Act.

Table 6: Select unregulated invasive plant species in Ontario and their impacts (from Auditor General's report).

Invasive plant	Impact
Amur maple	Establishes dense shade that suppresses the growth of native shrubs, herbaceous plants and grasses.
Autumn Olive	Can outcompete and displace native plants by changing the chemistry of the soil around it.
Common buckthorn	Forms dense thickets that crowd and shade out native plants, alters nitrogen levels in the soil, and produces a large number of seeds that germinate quickly and prevent the natural growth of native plants. Can host the fungus oat crown rust.
Creeping jenny	Thrives in wet soil and creates dense mats that deter the establishment of native plant species.
Dame's rocket	Produces a large number of seeds and crowds out native vegetation.
Daylily	Poses a threat to native plants in fields, meadows, floodplains, moist woods and forest edges by forming dense patches that displace native plants.
English ivy	Threatens native species, including tree saplings, by outcompeting and impacting photosynthesis.
Garlic mustard	Actively displaces native spring ephemeral wildflowers, has chemicals produced in roots that prevent the growth of other plants, and changes the composition of the litter layer of the forest floor.
Glossy buckthorn	Produces a large number of seeds, preventing the growth of native plants.
Goutweed	An invasive groundcover that reproduces quickly and outcompetes native species by forming dense patches.
Italian honeysuckle	Can outcompete and smother small saplings and shrubs.
Japanese barberry	Forms dense thickets that reduce wildlife habitat, affect native plants, restrict recreational activities along trails, and shade out other native species. Can invade undisturbed forests and hybridize with the common barberry; and can impact agriculture by spreading black stem rust, a disease capable of causing major damage to grain crops.
Japanese	Twines around stems of shrubs, herbaceous plants and other vertical supports; forms large
honeysuckle	tangles that smother and kill vegetation; and kills shrubs and saplings by girdling.
Japanese spurge	Can spread by rhizomes in difficult growing conditions.
Lily of the valley	Outcompetes native species for resources by forming dense colonies. All parts of the plant are highly poisonous.
Manitoba maple	Quickly establishes itself along riverbeds and in disturbed areas, but can also grow rapidly in a variety of soil types where they create weak, hazardous and short-lived dense canopies that shade out native species.

⁷⁰ The threat from invasive aquatic species was recognized by the Canadian Council of Fisheries and Aquaculture, in a report: "A Canadian Action Plan to Address the Threat of Aquatic Invasive Species," in <u>2004</u>. High risk invasive aquatic plants in the trades were identified in DFO reports by Marson et al., <u>2009</u>a; <u>2009</u>b and later formal risk assessments were again performed by Gantz et al., "Application of an Aquatic Plant Risk Assessment to Non-Indigenous Freshwater Plants in Trade in Canada," <u>2014</u>." Some of these issues were identified in the "2019 Spring Reports of the Commissioner of the Environment and Sustainable Development," <u>2019</u>.

Miscanthus	Forms thick bunches, displacing native plant communities and reducing light availability to other plants at the soil surface; creates fire hazards as dense, dry stands are highly flammable; and decomposes on the ground, limiting the amount of nutrients returned to the soil.
Multiflora rose	Overtakes the landscape, shading and outcompeting native species for light and nutrients; modifies the structure of the habitat it invades; and uses other trees and plants as scaffolding, overgrowing the plant and thereby suppressing its growth and/or killing it.
Norway maple	Creates dense shade, reducing the amount of light that reaches the forest floor, and replaces native tree species.
Oriental bittersweet	Chokes and girdles native woody plants. Can be spread long distances by birds as it can remain in the stomach for weeks.
Ornamental honeysuckle	Rapidly invades areas, outcompeting native plants by forming dense patches; affects light and nutrient availability of neighbouring plants; and produces toxic chemicals.
Periwinkle	Can escape cultivation and spread rapidly, quickly becoming a dominant plant in the forest understory, and outcompeting and displacing native plant species and tree seedlings.
Russian olive	Drinks more water than most plants in dry soil settings and can outgrow and compete with native species.
Sea buckthorn	Poses a threat to the native vegetation of sand dunes by forming dense thickets that shade out native dune plants and alter the nutrient status of the soil where it grows.
Spearmint	Can quickly sprawl into surrounding areas and suppress the growth of native plants.
Tree-of-heaven	Outcompetes native trees and is a preferred host for spotted lanternfly, an invasive insect not yet established in Canada.
White mulberry	Poses a threat to the endangered native red mulberry due to the hybridization of the invasive tree with the native tree.
Winged burning bush	Forms dense thickets, which can displace native woody and herbaceous plants.
Wintercreeper	Increases the rates of decomposition and nutrient cycling on the forest floor, altering the soil bacterial community in ways that benefit wintercreeper growth.
Yellow archangel	Can easily escape cultivation and establish in a variety of habitats, surviving robust and extreme conditions where it can reproduce through several means and dominate the forest floor.

QUÉBEC (QC):

Québec's Environment Quality Act (CQLR c Q-2) states that the Government may make regulations "to regulate or prohibit the growing, sale, use or transportation of specified invasive plant species whose establishment or propagation in the environment is likely to harm the environment or biodiversity" (95.1 -26), but the article has never been applied.

The regulation respecting noxious weeds, Agricultural Abuses Act (R.S.Q., c. A-2, s. 7) was repealed in 2018. La Fondation de la faune du Québec has developed the "Program for the Fight against Invasive Alien Plants" and the Ministère de l'Environnement has developed lists of priority invasive species, but no specific regulations are currently associated with this list.⁷¹ In an article in La Tribune, Nicolas Bousquet from the COGESAF (Conseil de gouvernance de l'eau des bassins versants de la rivière Saint-François) is quoted:

We often talk about it, but there is no solution. Who is going to legislate on this? The province does not want to get involved, it's complicated . . . Is it the MRCs [regional county municipalities]

⁷¹ Fondation del la faune du Québec, "Programme pour la lutte contre les plantes exotiques envahissantes," <u>2023</u>.

who have to manage this or the municipalities? It's a bit on a case-by-case basis, who is going to apply that? It is complicated to implement regulations. We are like in a dead end where no one really wants to manage that.⁷²

There is a *Plant Protection Regulation* (CQLR c P-42.1, r 2) that focuses on protecting commercial crops from harmful organisms but does not address invasive ornamental plants.

NEW BRUNSWICK (NB):

New Brunswick had a *Weed Control Act* (SNB 1969, C.21) but it was repealed and has been replaced by the *Plant Health Act* (RSNB 2011, c 204). Under the New Brunswick *Plant Health Act*, invasive weed species and weed seed could be designated as pests. No plants are listed as part of the legislation, though it refers to the federal *Seeds Act*.

NOVA SCOTIA (NS):

Nova Scotia regulates two classes of plants in their *Agricultural Weed Control Act* (R.S.N.S. 1989, c. 501). Class Number One plants are those that pose threats to cultivated or pasture lands. There are nine species listed in this category including the native common milkweed (*Asclepias syriaca*), which is essential to the native monarch butterfly. Class Number Two plants are those capable of inflicting ill health. The only plant listed is thornapple, *Datura* spp. (*Weed Control Regulations*, NS Reg 57/68). This likely presents a conundrum as certain *Datura* species, hybrids and cultivars are sold in the nursery trade in Canada.

NEWFOUNDLAND AND LABRADOR (NL):

Newfoundland and Labrador have a *Plant Protection Act* (<u>RSNL1990 ch 16</u>). It prohibits the exchange or sale of plants that are infected or infested with a pest. A pest is defined as something that causes "damage to a vegetable, a part, product or by-product of a vegetable or a plant material." No list of regulated invasive plants is apparent.

Newfoundland and Labrador hosted the two-day "Exotic and Invasive Alien Species Workshop" in 2008 including a review of legislation. ⁷³ At the time, gaps in regulations, gaps in knowledge, lack of resource availability, and lack of standardized definitions were cited as problems. It was noted that:

- Most of the legislation reviewed federally and provincially was written before the IAS issue was elevated to what it is now.
- Many acts both nationally and provincially deal with substances, and organisms which could be interpreted as invasive alien species.
- Many of these acts were written to deal with specific issues as they relate to an industry or human health (e.g., Plant Protection Act).⁷⁴

They called for better inter-agency cooperation and consideration of legislation.

⁷² Pion, "Des plantes envahissantes toujours en vente libre," <u>2022</u>. (Quote translated from the original French).

⁷³ NL Fisheries, Forestry and Agriculture, "2008 Exotic and Invasive Alien Species Workshop," 2008.

⁷⁴ NL Wildlife Division, Department of Environment and Climate Change, "Legislation Review- Invasive Alien. Presentation," 2008.

PRINCE EDWARD ISLAND (PE):

Prince Edward Island's *Weed Control Act* (RSPEI 1988, c W-2.1) allows for the regulation of plants deemed noxious weeds. The Lieutenant Governor may designate a noxious weed as any plant that adversely affects or is likely to adversely affect any person, crop or other desirable plant, animal, or property. Loosestrife (*Lythrum* spp.) is the only taxa listed and there is a specific regulation that makes it an offence "to import, propagate or sell purple loosestrife or any variety or species of the genus *Lythrum*" (*Purple Loosestrife Control Regulations* PEI Reg EC629/91). There is also a *Plant Health Act* (RSPEI 1988, c P-9.1), but this legislation is largely aimed at the control of plant pathogens and does not reference weedy or invasive species.

NORTHWEST TERRITORIES (NT):

The Northwest Territories have no regulation specifically prohibiting invasive plants or noxious weeds. There is a *Protected Areas Act* (SNWT 2019, c. 11) to support and promote the protection, conservation and maintenance of biodiversity, ecological integrity, and cultural continuity of the Northwest Territories. It may be possible through this act to undertake protective measures, where there are threats of serious or irreparable harm to the ecological integrity of an area posed.⁷⁵

NUNAVUT (NU):

In Nunavut, the purpose of the *Wildlife Act* (SNu 2003, c 26) is to "establish a comprehensive regime for the management of wildlife and habitat . . . including the conservation, protection, and recovery of species at risk." In specific reference to invasive species, it states that:

"No person shall release a member of a species into a habitat in which that species does not belong or never naturally occurred." Several guiding principles apply under this act including: *Avatimik Kamattiarniq/Amiginik Avatimik*. This essentially means that "people are stewards of the environment and must treat all of nature holistically and with respect, because humans, wildlife and habitat are interconnected and each person's actions and intentions towards everything else have consequences, for good or ill."

In 2010, the Canadian Endangered Species Conservation Council (CESCC) identified 14 non-native plant species in Nunavut but stated: "there are currently no known species in Nunavut that can be classified as aquatic or terrestrial invasive species." The CFIA technical report on Invasive Species Canada reported 16 invasive plant species in Nunavut, While the interpretation of invasiveness can be debated, the discrepancy suggests a lack of information sharing between the Federal Government and territorial representatives.

⁷⁵ Gov. NWT, "Protected Areas Act," n.d..

⁷⁶ Environment Canada, "Non-native & invasive species in Nunavut," 2010.

⁷⁷ CFIA, 2008.

YUKON (YT):

The objectives of the *Environmental Act* (RSY 2002, c.76) are "to ensure the maintenance of essential ecological processes and the preservation of biological diversity". It does not explicitly mention IAPS but classifies "organisms prescribed by the Commissioner in Executive Council to be dangerous to life, health, property, or the natural environment" as Class 9 hazardous substances. It is unclear if this Act could be used to regulate IAPS.

SUMMARY:

The above provincial and territorial lists of regulated plants, or lack thereof, tell a story of inconsistency and lack of communication. Invasive plant species do not stop at borders. A national coordinating body is needed to facilitate cooperation between regions and to ensure information is broadly shared and resources are used efficiently and effectively. Recarda could use the Federal-Provincial-Territorial Invasive Alien Species National Committee established in 2018 or create a new biosecurity authority like that in Australia and New Zealand with a broader focus. On Coordinating body mandated to protect biological diversity along with the economy, food security, and public health is clearly needed.

In addition to national leadership, a national risk assessment database would go a long way to ensure that regions have access to science-based threat analysis. Many provinces identified lack of information and lack of expertise as obstacles to action. The Federal Government should remove these obstacles. Some plants should be regulated at the national level. As is the case with giant reed, federal regulation can avoid "a province-by-province approach to legislation, which could be less consistent.⁸¹

INVASIVE PLANT REGULATIONS IN THE U.S.

The regulation of invasive plants in the United States is a complex and evolving issue. The regulation of invasive plants is primarily handled at the state level, however, as in Canada there are federal acts to protect seed quality⁸² and to protect plants. Unlike in Canada, there is a U.S. National Invasive Species Council (NISC) coordinating federal departments and agencies.

A National Invasive Species Information Center (NISIC) was developed to support the activities of the council.⁸³ It provides a wide range of invasive species information; covering federal, state, local, and

⁷⁸ Gov. of Canada, "Canadian Invasive Plant Framework: A Collaborative Approach to Addressing Invasive Plants in Canada, 2011.

⁷⁹ A Federal-Provincial-Territorial Invasive Alien Species National Committee was established in 2018 to increase policy coordination and information sharing about all invasive species, but it does not track implementation of national or international targets on invasive species. It is co-chaired by Environment and Climate Change Canada, who also provides secretariat functions, but its work plan is not a public document and no further information about its plans are available on-line (ECCC, Personal Communication, April 2023); Report releases by FPT IAS "Recommendations of the Invasive Alien Species Task Force," 2017.

⁸⁰ Reid et al., "The state of Canada's biosecurity efforts to protect biodiversity from species invasions," 2021.

⁸¹ CFIA, "RMD-16-02: Pest Risk Management Document for Arundo donax (giant reed)," 2017a.

⁸² The U.S. Federal Seed Act Regulations (<u>7 CFR § 201.28</u>), first enacted in 1939, is used to regulate interstate and foreign commerce in seeds, to prevent "noxious weed seeds" that may be present in seed products.

⁸³ NISC [National Invasive Species Information Center], "About our site," <u>2023</u>; NISC "Meeting the Invasive Species Challenge: National Invasive Species Management Plan," <u>2001</u>.

international sources. Included in the database are up-to-date species lists and laws as well as resources for management and control. This kind of national database is needed in Canada.

At the federal level, the U.S. Department of Agriculture (USDA) is responsible for regulating invasive plants. APHIS (Animal and Plant Health Inspection Service) is a sub-agency of the USDA that like the CFIA is a National Plant Protection Organization under the IPPC. APHIS performs risk assessments in accordance with IPPC standards and maintains a list of plants considered noxious weeds (including invasive plant species). The importation, interstate movement, and release of noxious weeds are regulated under the U.S. *Plant Protection Act* of 2000 (PPA - 7 U.S.C. §7701).

The U.S. PPA consolidated and superseded several laws including the *Federal Noxious Weed Act* of 1974 (as amended).⁸⁴ The U.S. act has a broader scope than Canada's act of the same name. While Canada's PPA protects plant health and the agricultural and forestry sectors, the purpose of the U.S. PPA is to protect agriculture, environment, and economy.⁸⁵ In addition, in 2014, the U.S. act was amended to better regulate any plant that could potentially be a vector for a plant pest or disease.⁸⁶

Changes to the U.S. PPA include complex import regulations. These are described in the APHIS "Plants for Planting Manual." This document contains an extensive list of regulated plants with specific restrictions. Importation and interstate movement without a permit of those plants designated Federal Noxious Weeds continues to be prohibited.

The Federal Noxious Weed List was last updated in 2010.⁸⁷ At that time, 87 terrestrial, 19 aquatic, and 5 parasitic taxa were on the list. The list includes some plants in the ornamental/horticultural trades. While ornamental noxious weeds, like Japanese bloodgrass (*Imperata cylindrica*), cannot be imported or moved from one state to another, vendors can still offer such plants for sale if they were propagated within the state.⁸⁸

Each state can establish its own regulations and management strategies for invasive plants. Most states maintain a list of plants considered noxious weeds within the state. Plants identified may be prohibited or restricted, or control requirements may be prescribed.

Some states explicitly recognize invasive plants in the ornamental and landscaping trades and regulate their sale and or require labels to better inform the public of their harm. As in Canada, there are significant gaps and inconsistencies between states. However, some plants have been recognized in multiple states. (Examples are shown in Table 7 below.)

⁸⁴ The U.S. *Plant Protection Act* consolidated and superseded several U.S. plant health laws, including *The Act of August 20*, 1912, The Federal *Plant Pest Act;* Section 102 (a)-(e) of the Department of Agriculture *Organic Act* of 1944; The Federal *Noxious Weed Act* of 1974 and several others (Corn & Johnson, "Invasive Species: Major Laws and the Role of Selected Federal Agencies," 2017).

⁸⁵ Congressional Research Service, "Invasive Species: Major Laws and the Role of Selected Federal Agencies," <u>2017</u>, 15.

⁸⁶ "The Agriculture Act of 2014; H.R. 2642 / Pub. L. 113-79—became law in June 2014. It authorizes permanent funding for programs (USDA, "Plant Protection Act FY2020 (Annual) Implementation Plan for Section 7721: Plant Pest and Disease Management and Disaster Prevention Programs including the National Clean Plant Network," 2019.).

⁸⁷ USDA APHIS, "Noxious Weeds Program Home Page," <u>2022</u> list <u>2010</u>; Gov.info. 7 CFR § 360.200 - Designation of noxious weeds. <u>2022</u>.

⁸⁸ Beaury, Patrick & Bradley "Invaders for sale: the ongoing spread of invasive species by the plant trade industry,", 2021.

Table 7: Examples of ornamental plants regulated in three or more North American jurisdictions.

Scientific name	Common name	Jurisdictions regulated in U.S. E	Border States
		(additional states) and Canada	
Acer ginnala syn Acer tataricum subsp. ginnala	Amur maple	ME VT WI	
Acer platanoides	Norway maple	ME NH NY VT	
Acer pseudoplatanus	Sycamore maple	NY (CT MA)	
Aegopodium podagraria	Goutweed, Bishop's weed	ME OH VT WI	
Ailanthus altissima	Tree of heaven	ME MI NH, OH, PA VT WA WI (DE CT IN MA)	AB
Anthriscus sylvestris	Wild chervil, raven's wing	NY WA WI (MA)	CAN (2&5) ON
Berberis thunbergii	Japanese barberry	ME NH NY VT NY PA WI (DE IN MN)	CAN (PPA) 11 cultivars excluded
Celastrus orbiculatus	Asiatic bittersweet	ME MN NH NY OH PA VT WI (DE CT IL MA)	
Cytisus scoparius	Scotch broom	ID OH MT PA WA WI (MD)	BC
Elaeagnus angustifolia	Russian olive	OH MT WA WI (IL)	
Elaeagnus umbellata	Autumn olive	ME MI NH NY OH WI (CT DE MA)	AB
Euonymus alatus	Winged euonymus	ME NH NY VT WI (DE MD MA)	
Fallopia baldschuanica syn. Polygonum	Silver lace vine	ME NH (IL)	
Frangula alnus syn. Rhamnus frangula	Buckthorn	ME NH NY OH PA VT WI (IL MA)	МВ
Gensita spp.	Brooms	ID OH PA WA	
Gypsophila paniculata	Baby's breath	PA WA	AB BC MB SK
Iris pseudacorus	Yellow flag iris	ID ME MT NH NY OH, VT WA WI (MA MD OR)	AB BC MB
Leucanthemum vulgare syn. Chrysanthemum leucanthemum	Oxeye daisy	ID MT OH WA (AK PA)	CAN (3) AB BC MB SK BC
Ligustrum vulgare	Privet	ME NH NY	
Lonicera japonica	Honeysuckle, Japanese	ME MN NH NY OH VT WI (DE	
L. maackii	Amur or bush	CT IL)	
L. morrowii	Morrow's	*Bella is not regulated in ME	
L. tatarica	Tatarian	or OH	
L. x bella	Bella*	L. xylosteum is on ME list	DE CK
Lythrum virgatum Phellodendron amurense	Wand loosestrife Amur cork tree	OH WA WI	PE SK
Pyrus calleryana	Callery ("Bradford") pear	ME NY WI (MA) ME OH PA (MD SC)	
Rosa multiflora	Multiflora rose	ME NH, NY OH PA WI (IL MA)	
Ranunculus ficaria syn. Ficaria verna	Lesser celandine	NY OH WA WI (DE CT IL)	
Tamarisk ramosissima	Salt cedar	ND WA (IL)	AB MB SK
	The state of the s	. ,	<u> </u>

"The widespread availability of invasive plants in the U.S. is likely a symptom of disjointed state regulations that fail to protect ecosystems and economies." Below is a quick summary of the approach taken by the 13 states bordering Canada: Maine, New Hampshire, Vermont, New York, Pennsylvania, Ohio, Michigan, Minnesota, North Dakota, Montana, Idaho, Washington, and Alaska.

MAINE (ME):

In the Maine code of rules, the Criteria for Listing Invasive Terrestrial Plants (01-001 C.M.R. Ch. 273) "describes the criteria a plant species must meet to be considered invasive and establishes three lists of plants that regulate the sale of invasive plants in the horticulture trade." The invasive plant lists described in Maine's code are maintained by the Maine Department of Agriculture & Forestry under their Horticulture Program. Sixty-three (63) plants currently appear on the "Do Not Sell Plant List" (Table 8) with 29 more on a watch list.

Table 8: Maine Do Not Sell Plant List (2022).

Scientific name	Common name	Scientific name	Common name
Acer ginnala	Amur maple	Iris pseudacorus	Yellow Iris
Acer platanoides	Norway maple	Ligustrum obtusifolium	Border privet*
Aegopodium podagraria	Bishop's weed	Ligustrum vulgare	Common privet
Ailanthus altissima	Tree of heaven	Lonicera japonica	Japanese honeysuckle
Alliaria petiolata	Garlic mustard	Lonicera maackii	Amur or bush honeysuckle
Alnus glutinosa	European alder*	Lonicera morrowii	Morrow's honeysuckle
Amorpha fruticosa	False indigo	Lonicera tatarica	Tatarian honeysuckle
Ampelopsis glandulosa	Porcelainberry	Lonicera xylosteum	Dwarf honeysuckle*
Angelica sylvestris	Woodland angelica*	Lythrum salicaria	Purple Loosestrife
Anthriscus sylvestris	Wild chervil, raven's wing*	Lythrum virgatum	Wand loosestrife*
Aralia elata	Japanese angelica tree*	Microstegium vimineum	Stilt Grass
Artemisia vulgaris	Common mugwort	Miscanthus sacchariflorus	Amur silvergrass*
Berberis thunbergii	Japanese barberry	Paulownia tomentosa	Paulownia
Berberis vulgaris	Common barberry	Persicaria perfoliata	Mile-a-minute weed
Butomus umbellatus	Flowering rush*	Petasites japonicus	Fuki, butterbur *
Celastrus orbiculatus	Asiatic bittersweet	Phalaris arundinacea	Reed canary grass *
Elaeagnus angustifolia	Russian olive*	Phellodendron amurense	Amur cork tree
Elaeagnus umbellata	Autumn olive	Photinia villosa	Photinia, Christmas berry*
Euonymus alatus	Winged euonymus	Phragmites australis	Common reed*
Euonymus fortunei	Wintercreeper *	Phyllostachys aurea	Golden bamboo*
Euphorbia cyparissias	Cypress spurge	Phyllostachys aureosulcata	Yellow groove bamboo
Fallopia baldschuanica	Chinese bindweed	Populus alba	White cottonwood
Fallopia japonica	Japanese knotweed	Pyrus calleryana	Callery ("Bradford") pear*
Festuca filiformis	Fine-leaved sheep fescue*	Ranunculus repens	Creeping buttercup
Ficaria verna	Lesser celandine	Robinia pseudoacacia	Black locust
Frangula alnus	Glossy buckthorn	Rosa multiflora	Multiflora rose
Glaucium flavum	Yellow hornpoppy*	Rubus phoenicolasius	Wineberry*
Glechoma hederacea	Ground ivy *	Silphium perfoliatum	Cup plant*

⁸⁹ Beaury, "Invaders for sale: The ongoing spread of invasive species by the plant trade industry. ESA, 2020" [YouTube Presentation], 2020.

⁹⁰ Maine Dept. Agriculture, Conservation & Forestry, "Horticulture Program: Invasive plants," 2021.

Glyceria maxima	Great mannagrass*	Sorbus aucuparia	European mountain-ash*	
Hesperis matronalis	Dame's Rocket	Tussilago farfara	Coltsfoot*	
Hippophae rhamnoides	Sea buckthorn*	Valeriana officinalis	Common valerian*	
Impatiens glandulifera	Ornamental jewelweed			
*To be phased out by January 2024				

There is a separate regulatory code for the *Prevention of the spread of invasive aquatic plants* (38 MRSA 419-C which is under the authority of the Maine Dept. of Environmental Protection, "A person may not: Possess, import, cultivate, transport or distribute any invasive aquatic plant or parts of any invasive aquatic plant, including roots, rhizomes, stems, leaves or seeds, in a manner that could cause the plant to get into any state waters." Water Gardeners and Aquarium Owners are informed that eleven aquatic plants are prohibited in the state.⁹¹

NEW HAMPSHIRE (NH):

New Hampshire has enacted an Invasive Species rule (<u>Ch. Agr 3802.1</u>). "It is illegal in New Hampshire to collect, transport, sell, distribute, propagate or transplant any living or viable portion of any listed **prohibited invasive plant species** including all of their cultivars, varieties, and specified hybrids." The NH Prohibited Invasive Species List includes popular landscaping plants like burning bush (*Euonymus alatus*), Norway maple (*Acer platanoides*), and yellow flag iris (*Iris pseudacorus*). ⁹³

New Hampshire Invasive Species Council adopted the nationally recognized invasive species evaluation protocol known as NatureServe Invasive Species Impact Rank (I-Rank).⁹⁴ It is used to determine which non-native plant species pose the most serious threats to native species and ecosystems. These are then evaluated for inclusion on the prohibited species list.

Aquatic invasive plants are addressed by a different regulation. "Since January 1, 1998, the sale, distribution, importation, propagation, transportation and introduction of key exotic aquatic plants has been prohibited (RSA 487:16-a)." The extensive list includes all *Myriophyllum* species. Plants like yellow flag iris are included on both terrestrial and aquatic prohibited lists.

VERMONT (VT):

The state of Vermont "regulates the importation, movement, sale, possession, cultivation and/or distribution of certain plants known to adversely impact the economy, environment, or human or animal health" (VT *Quarantine #3 -Noxious Weeds*). The state Noxious Weed List includes Class A plants that are not yet in the state and Class B plants "that is not native to the state, is of limited distribution statewide, and poses a serious threat to the State, or any other designated noxious weed being managed to reduce its occurrence and impact in the State, including those on the Federal Noxious Weed List (7 C.F.R. 360.200)." The list prohibits the sale of several plants of ornamental interest, e.g., Norway maple (*Acer platanoides*), Japanese barberry (*Berberis thunbergii*), amur maple (*Acer ginnala*). The list also includes invasive aquatic plants like parrot feather (*Myriophyllum aquaticum*).

⁹¹ ME Dept Environment Protection, "Water Gardeners and Aquarium Owners," <u>2019</u>.

⁹² NH Dept. of Agriculture, Markets & Food, "Invasive Plants," 2022.

⁹³ NH Dept. of Agriculture, Markets & Food, "Fact sheet: Prohibited Invasive Plant Species Rules, Agr 3800," 2017.

⁹⁴ NatureServe, "Data Types: Invasive Species Impact Rank," 2022.

⁹⁵ NH Dept of Environmental Services "Law Prohibits Exotic Aquatic Plants," 2019.

"The impacts of these plant species on native ecosystems outweigh their value as ornamental plants in the nursery and landscaping trades to the extent that the Agency of Agriculture has banned their sale in an effort to prevent their introduction into as yet uninfested areas or slow their further spread across the state through commerce." 96

The Vermont Invasive Exotic Plant Committee (VIEPC) also maintains a "watch list" that has no regulatory force but is used to educate the public about potentially problematic plants. The plants are periodically reviewed for inclusion on the regulated list. "The VIEPC is composed of representatives from state and Federal Government, nonprofit organizations and private industry, as well as concerned individuals." ⁹⁷

NEW YORK (NY):

A regulation (6 CRR-NY V C 575 Prohibited and Regulated Invasive Species) was adopted in July 2014, that prohibits or regulates select invasive species. "The purpose of this regulation is to help control invasive species, a form of biological pollution, by reducing new infestations and spread of existing populations".98

Prohibited invasive species include plants of horticultural interest like amur cork tree (*Phellodendron amurense*), amur honeysuckle (*Lonicera maackii*) and Japanese bloodgrass (*Imperata cylindrica*). Prohibited species cannot be possessed with the intent to sell, import, purchase, transport or introduce. There are additional plants in the nursery trade classified as regulated invasive species. This list includes six species: black locust (*Robinia pseudoacacia*), burning bush (*Euonymus alatus*) Norway maple (*Acer platanoides*), Chinese silver grass (*Miscanthus sinensis*), Japanese virgin's bower (*Clematis ternifora*), winter creeper (*Euonymus fortunei*). These regulated species cannot be knowingly introduced into a free-living state. ⁹⁹ Businesses selling any regulated species are required to label them with a 14-point font warning: **Invasive Species - Harmful to the Environment**.

This regulation was based upon a report prepared by the New York Invasive Species Council entitled "A Regulatory System for Non-Native Species" (2010). The "four-tier system proposed in this report includes:

- a list of prohibited species, which should be unlawful to possess, import, purchase, transport, or introduce except under a permit for disposal, control, research, or education;
- a list of regulated species, which should be legal to possess, sell, buy, and transport but not be introduced into a free-living state;
- a list of unregulated species which are non-native species that should not be subject to regulation; and
- a procedure for the review of a non-native species that is not on the prohibited, regulated, or unregulated lists before the use, distribution, or release of such non-native species."

⁹⁶ VT Agency of Agric., Food and Markets, "Quarantine #3 – Noxious Weeds (Noxious Weeds Rule) Frequently Asked Questions (FAQs)," 2012.

⁹⁷ Spinney, "Vermont's Invasive Exotic Plant Watch List Updated," 2022.

⁹⁸ NY Dept. of Environmental Conservation, "Invasive Species Regulations," <u>2022</u>.

⁹⁹ Introduction in a free-living state means introducing the plant into an unconfined area outside the control of a person, and in particular public lands, lands connected to public lands, natural areas, public waters, waters connected to public waters or water-using facilities that provide access to public waters.

The Invasiveness Ranking Form is a possible assessment tool that could be useful in Canada.

In May 2016, a statewide *Aquatic Invasive Species (AIS) Spread Prevention Regulation* (<u>6 NYCRR Part</u> <u>576</u>) was adopted to prevent the spread of aquatic invasive species. ¹⁰⁰ It does not impact the sale of aquatic invasive plants.

PENNSYLVANIA (PA):

To protect agriculture and ecosystems, Pennsylvania enacted a *Controlled Plant and Noxious Weed Act*. (2017, PA C.S. 3). With those changes, a new Invasive Plant/Noxious Weed List (§ 317-103) was created that incorporates the PA Dept. of Agriculture's Noxious, Invasive and Poisonous Plant Program Class lists and the PA Dept. of Conservation and the Natural Resource's list of "Invasive Plants of Pennsylvania." Weeds are categorized in three classes based on spread and eradication potential. The list includes the Federal Noxious Weeds in Class C. It is a violation to distribute, cultivate or propagate any noxious weed. The list includes aquatic plants like European water chestnut (*Trapa natans*) and ornamental terrestrial plants like wild chervil (*Anthriscus sylvestris*) and chocolate vine (*Akebia quinata*).¹⁰¹

OHIO (OH):

In 2018, to protect native plant species, Ohio enacted an *Invasive Plant Species Rule* (901:5-30-01). Invasive plant species are defined as plant species that are not native to Ohio whose introduction causes or is likely to cause economic or environmental harm, or harm to human health as determined by scientific studies. Under this rule, "no person shall sell, offer for sale, propagate, distribute, import or intentionally cause the dissemination of any invasive plant." The list includes ornamental plants like tree-of-heaven (*Ailanthus altissima*), various Asian bush honeysuckle (e.g., *Lonicera japonica*), callery pear (*Pyrus calleryana*) and includes aquatics like water chestnut (*Trapa natans*) and water milfoils (*Myriophylum* spp.).

There are additional regulations for plants designated "noxious weeds" (901:5-37-01). Prohibited plants include several ornamental invasive plants such as purple loosestrife (*Lythrum salicaria*), kochia (*Bassia scoparia*), Japanese knotweed (*Polygonum cuspidatum*). Yellow groove bamboo (*Phyllostachys aureasculata*) is also prohibited "when the plant has spread from its original premise of planting and is not being maintained."

MICHIGAN (MI):

A limited number of invasive plant species are designated by the State of Michigan as either "prohibited" or "restricted." (*Natural Resources and Environmental Protection Act 451 of 1994* PART 413: *Transgenic and Nonnative Organisms*). The list of regulated species includes mostly aquatic invasive species and two terrestrial species: giant hogweed (*Heracleum mantegazzianum*) and Japanese knotweed (*Fallopia japonica*).¹⁰² If a species is prohibited or restricted, it is unlawful to possess, introduce, import, sell or offer that species for sale.

¹⁰⁰ NY Dept. of Environmental Conservation, "Invasive Species Regulations," 2016.

¹⁰¹ PA Dept. of Agric "Controlled Plant & Noxious Weeds," 2022.

¹⁰² Michigan Agriculture & Rural Development, "Prohibited and Restricted Weeds," n.d..

Michigan also has "rarely enforced" noxious weed regulations. ¹⁰³ Michigan's *Seeds Law* limits the percentage of noxious weed seed in "agricultural, vegetable, lawn, flower, and forest tree seeds" (MI *Seed Law 1995, Act 329*; and *Seed Law Implementation 1995, Regulation 715*). The MI Department of Agriculture maintains the Prohibited and Restricted Weeds Lists, though the official MI government website does not make it immediately clear which invasive species are regulated. ¹⁰⁴

MINNESOTA (MN):

Minnesota has several state laws intended to minimize the introduction and spread of invasive plant species. In addition to a *Noxious Weed Law* (Agric. Ch. 18), Minnesota has enacted additional statutes and rules to explicitly control invasive species (*Conservation Ch 89D; Natural Resources Department Ch 6216*). This state prohibits many aquatic invasive plants (28 species), including all but one on the federal noxious weed list, and regulates another seven. ¹⁰⁵ Many ornamental terrestrial species are regulated as noxious weeds using a four-tiered system. "The Noxious Weed Law affects growing plants. Some plants are noxious because they can harm people, animals, the food we eat, and nature." ¹⁰⁶

There are currently 29 species on the prohibited noxious weed list, 16 on the eradicate list, and 13 on the control list. There are an additional 15 on a restricted list that cannot be sold, and four species that have special regulations. The various lists correspond to the establishment of the plants in the state and the requirements for control.

- Prohibited Eradicate: not yet present. For instance, tree-of-heaven (*Ailanthus altissima*) is not yet present in the state, cannot be sold, and must be eradicated when found.
- Prohibited Control: present and containable. For example, giant knotweed (*Polygonum sachalinese*) is present in the state. It cannot be sold and must be controlled in a way that prevents its spread by seed or vegetative means where eradication is not possible.
- Restricted: widespread, eradication unlikely: These are widespread invasive plants, like the multiflora rose (*Rosa multiflora*) and eradication or control is "not feasible" statewide. These plants may not be sold or intentionally distributed.
- Regulated: eradication or control can be enforced under specific conditions: Four species fall under this regulation: amur maple, Norway maple, poison ivy, and burning bush.

For instance, amur maple and Norway maple may be sold, but as in New York, labelling is required.

Sellers shall affix a label directly to the plant or container packaging that is being sold that advises buyers to only plant [these species and their] cultivars in landscapes where the seedlings will be controlled by mowing or other means. . . . [S]eed is wind dispersed and trees should be planted at least 100 yards from natural areas¹⁰⁷

Burning bush is being phased out and will move to Restricted status in 2023. Plants like poison ivy (a native) must be controlled where it poses a public health hazard.

¹⁰³ Isleib,"Michigan noxious weed laws, though rarely enforced, define and regulate prohibited/restricted weeds," 2012.

¹⁰⁴ Michigan gov. "Invasive Species," 2022.

¹⁰⁵ MN Dept of Natural Resources, "Minnesota Weed Law," 2022.

¹⁰⁶ MN Dept. of Agric., "Minnesota invasive species laws," 2022b

¹⁰⁷ MN Dept. of Agric., "State Prohibited Noxious Weeds," 2022c.

NORTH DAKOTA (ND):

North Dakota prohibits the sale and intentional distribution of noxious weeds (ND CC § 4.1-47-02). They include ornamentals like purple loosestrife (*Lythrum salicaria* L., *L. virgatum* L. and all cultivars) as well as all salt cedar (*Tamarisk* spp.).

North Dakota prohibits the transport of any aquatic vegetation to or from any waters of the state. 108

MONTANA (MT):

Montana maintains a noxious and regulated plant list under various agriculture regulations (<u>Ch 4.5</u>; <u>Ch 7</u>). Plants are classified as priority 1A, 1B, 2A, 2B or 3, based on their presence in the state and the management required. As in Minnesota, those not yet present like common reed (*Phragmites australis* ssp. *australis*) require eradication. Those present like the knotweed complex (*Fallopia japonica, F. sachalinensis, F. × bohemica*) require eradication or containment.

More common invasive species like yellow flag iris (*Iris pseudacorus*) and Eurasian watermilfoil (*Myriophyllum spicatum*, *M. spicatum* x *M. sibiricum*) require containment and are prioritized over common species like oxeye daisy (*Leucanthemum vulgare*). There is a final category of regulated but not noxious plants that **cannot be intentionally spread or sold**, and this short list includes aquatic plants like parrot feather watermilfoil (*Myriophyllum aquaticum* or *M. brasiliense*) as well as terrestrials like Russian olive (*Elaeagnus angustifolia*).

IDAHO (ID):

Idaho has two statutes regulating invasive plants, a *Noxious Weeds regulation* (22 Ch 24) and a more recent *Invasive Species Act* (22 Ch19). Under the invasive species regulation, "**No person may** import, export, **purchase, sell, barter,** distribute, propagate, transport or introduce an **invasive species** into or within the state of Idaho." Invasive aquatic and terrestrial species are included with noxious weeds on state lists.¹¹⁰

Idaho has 71 weed species and 4 genera designated noxious by state law – 54 of these species are terrestrial. Ornamental brooms and false brooms are all prohibited, from the genera: *Cytisus, Genista, Spartium,* and *Chameacytisus*. There are an additional 17 aquatic invasive species. It is a tiered system requiring eradication, control, containment and or reporting, depending on how widespread the problem.

WASHINGTON (WA):

Washington State's *Noxious Weed Seed and Plant Quarantine* legislation (WAC <u>16-752-600</u>) begins:

¹⁰⁸ ND, "Aquatic Nuisance Species." 2008, 30-03-06; ND Game and Fish, ANS Regulations," 2022.

¹⁰⁹ MT Gov., "Montana Noxious Weed List," 2019.

¹¹⁰ ID, "Invasive species: Overview," 2022a.

¹¹¹ ID, "Invasive species: Terrestrial plants," 2022c.

¹¹² ID, "Invasive species: Aquatic plants," 2002b.

Washington agriculture, environmental quality and natural resources, including waters and wetlands, are threatened by **non-native**, **aggressive species** of noxious weeds. A number of these noxious weeds are transported and sold within the state of Washington both as **nursery plants and as seeds in packets of flower seeds** or 'wildflower mixes.' Subsequent "escape" of these ornamentals has been a documented source of a number of infestations and has resulted in large public and private expenditures by landowners and land managers, weed boards, and weed districts and the department of agriculture to achieve the control mandated . . . regulation of the sale of these seed packets and plants as 'regulated articles' is necessary to protect Washington agriculture and natural resources and to prevent public and private costs of control.

Under state law establishing the *Noxious Weed Seed and Plant Quarantine rule*, "it is **prohibited to transport**, **buy**, **sell**, **offer for sale**, or to distribute plants or plant parts of the regulated species into or within the state of Washington" (<u>WAC 16-752-620</u>). Regulated species include certain noxious weed species, ¹¹³ but not all.

The WA noxious weeds are organized into three classes of weeds: Class A, B, and C. Class A are not widely distributed and must be eradicated where found. Class B are widespread, and containment or reduction is required. Class C weeds are often widespread or are of special interest to the agricultural industry. Control may be required if they pose a threat to agriculture or natural resources. ¹¹⁴ Additions of noxious weeds to the quarantine list within the last six years include: yellow archangel (*Lamiastrum galeobdolon*), butterfly bush (*Buddleja davidii*) except sterile cultivars, oriental clematis (*Clematis orientalis*), French broom (*Genista monspessulana*), giant reed (*Arundo donax*) (except variegated cultivars), and lesser celandine (*Ficaria verna*). ¹¹⁵

ALASKA (AK):

Alaska's Department of Natural Resources manages *Prohibited and restricted noxious weeds* (Section 11 <u>AAC 34.020</u>). These are generally weedy species with little ornamental value. There is an *Aquatic Invasive Species regulation* (5 AAC 41.07), but no plants are identified on the list of regulated species.¹¹⁶

The Alaska Center for Conservation Science (ACCS) has been working to track all non-native species and has developed an invasive plant ranking system that evaluates the probability of species establishment in three eco-geographic regions of the state based on its worldwide range. ¹¹⁷ The list includes ornamental species like Siberian peashrub (*Caragana arborescens*) with high invasive potential. Hopefully such studies can be used to inform regulations to limit their spread.

SUMMARY

Bradley and colleagues recently summarized the status of the regulatory systems in the United States:

[I]nvasive plant regulations are **inconsistent and reactive**. Of the 128 plants regulated by one or more states, 54 were regulated by a single state and only 16 were regulated by all six states; regulated species tended to be widespread across the region (not proactive). These outcomes are

¹¹³ WA, "Prohibited plants and seeds in Washington State," 2021.

¹¹⁴ WA Noxious Weed Control Board, "Washington's Noxious Weed Laws," n.d.a.

¹¹⁵ WA Noxious Weed Control Board, "Noxious Weeds Index Quarantine List," n.d.b.

¹¹⁶ AK Dept. of Fish and Game, "Invasive Species Legal Requirements," 2021

¹¹⁷ ACCS, "Non-Native Plant Species List," 2021.

largely driven by different sets of evaluated species. For example, neighboring states Vermont and New Hampshire evaluated 92 species in total, but only 26 overlapped. In addition, states rarely evaluated species that were absent from the state. Risk assessment protocols varied considerably across states, but consistently included criteria related to ecological impact, potential to establish, dispersal mechanisms, and life history traits. 118

SELECTED CASES STUDIES

The following are a few cases selected to illustrate problems with the current policies, processes, and regulations. They highlight gaps in regulations, inconsistencies, and serious risks posed by invasive plants that are not currently being addressed by any level of government. Many additional cases could be discussed.

AQUATIC INVASIVE SPECIES - FLOWING THROUGH A GAP

"Aquatic invasive species and their potential damage to Canadian aquatic ecosystems pose a multifaceted problem with no easy solutions. The scope of the problem, combined with the fact that it will continue to grow if left unchecked, leaves no doubt that immediate steps must be taken." ¹¹⁹

Fisheries and Oceans Canada (DFO) has identified the water-garden and aquarium trades as a primary source of non-native invasive plants in Canada. Yellow flag iris, discussed above, was one of 88 taxa of 129 assessed considered potentially high risk, using an Aquatic Weed Risk Assessment protocol (AqWRA). Yellow flag iris.

Scientific	Common	Sales	AqWRA	USDA lowest	Provinces	US Federal and States
name	name	volume	score	hardiness	Regulating	Regulating or Watching
		122		zone ¹²³		Taxa
Eichhornia	water	32633	81	6	MB	Federal Noxious Weed, AL,
crassipes	hyacinth					AR, AZ, CA county, CO
						watch list, LA, MN, MS,
						NE, PR, SC, TX, Chicago, WI

¹¹⁸ Bradley et al., "Breaking down barriers to consistent, climate-smart regulation of invasive plants: A case study of US Northeast states," 2022b.

¹¹⁹ Canadian Council of Fisheries and Aquaculture, "A Canadian Action Plan to Address the Threat of Aquatic Invasive Species," 2004.

¹²⁰ E.g., Marson et al., "Summary of a Survey of Aquarium Owners in Canada," <u>2009</u>a; "Summary of a Survey of Water Garden Owners in Canada," <u>2009</u>b; Azan, "Invasive aquatic plants and the aquarium and ornamental pond industries," <u>2011</u>; Azan et al., "Invasive aquatic plants in the aquarium and ornamental pond industries: A risk assessment for southern Ontario (Canada)," <u>2015</u>; Gordon et al., "Weed Risk Assessment for Aquatic Plants: Modification of a New Zealand System for the United States," <u>2012</u>.

¹²¹ AqWRA is a 'questionnaire-style' risk assessment composed of 38 questions pertaining to the life history, ecology, climate tolerance, and invasion history of each species, (Gantz et al, 2014). 88 taxa of 129 assessed were considered potentially high risk. "A priori classification for test species based upon their status in the U.S. and predicted invasiveness risk level using the USAqWRA system" is available from Gordon et al., 2012.

¹²² Marson et al., 2009a; 2009b.

¹²³ USDA Plant Hardiness Zone are a standard based on the average annual minimum winter temperature.

Pistia stratiotes	water lettuce	16374	72	7	МВ	AL, CA county, CO watch list, FL, LA, MS, PR, SC, TX, WI
Cabomba caroliniana	cabomba, fanwort	6146	67	6	AB, MB, ON, SK	CA, CT, ID, MA, ME, MI, MN, NH, NY, PR, VT, WA, WI,
Egeria densa	Brazilian waterweed	5144	71	5	AB, MB, ON, SK	AL, CA, CO watch list, CT, ID, IL, IN, LA, MA, ME, MI, MN, MS, MT, NE, NH, NY, OH, OR, PR, SC, VT, WA, WI
Myriophyllum aquaticum	parrot feather	4107	75	5	MB, ON	AL, CA county, CO, CT, ID, IL, IN, MA, ME, MI, MN, MT, NE, NH, NY, OH, OR, VT, WA, WI
Iris pseudacorus	yellow flag iris, yellow water iris	2935	58	4	AB, MB, SK	CO watch list, CT, ID, IL, IN, MA, MD, MN, MT, NY, OR, VT, WA, WI
Trapa natans	European water chestnut	360	66	5 (3)124	AB, MB, ON	AL, ID, MA, ME, MI, NH, NY, OH, OR, SC, WI
Myriophyllum heterophyllum	Broadleaf watermilfoil	No data	72	5	AB	CT ID MA NH NY VT WA

As the table above indicates, many top-selling species in nurseries and in the aquarium-trade are considered high risk for invasion success. Popular plants like water hyacinth, water lettuce, fanwort, waterweed, and parrot feather all pose high risks to Canada's waterways. ¹²⁵ As there are no labelling requirements, the public is unaware of the risks when purchasing such plants and are not informed that these plants should not be released into the environment. Of the above plants, only fanwort (*Cabomba*) appears in the Weed Risk Analysis documents maintained by the CFIA. ¹²⁶

Even though DFO had performed a risk analysis for many aquatic species in 2009, that information was not widely shared. It took EIGHT YEARS for the potential risk posed by fanwort to reach authorities in Ontario. The Office of the Ontario Auditor General reported:

Carolina fanwort (an aquatic plant) was not regulated until almost five years after a Ministry consultant identified, in a draft risk assessment to the Ministry in 2017, that the species can cause significant harm to Ontario's natural environment (e.g., by out-competing native vegetation) and negatively impact recreational activities like boating, fishing, and swimming. We noted that this draft risk assessment is very similar (and in some sections identical) to the final risk assessment used to inform regulatory consideration for the species. ¹²⁷

¹²⁴ APHIS WRA for *Trapa natans* indicates hardiness zone 3 rather than those reported by Gantz et al, 2014.

¹²⁵ Adebayo et al., "Water hyacinth (*Eichhornia crassipes*) and water lettuce (*Pistia stratiotes*) in the Great Lakes: Playing with fire?" 2011.

¹²⁶ CFIA, "Weed risk analysis documents," 2021b.

¹²⁷ Office of the Auditor General of Ontario. 2019 Spring Reports of the Commissioner of the Environment and Sustainable Development, <u>2019</u>.

Due to a lack of a shared information database for invasive plants, it took over a decade for regulation at the provincial level to occur. Other provinces and territories still lack the knowledge, resources and/or legislative tools to act. This will be explored further below.

The DFO risk assessments also did not appear to be transferred to the CFIA. In 2007, the CFIA informed the Pet Industry Joint Advisory Council of Canada (PIJAC) that the importation of 13 potentially invasive aquatic plants, in Table 8 below, would not be allowed entry into Canada until a risk assessment had been completed. "Once completed, the CFIA's aquatic plants policy will be finalized and posted on the CFIA website. Importers of aquatic plants will be notified accordingly." 128

Of the 13 plants that appeared in the 2007 advisory, only two PRAs have been completed by the CFIA, one is pending, and the other ten are not listed among the plants being screened and subject to weed analysis documents. None are yet regulated under the *Plant Protection Act*. Many of these plants were assessed by DFO as High-Risk plants.

Table 10: Aquatic plants identified by the CFIA as requiring risk assessment in 2007.

Species	CFIA Weed Risk Document (PRA)	AqWRA – U.S. Risk
Cardamine impatiens L. (narrowleaf bittercress)	not listed	
Crassula helmsii A. Berger (swamp stonecrop)	PRA pending	70 – High-Risk
Hydrilla verticillata (L. f.) Royle (water-thyme)	not listed**	79 – High-Risk
Limnophila indica (L.) Druce (Indian marshweed)	not listed	17 – Low-Risk
Limnophila sessiliflora (Vahl) Blume (Asian marshweed)	not listed	33 – Intermediate*
Ludwigia grandiflora (M. Micheli) Greuter & Burdet (large-flower primrose-willow)	not listed	
Ludwigia peruviana (L.) Hara (Peruvian primrose-willow)	not listed	61 – High-Risk
Marsilea quadrifolia L. (European waterclover)	not listed	65 – High-Risk
Myriophyllum aquaticum (Vell.) Verde. (parrot feather)	not listed**	66 – High-Risk
Najas minor All. (brittle waternymph)	not listed	67 – High-Risk
Nymphoides peltata (Gmel.) O. Kuntze (yellow floating-heart)	PRA / no regulations	A74 – High-Risk
Sagittaria sagittifolia L. (arrowhead)	not listed	30 – Low-Risk
Salvinia minima Baker (water fern)	not listed	70 – High-Risk *
Trapa natans L. (European water-chestnut)	PRA / no regulations	66 – High-Risk
* U.S. Fed. Noxious Weed; **Excluded from USGCP		

Both the U.S. and Canada have authority to regulate some aquatic invasive plants as pests under their respective PPAs, "but only the U.S. has an active program, with 19 aquatic plant species listed as Federal Noxious Weeds." U.S. aquatic Federal Noxious Weeds:

- Azolla pinnata R. Brown (mosquito fern, water velvet)
- Caulerpa taxifolia (Vahl) C. Agardh, Mediterranean strain (killer algae)
- Eichhornia azurea (Swartz) Kunth (water hyacinth)
- Hydrilla verticillata (Linnaeus f.) Royle (hydrilla)

¹²⁸ Azan, "Invasive Aquatic Plants in the Aquarium and Ornamental Pond Industries," 2011.

¹²⁹ Three are listed as *Plants Excluded from the United States Greenhouse Certification Program*, a program that facilitates the trade of greenhouse-grown plants between the United States and Canada (CFIA, 2014).

¹³⁰ NAPPO, "DD 03: The Role of the North American Plant Protection Organization in Addressing Invasive Alien Species," 2011, 8.

- Hygrophila polysperma T. Anderson (Miramar weed)
- Ipomoea aquatica Forsskal (water-spinach, swamp morning-glory)
- Lagarosiphon major (Ridley) Moss; (frog's bit, tape-grass, waternymphs)
- Limnophila sessiliflora (Vahl) Blume (ambulia)
- Melaleuca quinquenervia (Cavanilles) S.T. Blake (punktree)
- Monochoria hastata (Linnaeus) Solms-Laubach (arrow-leaf pondweed)
- Monochoria vaginalis (Burman f.) C. Presl (heartshape false pickerelweed)
- Ottelia alismoides (L.) Pers. (duck lettuce)
- Sagittaria sagittifolia Linnaeus (arrowhead)
- Salvinia auriculata Aublet (eared watermoss, giant salvinia)
- Salvinia biloba Raddi (giant salvinia, watermoss)
- Salvinia herzogii de la Sota (giant salvinia, watermoss)
- Salvinia molesta D.S. Mitchell (giant salvinia, kariba weed)
- Solanum tampicense Dunal (wetland nightshade); and
- Sparganium erectum Linnaeus (exotic bur-reed).

It should be noted that in the early 1980s, all aquatic plants were subject to import requirements. Four taxa (*Elodea densa* -Brazilian waterweed, *Hydrilla verticillata* - water-thyme, *Myriophyllum* spp. - watermilfoil, and *Trapa* spp. - European water-chestnut) were prohibited for import into Canada. However, that changed in December 2001, when the CFIA stopped regulating aquatic plants. The decision was justified as follows:

Some of the aquatic plants that are or may be imported into Canada do not fall under the definition of 'pest' under the *Plant Protection Act*;

The lack of scientific capacity does not allow the Agency to adequately evaluate environmental and plant-pest risks associated with aquatic plants; and the lack of an interdepartmental policy. ¹³¹

The 2007 notice to stop imports was a sober rethinking of the earlier 2001 decision to repeal prohibitions. Unfortunately, no substantial changes to legislation and policy were brought forward to fix the underlying problems. Fifteen years after the 2007 advisory, only two PRAs have been completed, and no aquatic invasive plants are regulated under the *Plant Protection Act*. The CFIA has failed to stem the importation and trade of potentially invasive aquatic plants.

As we enter the Anthropocene, humanity is reorganizing the biosphere, and it is alarming that native biota worldwide is also jeopardized by missing, incomplete, and improperly communicated legislation. The costs related with biological invasions are high and to safeguard aquatic ecosystems in the world, invasive aquatic pets [and plants] should be moved to the top, not the bottom, of the government's environmental priorities lists.¹³²

THE CASE OF BARBERRY (BERBERIS SPP.)

Barberry presents an interesting case that highlights the problem of the current regulatory system in Canada which focuses on food security and largely ignores the impacts of invasive plants on biodiversity

¹³¹ Champion, Hofstra, & Clayton, "Border control for potential aquatic weeds. Stage 3. Weed risk management," 2007.

¹³² Patoka, et al., "Invasive aquatic pets: failed policies increase risks of harmful invasions," 2018.

and/or public health. ¹³³ Black stem rust (BSR - *Puccinia graminis*) is a fungal disease that can harm cereal crops and threaten food production. Because barberries (*Berberis* species) were known to carry BSR, legislative efforts toward barberry eradication began in Canada in 1917¹³⁴ and a quarantine regulation prohibiting entry of so-called rust barberry (*B. vulgaris*) into Canada followed. ¹³⁵ A more general ban on all barberries was put in place between 1966 and 2001. ¹³⁶

During that period, the *Plant Protection Regulations* (SOR/95-212, 1990) were created and replaced earlier regulations. Plants that could host BSR or were susceptible to that fungal disease became regulated under the directive D-01-04. Both BSR and plants considered potential vectors for the disease became classified as Quarantine Pests.¹³⁷ The import, sale, and distribution of all barberries (*Berberis* species) and related genera (*Mahoberberis, Mahonia*) were banned in Canada.¹³⁸

However, the Canadian Nursery Landscape Association (CNLA) argued that not all banned plants were host to BSR. After extensive lobbying from the CNLA, Canada decided to exempt plants thought to be resistant to the rust.¹³⁹ Eleven (11) Japanese barberry cultivars were exempted: 'Aurea Nana,' 'Bailgreen' (Jade Carousel®), 'Bailone' (Ruby Carousel®), 'Concorde,' 'Gentry' (Royal Burgundy®), 'Monlers' (Golden Nugget™), 'Monomb' (Cherry Bomb®), 'Monry' (Sunsation®), 'Rose Glow,' 'Royal Cloak,' and 'Tara' (Emerald Carousel®).¹⁴⁰

In 2022, the CFIA learned that some exempted cultivars were potentially capable of producing rust susceptible offspring and some had been misidentified as *B. japonica* when they were hybrids with *B. vulgaris*. They issued a "Notice to industry: Recommendation to prevent movement of 'Concorde', 'Royal Cloak' and 'Tara' (Emerald Carousel®) barberry cultivars, into Alberta, Saskatchewan, and Manitoba." Based on a risk assessment and stakeholder feedback, those three cultivars are likely to "be removed from the list of exempt species and cultivars and their movement will be prohibited." ¹⁴¹

In the accompanying pest management document, the CFIA notes barberry has escaped cultivation in several provinces and is invasive.

Japanese barberry (*Berberis thunbergii*) has escaped or become naturalized locally in Ontario, Québec, New Brunswick, Prince Edward Island and Nova Scotia. . .. Japanese barberry (*Berberis thunbergii*) is considered invasive in most of the eastern Canadian provinces (Nova Scotia, Ontario, Prince Edward Island and Québec) (CABI, 2019), and is regulated as such by some U.S. states (for example, Massachusetts, New Hampshire, Vermont). The invasive nature of Japanese barberry is due to the combination of multiple and effective reproduction mechanisms, a low rate of plant

¹³³ E.g., Clark & Seewagen, "Invasive Japanese Bbrberry, *Berberis thunbergii (Ranunculales: Berberidaceae*) is associated with simplified branch-dwelling and leaf-litter arthropod communities in a New York forest," 2019; CABI 2019; Kulhanek & Smith, "Invasive species management: common and Japanese barberry," 2022.

¹³⁴ Fulling, "Plant Life and the Law of Man. IV. Barberry, Currant and Gooseberry, and Cedar Control," 1943.

¹³⁵ Britton, "Quarantine restrictions affecting shipments of Connecticut Plants," <u>1932</u>.

¹³⁶ CFIA, "Regulations Amending the Plant Protection Regulations" 2001, In Canada Gazette 135(15) 1372-1380.

¹³⁷ CFIA, "Consolidation of regulated pests for Canada," 2016.

¹³⁸ Ornamental Mahonias continue to be sold across Canada.

¹³⁹ Landscape Trades, "CNLA News: Restrictions lifted on Japanese barberry," 2001.

¹⁴⁰ CFIA, "Technical reference R-004: Japanese Barberry Identification Manual," <u>2013</u>a; CFIA, "Plant Protection Regulations," <u>2022d</u>.

¹⁴¹ CFIA, "Notice to industry: Recommendation to prevent movement of 'Concorde', 'Royal Cloak' and 'Tara' Emerald Carousel barberry cultivars, into Alberta, Saskatchewan and Manitoba," <u>2022</u>a.

mortality (Ehrenfeld 1999), and its capacity to tolerate a wide range of environmental conditions, such as full sun to full shade, severe drought and extreme winters (CABI 2020).¹⁴²

Even though Japanese barberry is established in parts of Canada, it is classified as a quarantine pest. 143 The "endangered areas" were historically agricultural lands where barberry is considered under official control, i.e., it is monitored in those areas and there are active measures to eradicate it. Control of rust and not protection of the environment has been the primary reason for regulation.

In contrast, many states bordering Canada have enacted regulations prohibiting barberries. *Berberis thunbergii* and hybrids are regulated in seven of the 13 states that border Canada: Maine, ¹⁴⁴ Minnesota, ¹⁴⁵ New Hampshire, ¹⁴⁶ New York, ¹⁴⁷ Pennsylvania, ¹⁴⁸ Vermont, ¹⁴⁹ and Wisconsin, ¹⁵⁰ as well as in Massachusetts, ¹⁵¹ Delaware, ¹⁵² and Indiana. ¹⁵³ This is necessary to protect biodiversity and public health in addition to agriculture.

Several states, like Massachusetts, ban all cultivars, varieties, and hybrids. "Until such time that MDAR nursery inspectors are able to clearly recognize that a hybrid, variety, or cultivar of a species on the Prohibited Plant List is truly non-invasive or sterile (does not produce viable seed), these plants will be included in the list." 154

The Minnesota Department of Agriculture sums up the health concerns:

Japanese barberry infestations cause many detrimental ecological and economic impacts. It has the unique ability to change the chemistry of the soil beneath the plant, which in turn makes the site more favorable for additional Japanese barberry plants. Over time, the change in soil pH and the higher nutrient levels can contribute to changes in the whole ecosystem of the area, resulting in a decrease of native plant and animal biodiversity. . . . Dense stands of naturalized Japanese barberry could result in public health concerns as well. Research in Connecticut and Maine showed that **black-legged ticks** were twice as numerous in Japanese barberry infestations as in non-invaded areas. 155

Public health concerns related to barberry infestations are growing. Researchers have found a strong correlation between Japanese barberry, tick populations, and tick-borne diseases (TBD). Deer tick also

¹⁴² CFIA, "RMD-21-02: Pest risk management document for barberry (*Berberis, Mahoberberis* and *Mahonia* spp.) as a biological obstacle to the control of black stem rust (*Puccinia graminis*)." 2022c.

¹⁴³ A pest of potential economic importance to the area endangered thereby and not yet present there, or present but not widely distributed and being **officially controlled.**

¹⁴⁴ ME CMR 01-001 H Ch. 273 -Criteria for listing invasive terrestrial plants. Current through May 3, 2023.

¹⁴⁵ MN Ch-18-Noxious Weed Act, 2022.

¹⁴⁶ NH HB1258-FN-Invasive Species Law, 2000.

¹⁴⁷ NY 6 CRR-NY V C 575-Prohibited and Regulated Invasive Species, 2015.

¹⁴⁸ PA Ch-15-Controlled Plants and Noxious Weeds, n.d..

¹⁴⁹ VT R. 20-031-021-X-Quarantine #3 -Noxious Weeds, 2012.

¹⁵⁰ WI Ch NR 40 - Invasive species rule - NR 40 Species Identification, Classification and Control, n.d..

¹⁵¹ MA Ch 128 "Massachusetts Prohibited Plant List," 2023.

¹⁵² DE 3 Ch.29 "Invasive and Potentially Invasive Plants," n.d.

¹⁵³ IN 312 IAC 18-3-25 Terrestrial plant rule, 2019.

¹⁵⁴ MA Gov., "Prohibited Plant List - FAQ," <u>2001</u>. Other states like New York have exempted certain cultivars thought to be sterile, and therefore of reduced risk. Minnesota explicitly prohibits cultivars approved in Canada like: 'Bailgreen,' 'Bailone,' 'Monomb,' 'Rose Glow,' and 'Tara.' This is because of the environmental harm they cause and the indirect public health risk the plants pose.

¹⁵⁵ MN Dept. Ag. "Japanese barberry," 2022a.

called "blacklegged tick, *Ixodes scapularis*, is a vector of seven human pathogens, including those causing Lyme disease (LD), anaplasmosis, babesiosis, *Borrelia miyamotoi* disease, Powassan virus disease, and ehrlichiosis associated with *Ehrlichia muris eauclarensis*. ¹⁵⁶ Research conducted by the Connecticut Agricultural Experiment Station reported higher populations of deer ticks in areas where Japanese barberry was present. ¹⁵⁷ Williams, project director for Mitigating Lyme Disease Risk research, noted at Connecticut locations: "Ticks found in Japanese barberry infestations have been shown to have elevated infection prevalence with the Lyme disease-causing spirochete Borrelia burgdorferi." ¹⁵⁸ Dense growth of barberry creates a microhabitat beneficial to all stages of tick development, protects ticks from predators, and increases ¹⁵⁹ tick-to-host contact between the nymphal ticks and its primary, first stage host, the white-footed mouse.

It is now widely acknowledged that the increase in temperature associated with climate change has contributed to a general increase in the number, types, level of activity and geographical distribution of ticks in North America . . . and has directly contributed to the northward spread of blacklegged ticks and LD into Canada. As a result, LD has emerged in Canada and the number of reported cases of Lyme disease continues to rise. . .. [T]here is an opportunity to work on other modifiable risk factors that affect TBDs in Canada, appreciating that this is a complex socioecological challenge. 160

Continual introduction of barberries through the nursery trade adds to propagule pressure and invasion success. With invasion success comes an **increased public health risk**. Managing barberry sales is one way to reduce this risk factor.

To summarize, in Canada, barberries and plants that spread BSR are prohibited because they pose a threat to crop production. That is indeed a valid reason to prohibit them. However, the current process fails to prioritize threats to biodiversity and in this case an additional potential threat to public health from ticks and Lyme disease. The discovery that rust-resistant plants may produce progeny that spread rust highlights the need for a precautionary approach to approving cultivars. As of December 2022, barberry cultivars that pose a threat to crop production and continue to infest natural areas causing environmental harm can still legally be sold in Canada.

¹⁵⁶ Eisen & Eisen, "The Blacklegged Tick, Ixodes scapularis: An Increasing Public Health Concern," 2018.

¹⁵⁷ E.g., Linske, Lyme disease ecology: effects of habitat and hosts on the density and distribution of Borrelia burgdorferi-infected Ixodes scapularis 2017; Ward, Comparing effectiveness and impacts of Japanese Barberry (Berberis thunbergii) control treatments and herbivory on plant communities 2017; Williams et. al., "Long-term effects of Berberis thunbergii (Ranunculales: Berberidaceae) management on Ixodes scapularis (Acari: Ixodidae) abundance and Borrelia burgdorferi (Spirochaetales: Spirochaetaceae) prevalence in Connecticut, USA," 2017.

¹⁵⁸ Williams, "Mitigating Lyme Disease Risk Through Control of an Invasive Plant Species," 2014.

¹⁵⁹ Kulhanek & Smith, "Invasive Species Management: Common and Japanese Barberry," 2022.

¹⁶⁰ Bouchard et al., "Increased risk of tick-borne diseases with climate and environmental changes," 2019.

THE CASE OF TREE-OF-HEAVEN (AILANTHUS ALTISSIMA)

Tree-of-heaven is recognized internationally as a tree with moderate to high invasion potential. ¹⁶¹ It has been established for some time in Canada and was discussed in the CFIA's 2008 technical report on "Invasive Alien Plants in Canada." While a risk assessment is pending, the CFIA has posted the following:

Once established, tree-of-heaven is difficult to remove, and its powerful roots can damage infrastructure like sewers, foundations, and sidewalks. In some people, tree-of-heaven pollen causes allergic reactions and exposure to tree-of-heaven sap or plant parts can cause skin irritation.

Tree-of-heaven is also the preferred host of the spotted lanternfly, an invasive insect that is regulated in Canada because of its threat to the Canadian grape, fruit tree, and forestry industries, as well as the environment. ¹⁶²

The web post states: "Do not plant tree-of-heaven," but it is only a recommendation.

The tree is hardy to USDA Zone 4,¹⁶³ which means the at-risk area in Canada is potentially large. Tree-of-heaven is recognized as an aggressive invader capable of modifying habitats, changing environmental conditions¹⁶⁴ and poses a potential threat to Canada's native biodiversity. Like barberry, it also serves as an important host for serious pests, like the Brown Marmorated Stink Bug (BMSB)¹⁶⁵ and the Spotted Lanternfly (SLF),¹⁶⁶ which threaten Canada's food security.

Based on risk assessments that predicted the tree would have a major impact on biodiversity and the environment, the European Union prohibited the sale of the tree across Europe. This tree should be a candidate for regulation in Canada. Canada currently appears to lack the policy and legislation needed to protect native ecosystems from species like tree-of-heaven.

¹⁶¹ E.g., U.S. Fish and Wildlife Service and Utah State University, <u>2015</u>; Ma, Clemants, & Moore, "Invasive Plant Inventory and Early Detection Prioritization Tool," <u>2009</u>; Jacquart, "Indiana non-native plant invasiveness ranking form: *Ailanthus altissima* (Miller) Swingle" <u>2012</u>; Pergl, "EU Non-native organism risk assessment scheme Ailanthus altissima," <u>2018</u>; EC, "Invasive alien species," <u>2022</u>.

¹⁶² CFIA "Tree-of-heaven – Ailanthus altissima (Mill.) Swingle," 2022e.

¹⁶³ E.g., Fryer, "Ailanthus altissima," 2010; Breen, "Landscape Plants: Ailanthus altissima," 2022.

¹⁶⁴ Khapugin, "A global systematic review of publications concerning the invasion biology of four tree species," 2019.

¹⁶⁵ BMSB (*Halyomorpha halys*) which originated in China, is a harmful invasive insect pest in North America and Europe. It poses a serious threat to fruit and vegetable crops worldwide (Haye et al., <u>2015</u>). Initially, Canada made efforts to stop BMSB, but the CFIA decided not to regulate the pest. "As it is not possible to prevent the spread of *H. halys* to Canada, nor is there a reasonable possibility of sustained eradication if *H. halys* becomes established in Canada, the CFIA has taken the decision not to include *Halyomorpha halys* Stål in the List of Pests Regulated by Canada (CFIA, "RMD-12-02," <u>2012</u>). BMSB is now established in Canada and spreading.

¹⁶⁶ SLF (*Lycorma delicatula*) is another harmful invasive pest with a preference for the tree-of-heaven. Unlike BMSB, it is not yet present in Canada and is included on the List of Pests Regulated by Canada. "Tree of heaven is the preferred host for SLF and SLF fitness (survival and fecundity) is maximized when feeding on tree of heaven" (Khapugin, "A global systematic review of publications concerning the invasion biology of four tree species," 2019). While SLF feeds on other species, females prefer to lay their eggs on tree-of-heaven and their young are more likely to survive.

THE CASE OF GIANT REED (ARUNDO DONAX)

Like Japanese barberry, giant reed is one of the plants federally regulated under the *Plant Protection Act*. Unlike barberry, it is not widespread and only small populations of this invasive species exist in southwestern Ontario. Therefore, it is considered domestically controllable. The species and associated ornamental cultivars are all prohibited for sale in Canada.

According to Canada's NAPPO partner, United States Department of Agriculture Animal and Plant Health Inspection Service (APHIS), giant reed (*A. donax*) is highly invasive.

Limited mostly by cold temperatures, our analysis indicates that about 2 percent of Canada and 57 percent of the United States is suitable for the establishment of *A. donax*. In Canada, the areas at risk from *A. donax* are southwestern and south-central British Columbia, southern Ontario, and parts of the Maritime provinces. In the United States, much of the area is at risk with the exception of the coldest areas of central and extreme north-eastern United States (below Plant Hardiness Zone 6) and Alaska.¹⁶⁷

The Canadian Weed Risk Assessment document identifies multiple serious risks:

Values potentially at risk . . . include plant and animal diversity in riparian and wetland areas, water quality, water use for recreational activities (e.g., tourism, boating, fishing), irrigation, navigation or hydroelectric power generation, property values in infested areas, visibility along roadsides, flood control, and fire control.

The Impacts on Stakeholders section recommends regulation and identifies the need for a Canada-wide approach:

The general public would be protected from the potential uncontrolled spread of this species. . .. Federal regulation would avoid a province-by-province approach to legislation, which could be less consistent across Canada and more difficult for Canadians to understand and comply with. 168

While giant reed is prohibited in Canada, plants like tree-of-heaven (hardy to zone 4) and many other invasive plants in the ornamental plant trade with similar or worse risk profiles are not regulated. This inconsistency arises because, according to the CFIA, only plants which are not "widely distributed" and "under official control" can be regulated. This must be addressed.

THE CASE OF KNOTWEEDS — THREATS OF HYBRIDIZATION AND THE NEED FOR A NATIONAL DATABASE

It is clear from looking at the provincially regulated knotweeds that the provinces are not sharing information. Four provinces have recognized at least one knotweed as a high-risk invasive plant: Alberta (three), British Columbia (four), Manitoba (one) and Ontario (four).

Knotweeds are recognized as some of the most invasive plants in the world. "Japanese knotweed, giant knotweed, Himalayan knotweed, and Bohemian knotweed are perennial, rhizomatous plants resembling bamboo with their hollow stems and rapid, aggressive growth habits." 169 These plants were introduced

¹⁶⁷ APHIS (United States Department of Agriculture Animal and Plant Health Inspection Service), "Weed Risk Assessment for *Arundo donax* L. (*Poaceae*) – Giant reed," 2012a.

¹⁶⁸ CFIA, "RMD-16-02: Pest Risk Management Document for *Arundo donax* (giant reed) in Canada," 2017 a.

¹⁶⁹ Parkinson & Mangold, "Knotweed complex," 2017.

to Canada as ornamentals in the late 1800s and reintroduced multiple times subsequently. Since then, hybridization has led to complex and complicated genetics.

Identifying the species and hybrids can be difficult. Misidentification can increase the likelihood of spread. This is complicated by naming confusion. Real expertise is needed to sort this out. Misunderstandings and misuse of names can lead to confusing legislation and poor coordination across regions.

In the Canadian Journal of Plant Science, Japanese knotweed is described as follows:

Polygonum cuspidatum (Japanese knotweed) is an introduced perennial geophyte in the buckwheat family (*Polygonaceae*). The phytogeographic distribution of *P. cuspidatum* in North America suggests a large number of intentional introductions via ornamental plantings from 1870 to 2000, followed by secondary spread from these foci.¹⁷¹

While Japanese knotweed in the cited article was identified under the scientific name *Polygonum cuspidatum,* that is no longer the accepted name. The plant is regulated in British Columbia, Alberta, and Manitoba under the name *Fallopia japonica* (Houtt.) Ronse Decr, while Ontario uses *Reynoutria japonica* Houtt. More problematic is inconsistent recognition of the threats posed by hybrids.

The Japanese knotweed invasion can be "viewed as a vast unintentional hybridisation experiment." Arguably, the hybrids pose greater threats to biodiversity than the species. Japanese knotweed can hybridize with giant knotweed *Fallopia sachalinensis* (syn. *Reynoutria sachalinensis* F. Schmidt ex Maxim.). The hybrid plant, *Fallopia x bohemica*, "appears more vigorous and troublesome in terms of invasiveness than either parent." Hybridization is not a single event. Crosses and back crosses with new introductions are part of a continuous process which can lead to novel threats. 174

Himalayan knotweed is recognized as high-risk in two provinces, British Columbia, and Ontario. In Ontario, Himalayan knotweed is prohibited under the *Invasive Species Act* and is listed as *Koenigia polystachya* (a name not recognized by recognized nomenclature authorities like the Integrated Taxonomic Information System (ITIS or World Flora Online (WFO).^{175.} British Columbia lists Himalayan knotweed as *Polygonum polystachyum*. It is likely both are referring to - *Persicaria wallichii* Greuter & Burdet. It is clear these provincial actions are not being coordinated. A central Canadian database, standardized with international databases, would minimize this kind of naming confusion, and allow provinces to better scan the horizon for potential threats in neighbouring regions and around the globe.

THE CASE OF PURPLE LOOSESTRIFE (LYTHRUM SALICARIA)

Purple loosestrife is a nationally recognized invasive plant that has spread to all provinces, although is not yet reported in the territories. In 2005, it was federally regulated as a Class 2 Primary Noxious Weed,

¹⁷⁰ Vukovic, et al., "'Flying under the radar'-how misleading distributional data led to wrong appreciation of knotweeds invasion (Reynoutria spp.) in Croatia," 2019.

¹⁷¹ Barney, et al., "The Biology of Invasive Alien Plants in Canada. 5. *Polygonum cuspidatum* Sieb. & Zucc. [= *Fallopia japonica* (Houtt.) Ronse Decr.]," 2006.

¹⁷² Bailey, "The Japanese knotweed invasion viewed as a vast unintentional hybridisation experiment," 2013.

¹⁷³ Fallopia x bohemica Chrtek & Chrtková) J.P. Bailey syn Reynoutria x bohemica Chrtek & Chrtková (Bailey, 2013).

 $^{^{174}}$ One unexpected new hybrid that has emerged as a problem in Europe is Fallopia × conollyana (F. japonica × F. baldschuanica) and should be on a Canadian watch list (Bzdęga et al., "A survey of genetic variation and genome evolution within the invasive Fallopia complex," 2016).

¹⁷⁵ Integrated Taxonomic Information System, <u>2023</u>; World Flora Online WFO, <u>2023</u>.

under the Seeds Act,¹⁷⁶ which means it is regulated as a potential contaminant in seeds. It is not regulated under the *Plant Protection Act* because it is considered "widely distributed," as explained earlier.

While no official Pest Risk Assessment (PRA) was completed, the invasive nature of purple loosestrife is not in dispute. There have been many efforts to control populations, including the release of biocontrols. But it still has the capacity to spread and damage wetlands.

This history of purple loosestrife is important to consider as it highlights how horticultural practices can affect invasion success. The origin of purple loosestrife in North America is not known. The species may have been introduced intentionally as an ornamental plant, or accidentally, as a seed contaminant in the 1800s. However, after its first introduction, there were multiple re-introductions. Several species of loosestrife (e.g., *Lythrum salicaria*, *L. virgatum*, and *L. alatum*) were used to develop new varieties. Sales of these new cultivars led to the development of more robust populations that were better adapted for environmental conditions in North America. ¹⁷⁹ This was recognized in Canada and presented in a Natural Resources Canada report in 2002.

Unfortunately, the Federal Government failed to prohibit the sale of the plant in 2005 when federal action was considered. In 2012, Canada's foremost expert on purple loosestrife, Cory Lindgren called upon "authorities to develop regulations to prohibit horticultural sales of Purple Loosestrife (to prevent human-mediated dispersal)." Five provinces (British Columbia, Alberta, Manitoba, Saskatchewan and Prince Edward Island) regulate loosestrife, the remaining provinces and territories do not. The species, and in some cases hybrids and cultivars, are regulated in at least 40 U.S. states 184

¹⁷⁶ CFIA, "Weed Seed: Lythrum salicaria (Purple loosestrife)," 2017b.

¹⁷⁷ Michigan Dept. Ag. & Rural Development, "Weed Risk Assessment for *Lythrum salicaria* L. (*Lythraceae*) – Purple loosestrife," 2016; Pasiecznik, "*Lythrum salicaria* (purple loosestrife)," 2007, CABI.

¹⁷⁸ In 2006, it was estimated that \$210,000 CDN per annum (Colautti et al., "Characterised and Projected Costs of Nonindigenous Species in Canada," <u>2006</u>, 51). There have been biocontrols released in several areas to try and control the population.

¹⁷⁹ Evidence of hybridization between *Lythrum salicaria* (purple loosestrife) and *L. alatum* (winged loosestrife) in North America. Houghton-Thompson et al., <u>2005</u>; Anderson, "Throwing Out the Bathwater but Keeping the Baby: Lessons Learned from Purple Loosestrife and Reed Canarygrass," <u>2019</u>.

¹⁸⁰ It has since been removed from the Noxious Weed list but is now regulated under the Water Protection Act.

¹⁸¹ Lindgren & Walker, "Predicting the Spread of Purple Loosestrife (*Lythrum salicaria*) in the Prairies," 2012.

¹⁸² Barnes, "Purple loosestrife: here to stay? <u>2021</u>; Vadeboncoeur, "'A bad year for purple loosestrife': How the invasive plant species is being fought in Manitoba," <u>2022</u>.

¹⁸³ AB: SA 2008, c W-5.1 - Alta Reg 19/2010; BC: RSBC 1996, c 487 - BC Reg 66/85: SK SS 2010, c W-11.1; PEI has a regulation just for purple loosestrife. Reg EC629/91.

¹⁸⁴ Invasive.org, "purple loosestrife *Lythrum salicaria* L.," <u>2018</u>.

Given its hardiness (USDA Plant Hardiness Zones 3-12), ¹⁸⁵ purple loosestrife is likely to impact much more of Canada than say giant reed (USDA Plant Hardiness Zones 6-13). ¹⁸⁶ Policy, interpretation of the International Standards for Phytosanitary Measures, limitations of resources, and limitations of the law have meant that sales of giant reed can be halted, but plants like loosestrife can be left on the market.

During the sixth Conference of the Parties (COP) to the CBD, the following guidance was given.

General Guiding Principle 7 that member states like Canada should not only implement controls for alien species that could become invasive, but also implement controls for alien species that are invasive.

Guiding principle 10 states that 'No . . . subsequent introductions of an alien species already invasive or potentially invasive within a country should take place without prior authorization from a competent authority.' 187

Given the new guidance from the IPPC Canada should take a more proactive stance to stop the continued introductions of non-native invasive species in the horticultural trades. While nurseries recognize the threat of purple loosestrife, and it has disappeared from the marketplace, other similar species, like yellow flag iris, are emerging as threats. Canada needs to stop sales or label these at the national level as soon as the threat is recognized.

THE CASE OF YELLOW FLAG IRIS (IRIS PSEUDACORUS)

Yellow flag iris is a highly invasive plant that impacts wetlands. Like purple loosestrife, it is quite hardy (USDA zone 3), and like purple loosestrife, there is no official Pest Risk Assessment (PRA) listed in Canada's Weed Risk Analysis Documents.

The plant was brought to North America in the early 1900s as an ornamental plant. A Weed Risk Analysis (WRA) performed by APHIS in 2013 found it to be a high-risk invasive species, and it is predicted to be a major invader. "One hundred percent of the simulated risk scores were in the 'High-Risk'." 188

In 2013, Fisheries and Oceans Canada (DFO) published an "Application of Aquatic Risk Assessment of Non-Indigenous Plants in the Trade in Canada" in which yellow flag iris was identified as a high-risk invasive species. 189 Yet, no federal regulatory actions were taken.

In 2015, the *Aquatic Invasive Species Regulations* (SOR/2015-121) under the *Fisheries Act* were developed to prohibit the possession, transportation, and release of aquatic invasive species, such as invasive carp.¹⁹⁰ However, no plants are included on the list of regulated species. "Fisheries and Oceans Canada was unclear on whether its responsibilities for regulating aquatic invasive species included

¹⁸⁵ "Based on three climatic variables, we estimate that about 92 percent of the United States is suitable for the establishment of *Lythrum salicaria*" (MI Dept. Ag, "Weed Risk Assessment for *Lythrum salicaria* L. (*Lythraceae*) – Purple loosestrife," 2016).

¹⁸⁶ Giant reed is projected to impact only 52 percent of the U.S. (APHIS, "Weed Risk Assessment for *Arundo donax* L. (Poaceae) – Giant reed," 2012).

¹⁸⁷ CBD COP-6, <u>2002</u>.

¹⁸⁸ United States Department of Agriculture Animal and Plant Health Inspection Service (APHIS), 2013.

¹⁸⁹ DFO, "Application of an Aquatic Plant Risk Assessment to Non-Indigenous Freshwater Plants in Trade in Canada," 2013.

¹⁹⁰ Gov. of Canada. Aquatic Invasive Species Regulations (SOR/2015-121). 2015.

freshwater plants." ¹⁹¹ Even though DFO recognized invasive aquatic plants posed a threat to Canada's waterways, they took no immediate action.

There have been recent efforts to share the information with provinces and territories. However, as of the November 2022, *Iris pseudacorus* is regulated in only three provinces (British Columbia, Alberta, and Manitoba).

Sales of *Iris pseudacorus* are also prohibited in eight border states: <u>Idaho</u>, <u>Maine</u>, <u>Montana</u>, <u>New Hampshire</u>, <u>New York</u>, <u>Vermont</u>, <u>Washington</u> and <u>Wisconsin</u> (being phased out), and a growing number of other states: <u>Colorado</u>, <u>Connecticut</u>, <u>Illinois</u>, <u>Maryland</u>, and <u>Massachusetts</u>. This widespread recognition of the risk posed by this plant indicates that national action to halt the continued sales of yellow flag iris is warranted in Canada. If it cannot be regulated under the *Plant Protection Act* as it is now being administered, then something needs to change.

THE CASE OF EUROPEAN WATER-CHESTNUT (TRAPA NATANS)

European water-chestnut (*Trapa natans*) is one of the few aquatic plants with a listed PRA in Canada's Weed Risk Analysis Documents. The Canadian assessment concluded that the likelihood of establishment and the potential for harmful economic and environmental impacts were HIGH. This plant is quite hardy (USDA zone 3) and has the potential to spread widely in receptive waterways. 193

The plant was prohibited for import under *D-94-27 -The Plant Protection Import Requirements for True Aquatic Plants* (Sept. 8, 1994). As mentioned above, despite the risk the species poses, this regulation was repealed in 2001 due to lack of policy, lack of expertise, and lack of legislative tools.

According to the CFIA risk assessment, "Water-chestnut was considered absent from Canada until 1998, when a population was observed in Rivière du Sud, a tributary to the Richelieu River in southwestern Québec. The population has overwintered and continued to spread since 1998." It is now in Ontario waterways and is having a high socio-economic impact in the Great Lakes. 194 Impacts:

Large infestations of *T. natans* can reduce water flow and even clog waterways and hinder commercial navigation. Infestations can limit or even prevent recreational activities such as boating, fishing, and hunting. The hard, spiny seeds can puncture leather and can cause painful wounds to humans and animals that step on them. These nuts can also wash up and accumulate along the shore, reducing the access to beaches.

The major economic costs associated with water chestnut populations are mechanical or chemical control efforts. Millions of dollars have been spent on mechanical harvesting and manual removal of T. *natans* populations. . .. From 1982-2005 various state organizations spent over \$5 million to control in Lake Champlain. ¹⁹⁵

From 1948 to 2019, it was a crime in the United States to transport water hyacinth, European water-chestnut, and alligator grass (*Transportation of water hyacinths - 18 U.S.C. § 46*). That section of code

¹⁹¹ Office of the Auditor General, "Report 1—Aquatic Invasive Species," 2019.

¹⁹² Available upon request from CFIA, not published on-line.

¹⁹³ APHIS, "Weed Risk Assessment for *Trapa natans* L. (*Lythraceae*) – Water chestnut," 2016b.

¹⁹⁴ E.g., Azan, <u>2011</u>; EDDmapS, "European water chestnut *Trapa natans* L.," <u>2023</u>; Pfingsten, "*Trapa natans* L.," <u>2022</u>.

¹⁹⁵ Pfingsten et al., 2022.

was repealed in 2019 as it had never been used. ¹⁹⁶ It is unfortunate that the U.S. did not make use of that law to reduce the sales of those species. Water-chestnut is listed as a noxious weed in 35 U.S. states. ¹⁹⁷ Border states regulating the plant include: Idaho, Michigan, Minnesota, New York, New Hampshire, Ohio, and Wisconsin. ¹⁹⁸

European water-chestnut poses significant threats, and the plant has not reached its full ecological range in Canada. Yet it remains unregulated at the federal level by DFO and the CFIA. The Federal Government needs to clarify authority for regulation of aquatic plants. Policy needs to extend regulatory protections to plants that impact waterways. Risk assessment processes will need to analyze the direct and indirect impacts of non-native aquatic plants as well as terrestrial plants. Tools to do both monetary and non-monetary valuations need to be developed (e.g., "number of species affected, water quality" 199). Currently, European water-chestnut is regulated in Alberta, Manitoba, and Ontario. Meanwhile, without Federal Government intervention, propagule pressure can continue to build in regions that do not recognize the impending danger.

THE CASE OF MILFOILS (MYRIOPHYLLUM SPP.) – A COMPLEX NATIONAL THREAT

As mentioned above, four provinces have taken action to regulate two milfoils, European watermilfoil (*Myriophyllum spicatum*) and parrot feather (*M. aquaticum*). These have likely arrived in Canada both unintentionally in ship ballasts and have been widely sold as oxygenating pond plants.²⁰⁰ Alarms were sounded about the potential invasiveness of milfoils at the first International symposium on watermilfoil (*Myriophyllum spicatum*) and related *Haloragaceae* species held in Vancouver, British Columbia, back in 1985. Almost three decades later, using the aquatic invasive plant ranking system (aqWRA), Fisheries and Oceans Canada identified European watermilfoil and parrot feather as high risk.²⁰¹ It is possible other taxa are threats:²⁰²

Table 11: Milfoils (Myriophyllum spp.) r	risk assessment scores.
--	-------------------------

Species	AqWRA score	Hardiness Zone (USDA)	Presence in Canada
M. aquaticum:	75 High	5	established
M. heterophyllum:	72 High	5	established (native and introduced)
M. spicatum:	81 High	3	established
M. propinquum:	25 Low	7	not present
M. verrucosum:	34 Low	8	not present
M. spicatum x M. sibiricum (hybrid)			not assessed

¹⁹⁶ Section 46 relating to transportation of water hyacinths was repealed (U.S. Senate, "AN ACT To eliminate unused sections of the United States Code, and for other purposes," 2019).

¹⁹⁷ Naylor, "Water Chestnut (*Trapa natans*) in the Chesapeake Bay watershed: a regional management plan," 2003.

¹⁹⁸ Invasiveatlas.org, "European water chestnut *Trapa natans* L.," 2018b; Pfingsten, 2022.

¹⁹⁹ ISPM-11, 2021.

²⁰⁰ Moody et al., "Unraveling the biogeographic origins of the Eurasian watermilfoil (*Myriophyllum spicatum*) invasion in North America," 2016.

²⁰¹ E.g., Gordon et al., 2012; Gantz et al., 2013.

²⁰² Introduced species such as *M. quitense* and *M. ussuriense* were reported as present in British Columbia, Ceska et al., "*Myriophyllum quitense* and *Myriophyllum ussuriense* (*Haloragaceae*) in British Columbia, Canada," <u>1986</u>.

Like many other invasive aquatic plants, milfoils can have a wide range of negative impacts, they can:

- reduce native diversity.
- degrade water quality.
- change sediment chemistry.
- cause fish die offs from lack of oxygen.
- reduce waterfowl habitat.
- increase flooding risks.
- prevent use of waterways for navigation, fishing, and swimming.

The ability of European watermilfoil (EWM) to hybridize with the native Northern watermilfoil (NWM - *M. sibirica*) has produced plants with novel genetics and new hybrid invaders (HYB). "These results suggest that NWM has the potential for genetic assimilation by EWM and HYB, which if not managed could lead to further declines for this once common species in North America." ²⁰³

Milfoils threaten waterways coast to coast and are arguably a national threat. The Federal Government is not regulating these milfoils and today leaves it to the provinces and territories to act.

"A control program for *M. spicatum* was initiated in British Columbia in the 1970s; control measures used were primarily manual/mechanical and were initiated when plants had spread to eight lakes in the Okanagan Valley. The program cost over \$6 million between 1972 and 1990... and is still ongoing with additional operating costs of over US\$4 million between 1990 and 2001." ²⁰⁴

Despite the growing costs of milfoils in British Columbia, invasive milfoils are not regulated in that province. ²⁰⁵ In the U.S., European watermilfoil has caused considerable damage in lake systems and has driven property values down in some locations. ²⁰⁶ The provinces and territories not recognizing the real threat from these invasive aquatic plants are at risk for future harm and costs that could be avoided if federal action were taken sooner rather than later.

EU REGULATION 1143/2014 ON INVASIVE ALIEN SPECIES

As in North America, gardening and other horticultural activities are the primary introduction pathways of invasive plants into Europe.²⁰⁷ The European and Mediterranean Plant Protection Organization (EPPO) estimated "80% of the invasive alien plants are voluntarily introduced for ornamental purposes, and international trade is increasing yearly."²⁰⁸ In 2015, new legislation to address invasive alien species in

²⁰³ Moody et al., "Unraveling the biogeographic origins of the Eurasian watermilfoil (*Myriophyllum spicatum*) invasion in North America," <u>2016</u>, 716.

²⁰⁴ Michigan Dept. of Agri. and Rural Development, "Weed Risk Assessment for *Myriophyllum spicatum* L. (*Haloragaceae*) – Eurasian watermilfoil," 2016.

²⁰⁵ Invasive Species Council of Metro Vancouver, "Best Management Practices for Parrot's Feather in the Metro Vancouver Region," 2021, 4.

²⁰⁶ Property values in Vermont and Wisconsin declined near lakes infested with milfoil (Zhang & Boyle, "The effect of an aquatic invasive species (Eurasian watermilfoil) on lakefront property values," <u>2010</u>). Reducing the spread of milfoils provides net economic benefits (Hanley & Roberts, "The economic benefits of invasive species management," <u>2019</u>).

²⁰⁷ E.g., Niemiera & Holle, "Invasive Plant Species and the Ornamental Horticulture Industry," 2009; Arianoutsou et al., "Alien plants of Europe: introduction pathways, gateways and time trends," 2021.

²⁰⁸ EPPO, "EPPO / Council of Europe Workshop 'Code of conduct on horticulture and invasive alien plants'," 2009.

the European Union (EU) came into force.²⁰⁹ This legislation was necessary to help the EU Member States meet their obligations under the CBD.²¹⁰

For the purposes of *EU regulation 1143/2014*, invasive alien species are defined as those "whose introduction or spread has been found to threaten or adversely impact upon biodiversity and related ecosystem services." Under the EU legislation, species identified as Invasive Alien Species of Union Concern are prohibited across all the Member States. Additionally, Member States may establish their own national lists of species of concern.²¹¹

Invasive Alien Species of Union Concern include plants that are widespread across European countries. For instance, a native Canadian plant, common milkweed (*Asclepias syriaca*) is on the list. ²¹² There is a cultivation and sales ban on this species, which has become established outside of cultivation in 13 Member States: Austria, the Czech Republic, Bulgaria, Denmark, France, Croatia, Hungary, Italy, Lithuania, the Netherlands, Poland, Romania, and Slovakia. There are similar cultivation and sales bans on other species that are considered a potential risk in Canada (e.g., tree-of-heaven - *Ailanthus altissima*, water hyacinth - *Eichhornia crassipes*, Carolina fanwort - *Cabomba caroliniana*, parrot's feather - *Myriophylum aquaticum*).

EU member states carry out comprehensive analyses. The information gathered is shared through the project Delivering Alien Species Inventories for Europe (DAISIE). Development of this shared database was key to the success of EU regulatory efforts. ²¹³

All EU Member States have signed the *International Plant Protection Convention* (IPPC) and follow IPPC standards²¹⁴ but they have followed the advice of the Standards and Trade Development Facility and enhanced their regulatory process to address the limitations of the *SPS Agreement* to meet their obligations under the CBD.²¹⁵ Canada must take similar action to reduce the harm and costs of IAPs.

AUSTRALIA'S APPROACH

Before 1996, plants proposed for importation into Australia were checked against a list of prohibited plants designated under the *Quarantine Act 1908*. With the growing threat of invasive plants, the regulation was amended by a *Quarantine Proclamation* 1998, all plant species were prohibited from entering Australia unless they were on a Permitted Seeds List." To be permitted in Australia, new plant species have to be formally assessed as having a low potential to become weeds in Australia.

²⁰⁹ REGULATION (EU) No <u>1143/2014</u> OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 22 October 2014 on the prevention and management of the introduction and spread of invasive alien species.

²¹⁰ Target 5 of the EU 2020 Biodiversity Strategy, "By 2020, Invasive Alien Species (IAS) and their pathways are identified and prioritised, priority species are controlled or eradicated, and pathways are managed to prevent the introduction and establishment of new IAS" (European Commission (EC), 2011).

²¹¹ Brundu et al., "Managing plant invasions using legislation tools: an analysis of the national and regional regulations for non-native plants in Italy," 2020.

²¹² European Commission, "Invasive alien species," 2022.

²¹³ Arianoutsou et al., "Alien plants of Europe: introduction pathways, gateways and time trends," 2021.

²¹⁴ EC, "International Plant Protection Convention (IPPC)," n.d.

²¹⁵ Standards and Trade Development Facility (STDF), <u>2013.</u>

²¹⁶ Australia Invasive Plant Council, "Stopping weed invasions: a 'white list' approach," 2009.

In 2015, Australia enacted a *Biosecurity Act*²¹⁷ and this absorbed the *Quarantine Proclamation*.²¹⁸ The Act provides for the management of biosecurity risks including invasive plants that can cause harm to human, animal, or plant health; harm to the environment; or economic consequences. Anyone proposing to introduce a new plant species must apply for permission and the plant requires a Weed Risk Assessment (WRA - paid for by the importer).²¹⁹

This approach is consistent with guiding principle 10 for the prevention of intentional introductions of invasive alien species agreed to at the Fifth Ordinary Meeting of the Conference of the Parties to the CBD.²²⁰

No intentional introduction should take place without proper authorization from the relevant national authority or agency. A risk assessment, including environmental impact assessment, should be carried out as part of the evaluation process before coming to a decision on whether or not to authorize a proposed introduction. States should authorize the introduction of only those alien species that, based on this prior assessment, are unlikely to cause unacceptable harm to ecosystems, habitats, or species, both within that State and in neighbouring States.²²¹

While the pre-border assessment process is an important step toward reducing the introduction of potentially new invasive plants, it does not address the problem of invasive plants previously introduced through the ornamental plant trade.²²²

The problem of invasive plant species in Australia far exceeds that in Canada. There are now more foreign plant species in Australia than native species.²²³ At least 66 percent of weed species were imported as garden plants.²²⁴ Australia has only designated 32 Weeds of National Significance (WoNS).²²⁵ These plants deemed to be national threats to biosecurity have now been banned across the country through State and Territory legislation. However, the roll out of the WoNS program took many years.²²⁶ National action was required to ensure a coordinated regulatory approach was taken.²²⁷

²¹⁷ Australia Biosecurity Act 2015, <u>C2021C00355</u>; Australia Dept. of Agric., Fisheries, & Forestry [DAFF], <u>2021</u>.
²¹⁸ The Biosecurity (Prohibited and Conditionally Non-prohibited Goods) Determination 2016 specifies prohibited plants and explains the conditions required to permit others for the purpose of the Biosecurity Act. It replaced provisions relating to conditions for importation of goods in the Quarantine Proclamation 1998 (DAFF, <u>2019</u>a; WTO, 2016).

²¹⁹ Development of the Weed Risk Assessment (WRA) system, DAFF, <u>2019</u>; Weed Assessment for Australia DAFF, <u>2019</u>b. Importing live plants (nursery stock), Australia DAFF, <u>2022</u>;

²²⁰ CBD COP-5 Decision V/8, 2000.

²²¹ Beckie et al., "Agricultural weed assessment calculator: an Australian evaluation," 2020.

²²² Australia Invasive Species Council, "Stopping weed invasions: a 'white list' approach," 2009.

²²³ There are approximately 15,800 native plant species (compared to under 4,000 native species in Canada). Close to 29,000 exotic species have been introduced to Australia. Of these introduced plants, over 3,000 species have naturalised and approximately 500 are now considered as noxious weeds under various state/territory legislation, including the 32 WONS (Williams et al, "Australia State of the Environment 2021," 2021).

²²⁴ Groves et al., "Jumping the Garden Fence," <u>2005</u>; Australian Government, "Reasons for the weed risk assessment system," <u>2022</u>.

²²⁵ A list of 20 WoNS was created in 1999 and a further 12 were added in 2012.

²²⁶ Report on the regulation, control and management of invasive species and the Environment Protection and Biodiversity Conservation Amendment (Invasive Species) Bill 2002. Australia Senate Environment, Communications, Information Technology and the Arts References Committee, "Turning back the tide – the invasive species challenge," 2004.

²²⁷ Wild Matters Pty. Ltd., "National established weed priorities - towards a national framework," 2020.

While the Australian regulatory system is distinct from Canada's, they have put in place some organizational processes worth emulating. The Australian Bureau of Agricultural and Resource Economics and Sciences conducts national surveys of weedy and invasive plants. ²²⁸ National surveillance enables early detection of new invasions and is used to track the spread and distribution of invasive plants. Plant lists have been created including the National Environmental Alert (NEA) list for invasive plants in the early stages of establishment and Agricultural Sleeper Weeds (ASW). This kind of national action is critical and was already recommended in 2017 in Canada by Federal-Provincial-Territorial Invasive Alien Species Task Force. ²²⁹. National leadership is necessary to drive the development of consistent and coordinated approaches across the country and to provide clarity around priorities, roles, and responsibilities. ²³⁰

DATABASE DEVELOPMENT AND PLANT RISK ASSESSMENTS

At the Sixth Ordinary Meeting of the Conference of the Parties to the CBD, Canada agreed to Guiding Principle 8 on the Exchange of information.²³¹ In accordance with this principle, Canada needs to develop a national database for the purpose of compiling and communicating information about nonnative invasive plants. Database information should include:

- taxonomic information
- the history and ecology of invasion (e.g., pathways for introduction, distribution)
- the biological characteristics of the invasive alien species
- an assessment of impacts to the market economy (e.g., agricultural, forestry, horticultural sectors)
- an assessment of biodiversity impacts at the ecosystem, species, and genetic level
- an assessment of public health and socio-cultural impacts
- consideration of impacts to keystone species and endangered species or habitats, and
- the potential effects of future climate scenarios on distribution and impacts. ²³²

The database requires the preparation of risk assessments. CFIA's current PRA process is primarily used for pre-border screening. Canada should place the burden for pre-border assessments on the importer.²³³ This would allow the CFIA to focus on plants in circulation in the trades.

To make the risk assessment process efficient, it will be necessary to prioritize plant analysis. The European and Mediterranean Plant Protection Organization (EPPO) has developed a Prioritisation

²²⁸ Ng, et al., "The state of weeds data collection in Australia," 2021.

²²⁹ FPT IAS, "Recommendations of the Invasive Alien Species Task Force" 2017; Gordon, "FTP Task Force," 2017 – presentation downloads.

linvasive Plants and Animals Committee, "Australian Weeds Strategy 2017–2027," 2017; The National Plant Biosecurity Status Report, Plant Health Australia, "The national plant biosecurity status report," 2018.
 Sixth Ordinary Meeting of the Conference of the Parties to the Convention on Biological Diversity, Canada - CBD COP-6, 2002.

²³² CBD COP-6, <u>2002</u>; NAPPO, <u>2008</u>; Bradley, <u>2022</u>.

²³³ This would be similar to the requirement placed on pesticide applicants who must "develop a comprehensive database of scientific information that demonstrates the product's value and its effects on the environment and human health." Health Canada, "Pesticides and pest management: Frequently asked questions," 2019.

Process compliant with the new EU regulation. ²³⁴ Canada could take the lead in the North American Plant Protection Organization (NAPPO) to help build North American capacity to share information on invasive ornamental plants. Experts from across borders could help share the burden and benefit of a North American database. ²³⁵

As mentioned earlier, there are numerous tools and protocols that could be used to improve the Canadian assessment system. ²³⁶ Ecological impacts, native species interactions, hybridisation, impacts to society, culture, and human health should all be considered. ²³⁷ The history of plants like purple loosestrife, hybrid knotweeds, as well as invasive variants of Phragmites (*Phragmites australis*) indicate a need to recognize that small genetic changes can impact biological traits and invasion success. ²³⁸ "For horticultural species, unintentional field trials may already exist in the living collections of botanic gardens and data on the performance of introduced species might be a valuable indicator of behaviour outside the cultivated environment." ²³⁹ Therefore, Canada should develop special protocols for evaluating ornamental/horticultural varieties and cultivars. ²⁴⁰ There will be some uncertainty for

²³⁴ Tanner et al., "The prioritisation of a short list of alien plants for risk analysis within the framework of the Regulation (EU) No. 1143/2014," 2017.

²³⁵ "Qualitative expert assessment is usually undertaken by decision panels who use their experience to answer broad questions regarding likelihoods of introduction, establishment, impact and management on a qualitative scale (negligible, low, medium and high) and then summarise the overall risk based on these answers" (Hulme, "Weed risk assessment: a way forward or a waste of time?" 2011c).

²³⁶ E.g., Morse et al., "An invasive species assessment protocol," 2001; Catling, "New 'Top of the list' Invasive plants of natural habitats in Canada," 2005; Carlson et al., "Invasiveness ranking system for non-native plants of Alaska," 2008; Nentwig et al., "Advancing impact assessments of non-native species: strategies for strengthening the evidence-base," 2016; Davidson et al., "Development of a risk assessment framework to predict invasive species establishment for multiple taxonomic groups and vectors of introduction," 2017; Hulme et al., "Integrating invasive species policies across ornamental horticulture supply chains to prevent plant invasions," 2017; Roy et al., "Developing a framework of minimum standards for the risk assessment of alien species," 2017; Strubb et al., "Advancing impact assessments of non-native species: strategies for strengthening the evidence-base," 2019; Brunel et al., "PM5/6(1) EPPO Prioritization process for invasive alien plants," 2010; Conser et al., "The Development of a Plant Risk Evaluation (PRE) Tool for Assessing the Invasive Potential of Ornamental Plants," 2015, Branquart et al., "A prioritization process for invasive alien plant species incorporating the requirements of EU Regulation no. 1143/2014," 2016; EPPO, "Guidelines on Pest Risk Analysis," 2017; EPPO, Bartz & Kowarik, "Assessing the environmental impacts of invasive alien plants: A review of assessment approaches," 2019; González-Moreno, "Consistency of impact assessment protocols for non-native species," 2019; Tayeh & Mannino, "Consistency of impact assessment protocols for non-native species," 2019; Vilà et al., 2019; Davidson et al., "Development of a risk assessment framework to predict invasive species establishment for multiple taxonomic groups and vectors of introduction," 2020; European Food Safety Authority et al., "A review of impact assessment protocols of non-native plants," 2021; Bernardo-Madrid et al., "Consistency in impact assessments of invasive species is generally high and depends on protocols and impact types," 2022.

²³⁷ E.g., Roy et al., "Developing a framework of minimum standards for the risk assessment of alien species," 2017; Bernardo-Madrid, 2022; Bradley et al., 2022.

²³⁸ E.g., Catling & Mitrow, "The recent spread and potential distribution of *Phragmites australis* subsp. *australis* in Canada," 2011; Wymore et al., "Genes to ecosystems: exploring the frontiers of ecology with one of the smallest biological units," 2011; Oh et al., "Novel genome characteristics contribute to the invasiveness of *Phragmites australis* (common reed)," 2022.

²³⁹ Hulme, "Weed risk assessment: a way forward or a waste of time?" 2011b,c.

²⁴⁰ Datta et al., "Identifying safe cultivars of invasive plants: six questions for risk assessment, management, and communication," 2020.

varieties that have limited history. In such cases, where there is lack of full scientific certainty, the precautionary principle should be followed.²⁴¹

Despite the complexity and costs involved in evaluations, the process should not be avoided. Sound evidence-based policies and decisions require a knowledge base.²⁴² Some risk assessments have already been done in other jurisdictions and information will just need to be consolidated into a framework that can be shared.²⁴³ Shared information can then guide management actions and regulatory measures nationally and regionally. Canada's national database will ensure that regions with fewer resources are not disadvantaged, and actions can be coordinated between provinces and territories. The goal is to reduce the costs and harm of invasive plants long into the future.

THE ORNAMENTAL HORTICULTURE SECTOR – COSTS AND OPPORTUNITIES

While restrictions on invasive plants may be disruptive in the short term, there are opportunities for innovation – including potential for expanding local markets. Innovative nursery growers can capitalize on regional botanical uniqueness. Importers and breeders should focus on non-invasive non-native plants that support environmental health and native plants.²⁴⁴ As people look to reduce their impact on the environment, sustainable gardening is trending, and this is a segment that is expected to continue growing.²⁴⁵ A new ecological approach to horticulture can be transformative for the industry and ultimately benefit all Canadians and global biodiversity.

Currently, the ornamental horticulture sector in Canada includes the floriculture (primarily cut flowers and potted plants), nursery (field-grown annuals, perennials, shrubs, trees, and vines), Christmas tree, and turf sod industries. In 2021, this sector generated sales of \$2.54 billion. ²⁴⁶ The greenhouse production of flowers and plants was the largest revenue generating sub-sector, accounting for 66.2 percent of total sales with potted plant sales contributing most to the bottom line. Most potted plants sold are non-invasive as almost 40 percent are for indoor use, and at least another third are non-invasive bedding plants like geraniums and vegetable plants. The percentage of invasive plants produced by greenhouses is not known but likely low.

Nursery product sales and resales contributed an additional 27.2 percent to the Canadian ornamental industry revenue in 2021. 58 of field grown nursey plants were fruit bushes. It is not known what percentage of field grown or container grown plants are invasive plants like barberry 'Tara', but it is likely a small fraction of overall sales. For instance, in studies of the plant nurseries in the U.S. mid-

²⁴¹ CBD, 1992; CBD COP-6, 2002.

²⁴² Meyerson, et al., "Moving Toward Global Strategies for Managing Invasive Alien Species," 2022.

²⁴³ For instance, 500 species assessments of North American introduced plants had been completed for NatureServe (Randall et al., 2008) and is available from the Invasive Plant Resource Guide, 2020.

²⁴⁴ Care should be given to plants that could potentially hybridize with native plants like white mulberry (*Morus alba*), hybrid lupins (*Lupinus* spp.), and columbine (*Aquilegia* spp.).

²⁴⁵ Ng, "Planet-friendly gardening: How small changes can make a huge difference," <u>2021</u>; Gardiner, "Hottest gardening trends for summer 2022, According to Experts," <u>2022</u>. Orentas, "Here are the top landscaping trends of 2023," <u>2022</u>; Sons, "Gardening's hottest trend is here: The big shift to native plants and what it means for your business," <u>2022</u>.

²⁴⁶ Crops and Horticulture Division Agriculture and Agri-Food Canada, "Statistical overview of the Canadian ornamental industry 2019," 2021.

Atlantic region, only four percent of the taxa sold were considered invasive.²⁴⁷

Some have pondered: "If invasive species are pollutants, should polluters pay?" ²⁴⁸ Not surprisingly, the landscape industry has not responded favourably to the idea of taxing sellers. ²⁴⁹ However, the industry has responsibility to help solve this problem.

Regulation of sales has been the preferred course of action in many U.S. states. In states where sales bans have been put into effect, growers have been given transitional periods to phase out stock and develop alternatives. For instance, Ohio and South Carolina have announced that Callery pear (*Pyrus calleryana*), popular in the trades, will be prohibited for sale in 2023 and 2024 respectively.²⁵⁰ Consultations with stakeholders needs to be part of the regulatory process to reduce the burden on specific actors in the horticultural sector. Gary Fish, responsible for the Maine Horticultural Program, reports the nursery industry has adapted to the new regulations without incident and they continue to work with sellers to phase-in changes responsibly.²⁵¹

Would regulation and labelling requirements be bad for the nursery industry as a whole? The impacts should be relatively small and short term. ²⁵²

First, . . . consumers increasingly wish to be informed of invasive ability so that they can avoid purchasing invaders. If the nursery industry wants to continue to be perceived as a "green" industry, it will have to recognize this trend and respond appropriately to it.

Second, invasive plants are a **small part of the sales** of most nurseries, so removing them from sale is unlikely to have a significant effect on the business's bottom line.

Third, removing invasive plants from sale could **actually stimulate sales**, if handled correctly, because replacement plants would be promoted and sold.²⁵³

The industry can benefit by taking a proactive approach to slowing the flow of invasive plants. Breeders, growers, and sellers can each do their part. Breeders can focus on reducing the traits that make plants invasive: "reduced genetic variation in propagules, slowed growth rates, non-flowering, elimination of asexual propagules, lack of pollinator rewards, non-dehiscing fruits (to prevent seed dispersal), lack of edible fruit flesh, lack of seed germination, sterility and programmed death prior to seed production." ²⁵⁴ Growers can select non-invasive plants and give accolades to plants that support a healthy natural environment. Sellers can inform the public and market plants as better alternatives to older invasive varieties. In this way, the ornamental horticultural industry can embrace the problem as "our responsibility, our opportunity" and transform the industry so that they contribute to a healthy planet and therefore to human well-being.

²⁴⁷ Coombs & Gilchrist, "Nursery industry a baseline for future comparisons," 2018; George, Gilchrist & Watson,

[&]quot;An assessment of the native and invasive horticultural plants sold in the mid-Atlantic region," 2020.

²⁴⁸ Simpson, "Chapter 7: If invasive species are 'pollutants', should polluters pay?," 2009; Barbier et al.,

[&]quot;Implementing policies to control invasive plant species," 2013.

²⁴⁹ Gagliardi, James & Brand, Mark, "Connecticut nursery and landscape industry preferences for solutions to the sale and use of invasive plants," 2007.

²⁵⁰ Culley, "Invasive pears," 2022.

²⁵¹ Correspondence with Gary Fish, State Horticulturist Maine Department of Agriculture, Conservation and Forestry Horticulture, responsible for administering the Horticultural Program "Do Not Sell Plant List," 2022.

²⁵² Coats, Stack, & Rumpho, "Maine Nursery and Landscape Industry Perspectives on Invasive Plant Issues," 2011.

²⁵³ Reichard & White, "Horticulture as a Pathway of Invasive Plant Introductions in the United States: Most invasive plants have been introduced for horticultural use by nurseries, botanical gardens, and individuals," 2001.

²⁵⁴ van Kleunen et al., "The changing role of ornamental horticulture in alien plant invasions," 2018.

REFERENCES AND RESOURCES

- Abbott, K. W., & Snidal, D. (2000). Hard and Soft Law in International Governance. International Organization, 54(3), 421–456. Retrieved May 8, 2023, from https://www.researchgate.net/publication/4770665 Hard and Soft Law in International Governance
- Adebayo, A., Briski, E., Kalaci, O., Hernandez, M., Ghabooli, S., Beric, B., et al. 2011. Water hyacinth (Eichhornia crassipes) and water lettuce (Pistia stratiotes) in the Great Lakes: playing with fire? Aquatic Invasions, 6, 91-96. Retrieved May 8, 2023, from https://scholar.uwindsor.ca/cgi/viewcontent.cgi?article=2166 &context=biologypub
- Agreement on the Application of Sanitary and Phytosanitary Measures [hereinafter SPS Agreement] (1994). World Trade Organization. Retrieved May 8, 2023, from https://www.wto.org/english/docs_e/legal_e/15-sps.pdf
- Ahmed, A., Hudgins, E., Cuthbert, R., Kourantidou, M., Diagne, C., Haubrock, P., Leung, B., Liu, C., Leroy, B., Petrovskii, S., Beidas, A., & Courchamp, F. (2022). Managing biological invasions: the cost of inaction. Biological Invasions, 24. Retrieved May 8, 2023, from https://www.researchgate.net/publication/359312773 Managing biological invasions the cost of inaction
- Alaska Center for Conservation Science. (2021). Non-Native Plant Species List. University of Alaska Anchorage.

 Retrieved May 8, 2023, from https://accs.uaa.alaska.edu/invasive-species/non-native-plant-species-list/
- Alaska code Section 11 AAC 34.020 Prohibited and restricted noxious weeds. Retrieved May 8, 2023, from https://regulations.justia.com/states/alaska/title-11/part-4/chapter-34/article-1/section-11-aac-34-020/
- Alaska code 5 AK Admin Code 5 AAC 41.075 Classification of banned invasive species. Retrieved May 8, 2023, from https://regulations.justia.com/states/alaska/title-5/part-1/chapter-41/article-3/section-5-aac-41-075/
- Alaska Dept. of Fish and Game. (2021). Invasive Species. Retrieved May 8, 2023, from http://www.adfg.alaska.gov/index.cfm?adfg=invasive.regulations
- Alaska Dept. of Natural Resources Division of Agric. (n.d.). Invasive Plants and Agricultural Pest Management. Retrieved May 8, 2023, from https://plants.alaska.gov/invasives/noxious-weeds.htm
- Alberta code Agricultural Pests Act, SA 1984, c A-8.1 Retrieved May 8, 2023, from https://www.canlii.org/en/ab/laws/astat/sa-1984-c-a-8.1/latest/sa-1984-c-a-8.1.html
- Alberta Environment and Parks. (2018). Aquatic Invasive Species Pocket Guide. Government of Alberta. Retrieved May 8, 2023, from https://open.alberta.ca/dataset/ed4ad469-dc64-4847-9a58-3904818c14d3/resource/539876aa-9f84-402b-917c-f4eb46ac2dc9/download/aispocketguide-jul2018.pdf
- Alberta Fisheries Act, RSA 2000, c F-16 Retrieved May 8, 2023, from https://www.canlii.org/en/ab/laws/stat/rsa-2000-c-f-16.html
- Alberta Government. (2022). Provincially regulated weeds. Retrieved May 8, 2023, from https://www.alberta.ca/provincially-regulated-weeds.aspx
- Alberta Weed Control Act, SA 2008, c W-5.1. Retrieved May 8, 2023, from https://www.canlii.org/en/ab/laws/stat/sa-2008-c-w-5.1/latest/sa-2008-c-w-5.1.html
- Allen, J., Beaury, E., Mazzuchi, J., Nelson, M., O'Uhuru, A., & Bradley, B. (2022). Regional Invasive Species & Climate Change Management Challenge: Do not sell? Ornamental Invasive plants to avoid with climate change. Univ. Massachusetts Amherst Environmental Conservation Education Materials. Retrieved May 8, 2023, from https://scholarworks.umass.edu/eco_ed_materials/14/
- Allen, K., 2019. Ford government slashes funding to programs aimed at fighting spread of invasive species. Toronto Star. May 30. Retrieved May 8, 2023, from https://www.thestar.com/politics/provincial/2019/05/30 /ford-government-slashes-funding-to-programs-aimed-at-fighting-spread-of-invasive-species.html
- Anderson, C.B., Athayde, S., Raymond, C.M., Vatn, A., Arias, P., Gould, R.K., Kenter, J., Muraca, B., Sachdeva, S., Samakov, A., Zent, E., Lenzi, D., Murali, R., Amin, A., and Cantú-Fernández, M. (2022). Chapter 2: Conceptualizing the diverse values of nature and their contributions to people. In: Methodological

- Assessment Report on the Diverse Values and Valuation of Nature of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. Balvanera, P., Pascual, U., Christie, M., Baptiste, B., and González-Jiménez, D. (eds). IPBES secretariat, Bonn, Germany. Retrieved May 8, 2023, from https://zenodo.org/record/7701874#.ZAzcLS 72 t
- Anderson, Neil. (2019). Workshop: Throwing Out the Bathwater but Keeping the Baby: Lessons Learned from Purple Loosestrife and Reed Canarygrass. Hort Technology, 29, 1-10. 10.21273/HORTTECH04307-19. Retrieved May 8, 2023, from https://journals.ashs.org/horttech/view/journals/horttech/29/5/article-p539.xml
- APHIS (Animal and Plant Health Inspection Service). (2012a). Weed Risk Assessment for *Arundo donax* L. (*Poaceae*)

 Giant reed. USDA. Retrieved May 8, 2023, from https://www.aphis.usda.gov/plant-health
 /plant pest info/weeds/downloads/wra/Arundo donax WRA.pdf
- APHIS (Animal and Plant Health Inspection Service). (2012b). Weed Risk Assessment for *Trapa natans* L. (*Lythraceae*) Water chestnut. USDA. Retrieved May 8, 2023, from https://www.aphis.usda.gov/plant health/plant pest info/weeds/downloads/wra/Trapa-natans.pdf
- APHIS (Animal and Plant Health Inspection Service). (2012c). Weed Risk Assessment for Iris pseudacorus L. (Iracaceae) Yellow flag iris. USDA. Retrieved May 8, 2023, from https://www.aphis.usda.gov/plant-health/plant-pest-info/weeds/downloads/wra/Iris_pseudacorus_WRA.pdf
- APHIS (Animal and Plant Health Inspection Service). (2021). U.S.-Canada Greenhouse-Grown Plant Certification Program. USDA. Retrieved May 8, 2023, from https://www.aphis.usda.gov/aphis/ourfocus/planthealth/ /import-information/accreditation-certification/GCP
- Arianoutsou M., Bazos I., Christopoulou A., Kokkoris Y., Zikos A., Zervou S, Delipetrou P, Cardoso AC, Deriu I, Gervasini E, Tsiamis K. (2021). Alien plants of Europe: Introduction pathways, gateways and time trends. PeerJ. 9. Retrieved May 8, 2023, from https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8176916/
- Atwell, Tom. (2022). Maine Gardener: Sixty-three plant species could be banned for sale under a new state proposal. Press Herald. Jan 10. Retrieved May 8, 2023, from https://www.pressherald.com/2022/01/09/sixty-three-plant-species-could-be-banned-for-sale-under-a-new-state-proposal/?fbclid=lwAR2q3XcH NRs9flPx-2B39WX0ODa6Z9YXxBtsfXNuCt3tzySx ibJuKUu-o
- Australia Biological Diversity Advisory Committee, Land & Water Australia. (2005). Making economic valuation work for biodiversity conservation. Land & Water Australia, Canberra, ACT. Retrieved May 8, 2023, from https://www.cbd.int/financial/values/australia-valuation.pdf
- Australia Biosecurity Act 2015 C2021C00355. Retrieved May 8, 2023, from https://www.legislation.gov.au/Details/C2021C00355
- Australia Dept. of Agric., Fisheries and Forestry. (2019). Development of the Weed Risk Assessment (WRA) system.

 Australian Government. Retrieved May 8, 2023, from https://www.agriculture.gov.au/biosecurity-trade/policy/risk-analysis/weeds/development
- Australia Dept. of Agric., Fisheries and Forestry. (2021). The Biosecurity Act 2015. Retrieved May 8, 2023, from https://www.agriculture.gov.au/biosecurity-trade/policy/legislation/biosecurity-legislation
- Australia Invasive Plants and Animals Committee. (2016). Strategy 2017 to 2027, Australian Government Department of Agriculture and Water Resources, Canberra. Retrieved May 8, 2023, from https://www.agriculture.gov.au/sites/default/files/sitecollectiondocuments/pests-diseases-weeds/consultation/aws-final.pdf
- Australia Invasive Species Council. (2009). Stopping weed invasions: a 'white list' approach. Retrieved May 8, 2023, from https://invasives.org.au/wp-content/uploads/2014/02/fs weedwhitelist.pdf
- Australia Invasive Species Council. (2018). Protect Australia from deadly invasive species: Election priorities for national environmental biosecurity 2019. Invasive Species Council. Fairfield, Victoria. Retrieved May 8, 2023, from https://treasury.gov.au/sites/default/files/2019-03/invasive species council.pdf

- Australian Biosecurity Group. (2005). Invasive Weeds, Pests and Diseases: Solutions to Secure Australia. CRC for Pest Animal Control, CRC for Australian Weed Management and WWF Australia, Canberra. Retrieved May 8, 2023, from https://pestsmart.org.au/wp-content/uploads/sites/3/2020/06/InvSp-web3.pdf
- Azan, S. (2011). Invasive aquatic plants and the aquarium and ornamental pond industries" Theses and dissertations. Ryerson. Paper 818. Retrieved May 8, 2023, from https://rshare.library.torontomu.ca/articles/journal contribution/Invasive Aquatic Plants in the Aquarium and Ornamental Pond Indust ries/19189244
- Azan, S., Bardecki, M., & Laursen, A. (2015). Invasive aquatic plants in the aquarium and ornamental pond industries: A risk assessment for southern Ontario (Canada). Weed Research, 55. Retrieved May 8, 2023, from https://www.researchgate.net/publication/270967701 Invasive aquatic plants in the aquarium and ornamental pond industries A risk assessment for southern Ontario Canada
- Bacher, S., Blackburn, T., Essl, F., Genovesi, P., Heikkilä, J., Jeschke, J., Jones, G., Keller, R., Kenis, M., Kueffer, C., Martinou, A., Nentwig, W., Pergl, J., Pyšek, P., Rabitsch, W., Richardson, D., Roy, H., Saul, W., Scalera, R., & Kumschick, S. (2018). Socio-economic impact classification of alien taxa (SEICAT). Methods in Ecology and Evolutio,. 9, 159–168. Retrieved May 8, 2023, from https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210X.12844
- Bacher S, Blackburn TM, Essl F et al (2018) Socio-economic impact classification of alien taxa (SEICAT). Methods Ecol Evol 9:159–168. Retrieved May 8, 2023, from https://besjournals.onlinelibrary.wiley.com/doi/10.1111/2041-210X.12844
- Bailey, J. (2013). The Japanese knotweed invasion viewed as a vast unintentional hybridisation experiment. Heredity, 110, 105-110. Retrieved May 8, 2023, from https://www.nature.com/articles/hdy201298
- Barbier, E.B., Knowler, D., Gwatipedza, J.,Reichard, S.H., Hodges, A.R. (2013). Implementing Policies to Control Invasive Plant Species, BioScience, 63(2), 132–138. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/63/2/132/534021
- Barney, J., Tharayil, N., DiTommaso, A., & Bhowmik, P. (2006). The Biology of Invasive Alien Plants in Canada. 5. Polygonum cuspidatum Sieb. & Zucc. [= Fallopia japonica (Houtt.) Ronse Decr.]. Canadian journal of plant science, 86, 887-905. Retrieved May 8, 2023, from https://cdnsciencepub.com/doi/10.4141/P05-170
- Barney, J.N., Tekiela D.R., Barrios-Garcia M.N., Dimarco R.D., Hufbauer R.A., Leipzig-Scott P., Nuñez M.A., Pauchard A., Pyšek P., Vítková M., & Maxwell B.D. (2015). Global Invader Impact Network (GIIN): toward standardized evaluation of the ecological impacts of invasive plants. Ecol Evol. 5(14):2878-89. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1002/ece3.1551
- Bartz, R., & Kowarik, I. (2019). Assessing the environmental impacts of invasive alien plants: A review of assessment approaches. NeoBiota. 43, 69-99. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/30122/
- Bean, T., 2015. Lag times in plant invasions: here today, everywhere tomorrow. UC Weed Science. Retrieved May 8, 2023, from https://ucanr.edu/blogs/blogcore/postdetail.cfm?postnum=18530
- Beaury, E. (2020). Video Invaders for sale: The ongoing spread of invasive species by the plant trade industry. ESA, 2020. Retrieved May 8, 2023, from https://www.youtube.com/watch?v=fQDjM5KBM-o
- Beaury, E. M., Bradley, B. A., Patrick, M. (2021). Invaders for sale: the ongoing spread of invasive species by the plant trade industry. Frontiers in Ecology and Environment, 19(10):550-556 Retrieved May 8, 2023, from https://scholarworks.umass.edu/cgi/viewcontent.cgi?article=1432&context=nrc_faculty_pubs
- Beck, K. G., Zimmerman, K., Schardt, J. D., Stone, J., Lukens, R. R., Reichard, S., et al. (2008). Invasive species defined in a policy context: Recommendations from the Federal Invasive Species Advisory Committee. Invasive Plant Science and Management, 1(4), 414-421. Retrieved May 8, 2023, from https://www.doi.gov/sites/doi.gov/files/uploads/invasive_species_defined_in_a_policy_context.pdf
- Beckie, H., Owen, M., Borger, C., Gill, G., Widderick, M. (2020). Agricultural Weed Assessment Calculator: An Australian Evaluation. Plants, 9. 1737. Retrieved May 8, 2023, from https://www.researchgate.net/publication/347585292 Agricultural Weed Assessment Calculator An Australian Evaluation

- Bell C., Wilen, C., Santon, A. (2003). Invasive plants of horticultural origin. Hortscience 38, 14-16. Retrieved May 8, 2023, from https://journals.ashs.org/hortsci/view/journals/hortsci/38/1/article-p14.xml
- Bellard, C., Bernery, C. & Leclerc. (2021). Looming extinctions due to invasive species: Irreversible loss of ecological strategy and evolutionary history Running title: Functional and phylogenetic extinctions due to biological invasions. Global Change Biology. Retrieved May 8, 2023, from https://hal.science/hal-03312166/file/MS 14.pdf
- Bergunder, N., Greenberg, C., Higgins, R., Hillary, D., Miller V., Schweb, S., Sigg, D., Watkins, C., et al. (2017).

 Invasive Species Strategy for British Columbia: 2018-.2022. Retrieved May 8, 2023, from https://bcinvasives.ca/wp-content/uploads/2021/01/Invasive Species Strategy for BC-2018-180117-WEB.pdf
- Bernardo-Madrid R., González-Moreno P., Gallardo B., Bacher S., & Vilà M. (2022) Consistency in impact assessments of invasive species is generally high and depends on protocols and impact types. In: Giannetto D, Piria M, Tarkan AS, Zięba G (Eds) Recent advancements in the risk screening of freshwater and terrestrial non-native species. NeoBiota, 76, 163-190. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.76.83028
- Biodivcanada. (2016). Canada Target 11. In 2020 Biodiversity Goals and Targets for Canada. Minister of Environment and Climate Change. Retrieved May 8, 2023, from https://www.biodivcanada.ca/national-biodiversity-strategy-and-action-plan/2020-biodiversity-goals-and-targets-for-canada/canada-target-11
- Block, S., Maechler, M., Levine, J., Alexander, J., Pellissier, L., & Levine, J.. (2022). Ecological lags govern the pace and outcome of plant community responses to 21st-century climate change. Ecology Letters. 25(10): 2156-2166). Retrieved May 8, 2023, from https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
 https://www.researchgate.net/publication/362986398
- Bouchard C., Dibernardo A., Koffi J., Wood H., Leighton P.A., & Lindsay L.R. (2019). Increased risk of tick-borne diseases with climate and environmental changes. Can Commun Dis Rep., 45(4), 83-89. Retrieved May 8, 2023, from https://www.canada.ca/content/dam/phac-aspc/documents/services/reports-publications/canada-communicable-disease-report-ccdr/monthly-issue/2019-45/issue-4-april-4-2019/ccdrv45i04a02-eng.pdf
- Bradley, B., Beaury, E., Fusco, E., & Lopez, B. (2022a). Invasive Species Policy Must Embrace a Changing Climate, BioScience. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/advance-article-abstract/doi/10.1093/biosci/biac097/6840621
- Bradley, B., Beaury, E., Fusco, E., Munro, L., Brown-Lima, C., Coville, W. Kesler, B., Olmstead, N., & Parker, J. (2022b). Breaking down barriers to consistent, climate-smart regulation of invasive. Ecosphere, 13(5). Retrieved May 8, 2023, from https://esajournals.onlinelibrary.wiley.com/doi/full/10.1002/ecs2.4014]
- Bradley, B., Blumenthal, D., Early, R., Grosholz, E., Lawler, J., Miller, L., Sorte, C., D'Antonio, C., Diez, J., Dukes, J., Ibanez, I., & Olden, J. (2011). Global change, global trade, and the next wave of plant invasions. Frontiers in Ecology and the Environment. Retrieved May 8, 2023, from https://www.researchgate.net/publication/233729618_Global_change_global_trade_and_the_next_wave_of_plant_invasions
- Bradley, B.A., Wilcove, D.S. & Oppenheimer, M. (2010). Climate change increases risk of plant invasion in the Eastern United States. Biol Invasions, 12, 1855–1872. Retrieved May 8, 2023, from https://people.umass.edu/bethanyb/Bradley%20et%20al.,%202010%20Biol%20Invasions.pdf
- Branquart, E., Brundu, G., Buholzer, S., Ehret, P., Fried, G., Starfinger, U., van Valkenburg, J, & Tanner, R. (2016). A prioritisation process for invasive alien plant species compliant with Regulation (EU) No. 1143/2014. EPPO Bulletin, 46, 603–617. Retrieved May 8, 2023, from https://www.researchgate.net/publication/309732342 A prioritization process for invasive alien plant species incorporating the requirements of EU Regulation no 11432014
- Branquart, E., Verreyken, H., Vanderhoeven, S., & Rossum, F.V. (2009). ISEIA, a Belgian non-native species assessment protocol. Science facing aliens. Retrieved May 8, 2023, from https://ias.biodiversty.be/meetings/200905 science facing aliens/session3 01.pdf

- Breen, P. (2022). *Ailanthus altissima*. Oregon State University College of Agricultural Sciences Department of Horticulture Landscape Plants. Retrieved May 8, 2023, from https://landscapeplants.oregonstate.edu/plants/ailanthus-altissima
- Brière, S. C. (2009). Biosecurity: Protecting Canada from Invasive Alien Species. CFIA. Retrieved May 8, 2023, from https://www.mcgill.ca/macdonald/files/macdonald/CFIA Biosecurity Stephan Briere 2009.pdf
- British Columbia Weed Control Act, RSBC 1996, c 487. Retrieved May 8, 2023, from fromhttps://www.canlii.org/en/bc/laws/stat/rsbc-1996-c-487/latest/rsbc-1996-c-487.html
- British Columbia Weed Control Regulation, BC Reg 66/85. Retrieved May 8, 2023, from fromhttps://www.canlii.org/en/bc/laws/regu/bc-reg-66-85/latest/bc-reg-66-85.html
- Britton, W.E., 1930. Regulations Concerning the Transportation of Nursery Stock in the United States and Canada. Connecticut Experimental Station Circular 71. Retrieved May 8, 2023, from https://portal.ct.gov/-media/CAES/DOCUMENTS/Publications/Circulars/C71pdf.pdf
- Brouillet, L., Desmet, P., Coursol, F., Meades, S.J., Favreau, M., Anions, M., Bélisle, P., Gendreau, C., Shorthouse, D., & contributors (2010+). (2010). Database of Vascular Plants of Canada (VASCAN). Retrieved May 8, 2023, from http://data.canadensys.net/vascan and http://data.canadensys.net/vascan and http://www.gbif.org/dataset/3f8a1297-3259-4700-91fc-acc4170b27ce
- Brundu, G. (2017). Information on measures and related costs in relation to species considered for inclusion on the Union list: *Ailanthus altissima*. Technical note prepared by IUCN for the European Commission. Retrieved May 8, 2023, from https://circabc.europa.eu/sd/a/c5681406-f3d4-4288-bfb3-40322df5c013/TSSR-2016-003%20Measures%20and%20Costs%20-%20Ailanthus%20altissima.pdf
- Brundu, G., Brunel, S., Heywood, & Vernon. (2011). The European Code of Conduct on Horticulture and Invasive Alien Plants. In book: E. Rindos (ed.), Plant Invasions: Policies, Politics, and Practices, Proceedings of the 2010 Weeds Across Borders Conference, 1–4 June 2010, National Conservation Training Center, Shepherdstown, West Virginia. Bozeman, Montana: Montana State University, Center for Invasive Plant Management. (pp.32-36) Publisher: Montana State University, Center for Invasive Plant Management. Retrieved May 8, 2023, from https://www.researchgate.net/publication/346082197
 The European Code of Conduct on Horticulture and Invasive Alien Plants
- Brundu, G., Minicante, S., Barni, E., Bolpagni, R., Caddeo, A., Celesti-Grapow, L., Cogoni, A., Galasso, G., Iiriti, G., Lazzaro, L., Loi, M., Lozano, V., Marignani, M., Montagnani, C., & Siniscalco, C. (2020). Managing plant invasions using legislation tools: an analysis of the national and regional regulations for non-native plants in Italy. Retrieved May 8, 2023, from https://www.researchgate.net/publication/340429631
 https://www.researchgate.net/publication/340429631
 ns-for-non-native-plants-in-Italy
- Brunel, S., Branquart, E., Fried, G., van Valkenburg, J., Brundu, G., Starfinger, U., Buholzer, S., Uludag, A., Josefsson, M., & Baker, R. (2010). PM5/6(1) EPPO Prioritization process for invasive alien plants. EPPO Bulletin. 40. 407 422. Retrieved May 8, 2023, from https://www.researchgate.net/publication/227726571 PM561

 _EPPO_Prioritization_process_for_invasive_alien_plants
- Burt, J., Muir, A., Piovia-Scott, J., & Veblen, K. (2005). Perspectives of Nursery Professionals on Invasive Plants and the St. Louis Voluntary Codes of Conduct. https://www.cal-ipc.org/wp-content/uploads/2017/12/IGERTposter2005.pdf
- Burt, J.W., Muir, A.A., & Piovia-Scott, J. Burt, Veblen, K, Chang, A., Grossman, J., Weiskel, H. (2007). Preventing horticultural introductions of invasive plants: Potential efficacy of voluntary initiatives. Biological Invasions 9(8), 909-923. Retrieved May 8, 2023, from https://www.researchgate.net/publication/225948999
 Preventing horticultural introductions of invasive plants Potential efficacy of voluntary initiatives
- Bzdęga, K., Janiak, A., Książczyk, T., Lewandowska, A., Gancarek, M., Sliwinska, E., & Tokarska-Guzik, Barbara. (2016). A Survey of Genetic Variation and Genome Evolution within the Invasive *Fallopia* Complex. PloS one. 11. e0161854. 10.1371/journal.pone.0161854. https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0161854

- CABI ISC Invasive Species Compendium. Retrieved May 8, 2023, from https://www.cabi.org/publishing-products/invasive-species-compendium/
- CABI. (2007). *Lythrum salicaria* (purple loosestrife). CABI Compendium. Wallingford, UK: CAB International. Retrieved May 8, 2023, from https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.31890
- CABI. (2008). *Miscanthus sinensis* (eulalia). CABI Compendium. Wallingford, UK: CAB International. Retrieved May 8, 2023, from https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.34269
- CABI. (2009). *Celastrus orbiculatus* (Asiatic bittersweet). CABI Compendium. Wallingford, UK: CAB International. Retrieved May 8, 2023, from https://www.cabidigitallibrary.org/doi/10.1079/cabicompendium.12009
- CABI. (2019). *Berberis thunbergii* (Japanese barberry). CABI Compendium. Wallingford, UK: CAB International. Retrieved May 8, 2023, from https://www.cabidigitallibrary.org/doi/full/10.1079/cabicompendium.8808
- Canada Wildlife Act, RSC 1985, c W-9. Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/rsc-1985-c-w-9.html
- Canadian Council on Invasive Species Group. (2019). A cooperative initiative with National Horticultural Invasive Plants Working, Canadian Society of Landscape Architects, Canadian Nursery Landscape Association Retrieved May 8, 2023, from https://canadainvasives.ca/wp-content/uploads/2019/06/2019-01-16 CCIS Code of Conduct FINAL.pdf
- Canadian Council of Fisheries and Aquaculture Ministers Aquatic Invasive Species Task Group. (2004). Canadian Action Plan to Address the Threat of Aquatic Invasive Species. Fisheries and Oceans Canada. Retrieved May 8, 2023, from https://www.dfo-mpo.gc.ca/species-especes/publications/ais-eae/plan/page01-eng.html
- Canadian Society of Landscape Architects (CSLA). (2020). Canadian Landscape Standard 2nd edition. Retrieved May 8, 2023, from https://www.reminetwork.com/articles/canadian-landscape-standard-2nd-released/
- Canadian Nursery Landscape Association. (2001). Restrictions lifted on Japanese barberry. CNLA News. Retrieved May 8, 2023, from https://landscapetrades.com/cnla-news-brrestrictions-lifted-on-japanese-barberry
- Carlson, M.L., Lapina, I.V., Shephard, M., Conn, J., Densmore, R., Spencer, P., Heys, J. Riley, J., & Nielsen, J. (2008). Invasiveness Ranking System for Non-Native Plants of Alaska. USDA. Retrieved May 8, 2023, from https://accs.uaa.alaska.edu/wp-content/uploads/Invasiveness_Ranking_System_for_Non-Native_Plants_Alaska.pdf
- Castro, K., McClay, A., Wilson, C., & Sissons, A. (2019). An updated status of introduced and invasive plants in Canada. Poster no. 15. In Proceeding 15th International Conference on Ecology and Management of Alien Plant invasions. Prague Czech Republic. 9-13 September. Retrieved May 8, 2023, from https://www.ibot.cas.cz/invasions/EMAPi conferences/pdf/2019 book of abstracts2.pdf
- Catford, J., Jansson, R., & Nilsson, C. (2009). Reducing redundancy in invasion ecology by integrating hypotheses into a single theoretical framework. Diversity and Distributions, 15, 22-40. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/j.1472-4642.2008.00521.x
- Catling, Paul. (2005). New "Top of the list" invasive plants of natural habitats in Canada. Biodiversity, National Program on Environmental Health, Agriculture and Agri-food Canada, Ottawa, Ontario. Retrieved May 8, 2023, from https://www.ou.edu/cas/botany-micro/ben/ben345.html
- Catling, Paul & Mitrow, Gisele. (2011). The Recent Spread and Potential Distribution of *Phragmites australis* subsp. australis in Canada. Canadian Field Naturalist. 125. Retrieved May 8, 2023, from https://www.researchgate.net/publication/277750535 The Recent Spread and Potential Distribution of Phragmites australis subsp australis in Canada
- CBD Convention on Biological Diversity (1992). 1760 U.N.T.S. 79, 31 I.L.M. 818. Retrieved May 8, 2023, from https://www.cbd.int/doc/legal/cbd-en.pdf
- CBD (Convention on Biological Diversity). 2010). What are Invasive Alien Species? Convention on Biological Diversity. Retrieved May 8, 2023, from https://www.cbd.int/invasive/WhatareIAS.shtml
- CBD (Convention on Biological Diversity). (2021a). Natural Capital. Retrieved May 8, 2023, from https://www.cbd.int/business/projects/natcap.shtml

- CBD (Convention on Biological Diversity). (2021b). What are Invasive Alien Species? Retrieved May 8, 2023, from https://www.cbd.int/idb/2009/about/what/
- CBD (Convention on Biological Diversity). (2022). Invasive Alien Species. Retrieved May 8, 2023, from https://www.cbd.int/invasive/
- CBD COP-5 (Convention on Biological Diversity Fifth Conference of the Parties). (2000). COP 5 Decision V/8 Alien species that threaten ecosystems, habitats or species. Retrieved May 8, 2023, from https://www.cbd.int/decision/cop/?id=7150
- CBD COP-6 (Convention on Biological Diversity Sixth Conference of the Parties). (2002). COP 6 Decision VI/23 Alien species that threaten ecosystems, habitats or species. The Hague, the Netherlands, 7–19 April. Retrieved May 8, 2023, from https://www.cbd.int/decision/cop/?id=7197
- CBD COP-15. (Convention on Biological Diversity 15th Conference of the Parties). (2022). Kunming-Montreal Global biodiversity framework: Draft decision submitted by the President. Conference of the Parties to the CBD 18 Dec. 2022. Retrieved May 8, 2023, from https://www.cbd.int/doc/c/e6d3/cd1d/daf663719a03902a9b116c34/cop-15-l-25-en.pdf
- CESCC (Canadian Endangered Species Conservation Council). (2010.) Non-native & invasive species in Nunavut. Environment Canada. Retrieved May 8, 2023, from https://www.gov.nu.ca/sites/default/files/invasive poster english jan31-4.pdf
- Ceska, O., Ceska, A., & Warrington, P. (1986). *Myriophyllum quitense* and *Myriophyllum ussuriense* (*Haloragaceae*) in British Columbia, Canada. Brittonia. 38. 73-81. Retrieved May 8, 2023, from https://www.researchgate.net/publication/225606716 Myriophyllum Quitense and Myriophyllum Uss uriense Haloragaceae in British Columbia Canada
- CFIA (Canadian Food Inspection Agency). (2001a). Regulations Amending the Plant Protection Regulations. Canada Gazette Part 1. 135(15): 1372-1380. Retrieved May 8, 2023, from https://canadagazette.gc.ca/rp-pr/p1/2001/2001-04-14/pdf/g1-13515.pdf
- CFIA (Canadian Food Inspection Agency). (2001b). Weed Risk Assessment: European water-chestnut (*Trapa natans* L. Plant Health Risk Assessment Unit Science Division Nepean, Ontario. Retrieved Nov. 21, 2021, via email from Alexandre Blain Plant Health Risk Assessor Canadian Food Inspection Agency.
- CFIA (Canadian Food Inspection Agency). (2008a). Invasive Alien Plants in Canada Technical Report. Ottawa (ON). Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection-2008/inspection/A104-74-2008E.pdf
- CFIA (Canadian Food Inspection Agency). (2008b). Action Plan for Alien Terrestrial Plants and Plant Pests. Ottawa (ON). Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection_2008/inspection/A104-68-2008E.pdf
- CFIA (Canadian Food Inspection Agency). (2012). Invasive Plants Policy. Guidance Document Repository (GDR)

 CFIA. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/invasive-plants/policy/eng/1328298038970/1328298211382
- CFIA (Canadian Food Inspection Agency). (2013a). Technical reference R-004: Japanese Barberry Identification Manual. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/horticulture/horticulture-manuals/technical-reference-r-004/eng/1383066164013/1383066257157
- CFIA (Canadian Food Inspection Agency). (2013b). Weed Seeds Order (WSO) Review Proposal for Change.

 Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/proposal-for-change/eng/1382373850660/1382373924402
- CFIA. (2013c). WSO Review 2.0 Background (2013c). https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/proposal-for-change/eng/1382373850660/1382373924402?chap=2#s1c2
- CFIA. (2013d). WSO Review 3.0 Weed Seeds Order Definitions. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/proposal-for-change/eng/1382373850660/1382373924402?chap=3

- CFIA. (2013e). WSO Review 5.0 Weed Seeds Order to Grade Table Cross Reference. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/proposal-for-change/eng/1382373850660/1382373924402?chap=5
- CFIA. (2013f). WSO Review 6.0 Proposed Species Placement and Rationale. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/proposal-for-change/eng/1382373850660/1382373924402?chap=6
- CFIA (Canadian Food Inspection Agency). (2013g). WSO Review Secondary Consultation Document. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/secondary-consultation-document/eng/1383166033687/1383167061443
- CFIA (Canadian Food Inspection Agency). (2014). Appendix 4- Plants Excluded from the United States Greenhouse Certification Program (USGCP) for Export to Canada. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/imports/d-08-04/appendix-4/eng/1324621977086/1324622066526
- CFIA (Canadian Food Inspection Agency). (2015). Archived Evaluation of the Plant Protection Program. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/about-cfia/transparency/corporate-management-reporting/audits-reviews-and-evaluations/evaluation-of-ppp/eng/1437589825296/1437589825859
- CFIA (Canadian Food Inspection Agency). (2016a). Consolidation of regulated pests for Canada. Retrieved May 8, 2023, from https://assets.ippc.int/static/media/files/reportingobligation/2016/04/19/CFIA_ACIA-2930771-v8-PHBD-PLANT_PROTECTION-LIST-Consolidated_Regulated_Pests_for_Canada.pdf
- CFIA (Canadian Food Inspection Agency). (2016b). Weed Seeds Order (WSO) Regulatory impact analysis. Canada Gazette Part 1. 150(5): 1372-1380. Retrieved May 8, 2023, from https://gazette.gc.ca/rp-pr/p1/2016/2016-01-30/html/reg1-eng.html
- CFIA (Canadian Food Inspection Agency). (2017a). RMD-16-02: Pest Risk Management Document for Arundo donax (giant reed) in Canada. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/pest-risk-management/rmd-16-02/eng/1480113538475/1480113602164
- CFIA (Canadian Food Inspection Agency). (2017b). Weed Seed *Lythrum salicaria* (Purple loosestrife). Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/seed-testing-and-grading/seeds-identification/lythrum-salicaria/eng/1476283862539/1476283862851
- CFIA (Canadian Food Inspection Agency). (2017c). Why invasive alien species are a problem. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/services/biodiversity/why-invasive-alien-species-are-problem.html
- CFIA (Canadian Food Inspection Agency). (2018). Buying, Selling, and Trading of Plants and Other Organisms.

 Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/buying-selling-and-trading/eng/1537451230024/15374512300445.
- CFIA (Canadian Food Inspection Agency). (2019a). Giant Reed *Arundo donax* L. (*Poaceae*). [Factsheet]. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/DAM/DAM-plants-vegetaux/STAGING/text-texte/giant-reed-canne-de-provence-1557940067050-eng.pdf
- CFIA (Canadian Food Inspection Agency). (2019b). Weed Seeds Order. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/seeds/weed-seeds-order/eng/1463453027786/1463453028410
- CFIA (Canadian Food Inspection Agency). (2020). RMD-13-04: Consolidated Pest Risk Management Document for pest plants regulated by Canada. Date modified: 2020-07-03. Ottawa (ON): CFIA. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/pest-risk-management/rmd-13-04/eng/1405604253368/1405604308682?chap=0

- CFIA (Canadian Food Inspection Agency). (2021a). Tree-of-heaven *Ailanthus altissima* (Mill.) Swingle. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/invasive-plants/invasive-plants/tree-of-heaven/eng/1612898593817/1612898594354
- CFIA (Canadian Food Inspection Agency). (2021b). Weed risk analysis documents. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/invasive-plants/weed-risk-analysis-documents/eng/1427387489015/1427397156216
- CFIA (Canadian Food Inspection Agency). (2022a). Notice to industry: Recommendation to prevent movement of 'Concorde', 'Royal Cloak' and 'Tara' Emerald Carousel barberry cultivars, into Alberta, Saskatchewan and Manitoba. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/pest-risk-management/rmd-21-02/notice-to-industry/eng/1653420323729/1653420324010
- CFIA (Canadian Food Inspection Agency). (2022b). List of Pests Regulated by Canada. Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/regulated-pests/eng/1363317115207/1363317187811#a
- CFIA (Canadian Food Inspection Agency). (2022c). RMD-21-02: Pest risk management document for barberry (Berberis, Mahoberberis and Mahonia spp.) as a biological obstacle to the control of black stem rust (Puccinia graminis). Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/pest-risk-management/rmd-21-02/eng/1653418602687/1653418603218
- CFIA (Canadian Food Inspection Agency). (2022d). Plant Protection Regulations (SOR/95-212) [Barberry Prohibited Movement within Canada]. Ottawa (ON). Retrieved May 8, 2023, from https://laws-lois.justice.gc.ca/eng/regulations/SOR-95-212/page-5.html#h-972903
- CFIA (Canadian Food Inspection Agency). (2022e). Tree-of-heaven *Ailanthus altissima* (Mill.) Swingle. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/invasive-plants/tree-of-heaven/eng/1612898593817/1612898594354
- CFIA (Canadian Food Inspection Agency). (2022f). Weed risk analysis documents. Ottawa (ON). Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/invasive-plants/weed-risk-analysis-documents/eng/1427387489015/1427397156216
- Champion, P., Hofstra, D., & Clayton, J. (2007). Border control for potential aquatic weeds: Stage 3. Weed risk management. Science for Conservation 271. Retrieved May 8, 2023, from https://niwa.co.nz/sites/niwa.co.nz/files/sfc271.pdf
- Charles, H., & Dukes, J.S. (2008). Impacts of Invasive Species on Ecosystem Services. In: Nentwig, W. (eds)
 Biological Invasions. Ecological Studies, 193. Springer, Berlin, Heidelberg. Retrieved May 8, 2023, from https://www.dnr.sc.gov/education/Envirothon/pdf/2016CostofInvasives.pdf
- Clark, R., & Seewagen, C. (2019). Invasive Japanese barberry, *Berberis thunbergii (Ranunculales: Berberidaceae)* Is Associated with Simplified Branch-Dwelling and Leaf-Litter Arthropod Communities in a New York Forest. Environmental Entomology, 48(5), 1071-1078. Retrieved May 8, 2023, from https://www.researchgate.net/publication/335505504 Invasive Japanese Barberry Berberis thunbergii Ranunculales Berberidaceae Is Associated With Simplified Branch-Dwelling and Leaf-Litter Arthropod Communities in a New York Forest
- Coats, V., Stack, L., & Rumpho, M. (2011). Maine Nursery and Landscape Industry Perspectives on Invasive Plant Issues. Invasive Plant Science and Management, 4(4), 378-389. Retrieved May 8, 2023, from <a href="https://bioone.org/journals/invasive-plant-science-and-management/volume-4/issue-4/IPSM-D-00086.1/Maine-Nursery-and-Landscape-Industry-Perspectives-on-Invasive-Plant-Issues/10.1614/IPSM-D-10-00086.1.short
- Colautti, R. I., Bailey, S.A., van Overdijk, C.D., Amundsen, K., & MacIsaac, H.J. (2006). Characterised and projected costs of nonindigenous species in Canada. Biological Invasions, 8, 45–59. Retrieved May 8, 2023, from https://www.researchgate.net/publication/227335702 Characterised and Projected Costs of Nonindigenous Species in Canada

- Colautti, R.I., & MacIsaac, H.J. (2004). A neutral terminology to define 'invasive' species. Diversity and Distribution, 10(2), 135–141. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/j.1366-9516.2004.00061.x
- Colorado Dept. of Agric. (2022). Noxious Weed Species ID. Retrieved May 8, 2023, from https://ag.colorado.gov/conservation/noxious-weeds/species-id
- Congressional Research Service. (2017, January 17). Invasive Species: Major Laws and the Role of Selected Federal Agencies. Version 7. United State Government. Retrieved May 8, 2023, from https://crsreports.congress.gov/product/pdf/R/R43258
- Connecticut General Assembly. (2019) Ch 446i* Water resources. Invasive Plants. Retrieved May 8, 2023, from https://www.cga.ct.gov/current/pub/chap 446i.htm
- Conser C., Seebacher L., Fujino D.W., Reichard S., & DiTomaso J.M. (2015). The Development of a Plant Risk Evaluation (PRE) Tool for Assessing the Invasive Potential of Ornamental Plants. Plos One, 10, Retrieved May 8, 2023, from https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0121053
- Cook, R., Ward, S., Liebhold, A., & Fei, S. (2021). Spatial dynamics of spotted lanternfly, Lycorma delicatula, invasion of the Northeastern United States. NeoBiota, 70, 23-42. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/67950/
- Coombs, G., Gilchrist, D. (2017 updated 2018). Native and Invasive Plants Sold by the Mid-Atlantic Nursery Industry A Baseline for Future Comparisons. Mt. Cuba Center. Retrieved May 8, 2023, from https://mtcubacenter.org/wp-content/uploads/2018/03/Native-and-Invasive-Plants-Report-Public-Version.pdf
- Coombs, G., Gilchrist, D., & Watson, P. (2020). An assessment of the native and invasive horticultural plants in the Atlantic region. Native Plants Journal University of Wisconsin Press. 21(1). Retrieved May 8, 2023, from https://muse.jhu.edu/pub/19/article/754415/pdf
- Couch, R., & E. Nelson. (1985). *Myriophyllum spicatum* in North America. In Proceedings of the First International Symposium on Watermilfoil (*Myriophyllum spicatum*) and Related Haloragaceae Species, July 23 and 24, 1985, Vancouver, British Columbia, Canada, 8–18. Aquatic Plant Management Society, Gainesville, Florida, USA. Retrieved May 8, 2023, from https://apms.org/wp-content/uploads/2021/10/APMS-1985-Proceedings-Milfoil.pdf
- Council of Canadian Academies, & Bennett, A. (2022). Cultivating Diversity, Ottawa (ON). The Expert Panel on Plant Health Risks in Canada, Council of Canadian Academies. Retrieved May 8, 2023, from https://www.researchgate.net/publication/358906891 Cultivating Diversity The Expert Panel on Plant Health Risks in Canada
- Colautti, Robert & Bailey, Sarah & Overdijk, Colin & Amundsen, Keri & MacIsaac, Hugh. (2006). Characterised and Projected Costs of Nonindigenous Species in Canada. Biological Invasions. 8. 45-59. Retrieved May 8, 2023, from https://www.researchgate.net/publication/227335702
 https://www.researchga
- Crooks, J., & Soulé, M. (1999). Lag Times in Population Explosions of Invasive Species: Causes and Implications.

 Retrieved May 8, 2023, from https://www.researchgate.net/publication/286831388

 Lag Times in Population Explosions of Invasive Species Causes and Implications
- Crops and Horticulture Division Agriculture and Agri-Food Canada September (2020). Statistical Overview of the Canadian Ornamental Industry 2019. Gov. of Canada. Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection_2020/aac-aafc/A71-42-2019-eng.pdf
- Crystal-Ornelas, R., Hudgins, E., Cuthbert, R., Haubrock, P., Fantle-Lepczyk, J., Angulo, E., Kramer, A., Ballesteros-Mejia, L., Leroy, B., Leung, B., López-López, E., Diagne, E., & Courchamp, F. (2021). Economic costs of biological invasions within North America. NeoBiota. 485-510. Retrieved May 8, 2023, from https://oceanrep.geomar.de/id/eprint/53651/
- Culley, T. (2022). Invasive Pears. The Culley Lab. Retrieved May 8, 2023, from https://culleylab.com/home-page/research/invasive-pears/

- Culley, T., Hardiman, N., (2007). The Beginning of a New Invasive Plant: A History of the Ornamental Callery Pear in the United States, BioScience, 57(11), 954-964. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/57/11/956/234351
- Culley, T., Dreisilker, Kurt M., Ryan, C., Schuler, J., Cavallin, N., Gettig, R., Havens, K., Landel, H., & Shultz, B. (2020).

 The Role of Public Gardens as Sentinels of Plant Invasion Presentation. Retrieved May 8, 2023, from

 https://www.cal-ipc.org/wp-content/uploads/2020/12/Cal IPC Symposium 2020 Theresa-Culley The-role-of-public-gardens-as-sentinels-of-plant-invasion.pdf
- Culley, T., Dreisilker, Kurt M., Ryan, C., Schuler, J., Cavallin, N., Gettig, R., Havens, K., Landel, H., & Shultz, B. (2022).

 The potential role of public gardens as sentinels of plant invasion. Biodiversity and Conservation. 31:1-16.

 Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10531-022-02391-z
- Cuerrier, A., Turner, N., Gomes, T., Garibaldi, A., & Downing, A. (2015). Cultural Keystone Places: Conservation and Restoration in Cultural Landscapes. Journal of Ethnobiology. 35. 427.

 https://www.researchgate.net/publication/282869625 Cultural Keystone Places Conservation and Restoration in Cultural Landscapes
- Cuthbert, R., Diagne, C., Hudgins, E., Turbelin, A., Ali Ahmed, D., Albert, C., Bodey, T., Briski, E., Essl, F., Haubrock, P., Gozlan, R., Kirichenko, N., Kourantidou, M., Kramer, A., & Courchamp, F. (2021). Biological Invasion Costs Reveal Insufficient Proactive Management Worldwide. Science of The Total Environment, 819..

 Retrieved May 8, 2023, from https://www.sciencedirect.com/science/article/pii/S004896972200496X
- D-12-01: Phytosanitary Requirements to Prevent the Introduction of Plants Regulated as Pests in Canada (2019).

 Retrieved May 8, 2023, from https://inspection.canada.ca/plant-health/invasive-species/directives/date/d-12-01/eng/1380720513797/1380721302921#a24
- Datta, A., Kumschick, S., Geerts, S., & Wilson, J. (2020). Regulating and managing cultivars Identifying safe cultivars of invasive plants: six questions for risk assessment, management, and communication. NeoBiota, 62, 10.3897/neobiota.62.51635. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/51635/
- Davidson, D., Fusaro, A., Sturtevant, R., Rutherford, E., & Kashian, D. (2017). Development of a risk assessment framework to predict invasive species establishment for multiple taxonomic groups and vectors of introduction. Management of Biological Invasions, 8(1), 25-36. Retrieved May 8, 2023, from https://digitalcommons.wayne.edu/cgi/viewcontent.cgi?article=1013&context=biosci_frp
- Dehnen-Schmutz, K., Touza, A., Perrings, C., & Williamson M. (2007). The horticultural trade and ornamental plant invasions in Britain. Conservation Biology, 21, 224–231. Retrieved May 8, 2023, from https://www.researchgate.net/publication/6505941 The Horticultural Trade and Ornamental Plant In vasions in Britain
- Dehnen-Schmutz, K., Holdenrieder, O., Jeger, M.J. & Pautasso, M. (2010). Structural change in the inter- national horticultural industry: Some implications for plant health. Scientia Horticulturae 125, 1–15. Retrieved May 8, 2023, from https://www.researchgate.net/publication/235751786
 Structural change in the international horticultural industry Some implications for plant health
- Dehnen-Schmutz, K. (2011). Determining non-invasiveness in ornamental plants to build green lists. Journal of Applied Ecology, 48, 1374 1380. Retrieved May 8, 2023, from https://www.researchgate.net/publication/230285629 Determining non-invasiveness in ornamental plants to build green lists
- Dehnen-Schmutz, K. & Conroy, J. (2018). Working with gardeners to identify potential invasive ornamental garden plants: testing a citizen science approach. Biol Invasions 20, 3069–3077. Retrieved May 8, 2023, from https://www.researchgate.net/publication/325093211 Working with gardeners to identify potential invasive ornamental garden plants testing a citizen science approach
- Delaware Ch. 29. Invasive and Potentially Invasive Plants. Retrieved May 8, 2023, from https://delcode.delaware.gov/title3/c029/index.html
- Denóbile, C., Chiba de Castro, W.A., & Silva Matos, D. (2023). Public health implications of invasive plants: A scientometric study. Plants (Basel). 12(3):661. Retrieved May 8, 2023, from https://www.mdpi.com/2223-7747/12/3/661

- Department of the Environment. (2021). Waiver of information requirements for living organisms (subsection 106(9) of the Canadian Environmental Protection Act, 1999. Canada Gazette, Part I, 155(17). Retrieved May 8, 2023, from https://canadagazette.gc.ca/rp-pr/p1/2021/2021-04-24/html/notice-avis-eng.html
- D'hondt B., Vanderhoeven S., Roelandt S., Mayer F., Versteirt V., Adriaens T., Ducheyne E., San Martin G., Grégoire J-C., Stiers I., Quoilin S., Cigar J., Heughebaert A., & Branquart E. (2015) Harmonia+ and Pandora+: Risk screening tools for potentially invasive plants, animals and their pathogens. Biological Invasions 17(6): 1869–1883. Retrieved May 8, 2023, from https://www.researchgate.net/publication/271844555
 <a href="https://www.researchgate.net/publication/27184
- Diagne, C., Leroy, B., Gozlan, R.E., Vaissère, A.C., Assailly, C., Nuninger, L., Roiz, D., Jourdain, F., Jarić, I. & Courchamp, F. (2020). InvaCost, a public database of the economic costs of biological invasions worldwide. Sci Data, 7, 277. Retrieved May 8, 2023, from https://www.nature.com/articles/s41597-020-00586-z
- Diagne, C., Leroy, B., Gozlan, R.E., Vaissère, A.C., Gozlan, R., Roiz, D., Jarić, I., Salles, J., Bradshaw, C., & Courchamp, F. (2021). High and rising economic costs of biological invasions worldwide. Nature, 592, Retrieved May 8, 2023, from https://www.researchgate.net/publication/350524847_High_and_rising_economic_costs_of_biological_invasions_worldwide
- Diaz, Sandra & Pascual, Unai & Stenseke, Marie & Martín-López, Berta & Watson, Robert & Molnár, Zsolt & Hill, Rosemary & Chan, Kai & Baste, Ivar & Brauman, Kate & Polasky, Stephen & Church, Andrew & Lonsdale, Mark & Larigauderie, Anne & Leadley, Paul & van Oudenhoven, Alexander & Plaat, Felice & Schröter, Matthias & Lavorel, Sandra & Shirayama, Yoshihisa. (2018). Assessing nature's contributions to people. Science. 359. 270-272. Retrieved May 8, 2023, from https://www.researchgate.net/publication/322582117 Assessing nature%27s contributions to people
- Dietz, T., Biber-Freudenberger, L., Deal, L., & Börner, J. (2022). Is private sustainability governance a myth? Evaluating major sustainability certifications in primary production: A mixed methods meta-study. Ecological Economics, 201(4), 107546 Retrieved May 8, 2023, from https://www.sciencedirect.com/science/article/abs/pii/S0921800922002087
- DiTomaso, J. M., Monaco, T. A., James, J. J., & Firn, J. (2017). Invasive plant species and novel rangeland systems. Rangeland systems: processes, management and challenges, 429-465. Retrieved May 8, 2023, from Invasive plant species and novel rangeland systems (pdf).
- Divíšek, J., Chytry, M., Beckage, B., Gotelli, N., Lososová, Z., Pyšek, P., Richardson, D., & Molofsky, J. (2018).

 Similarity of introduced plant species to native ones facilitates naturalization, but differences enhance invasion success. Nature Communications, 9. Retrieved May 8, 2023, from https://www.researchgate.net/publication/328770555 Similarity of introduced plant species to native ones facilitates naturalization but differences enhance invasion success
- Downey, P., & Glanznig, A. (2006). Understanding and managing the risk of garden escapes to Australia's native flora: which future weed candidates are already here? Conference Paper in The Proceedings of the 15th Australian Weeds Conference at Adelaide. pp. 723-726. Retrieved May 8, 2023, from https://www.researchgate.net/publication/276412030 Understanding and managing the risk of gard en escapes to Australia%27s native flora which future weed candidates are already here
- Drag & Spruce Lakes Property Owners Association. (2022). Eurasian Watermilfoil updates. Retrieved May 8, 2023, from https://dragandsprucelakes.ca
- Drew, J., Anderson, N. & Andow, D. (2010). Conundrums of a complex vector for invasive species control: a detailed examination of the horticultural industry. Biol Invasions, 12, 2837–2851 Retrieved May 8, 2023, from https://doi.org/10.1007/s10530-010-9689-8
- Ducks Unlimited. (2016). Working to eradicate the European water chestnut. Story / The Great Lakes & St. Lawrence, Wetlands. Retrieved May 8, 2023, from https://www.ducks.ca/stories/the-great-lakes-st-lawrence/working-eradicate-european-water-chestnut/

- Duncan, Richard. (2021). Time lags and the invasion debt in plant naturalisations. https://www.researchgate.net/publication/349232898 Time lags and the invasion debt in plant naturalisations
- EC (European Commission). (n.d.). International Plant Protection Convention (IPPC) Retrieved May 8, 2023, from https://food.ec.europa.eu/horizontal-topics/international-affairs/international-standards/international-plant-protection-convention-ippc en
- EC (European Commission). (2011). The EU Biodiversity Strategy to 2020. Retrieved May 8, 2023, from https://ec.europa.eu/environment/nature/info/pubs/docs/brochures/2020%20Biod%20brochure%20finalmedia20lowres.pdf
- EC (European Commission). (2022). List of Invasive Alien Species of Union concern. Retrieved May 8, 2023, from https://ec.europa.eu/environment/nature/invasivealien/list/index_en.htm
- EC Directorate-General for Environment. (2020). Study on Invasive Alien Species Development of risk assessments to tackle priority species and enhance prevention. Retrieved May 8, 2023, from https://purews.inbo.be/ws/portalfiles/portal/18211925/KH0420137ENN.en.pdf
- EDDMapS (Early Detection & Distribution Mapping System). (2023) European water chestnut *Trapa natans* L. University of Georgia. Retrieved May 8, 2023, from https://www.eddmaps.org/distribution/viewmap.cfm?sub=3499
- Eisen RJ, Eisen L. (2018). The Blacklegged Tick, *Ixodes scapularis*: An Increasing Public Health Concern. Trends Parasitol, 34(4), 295-309. Retrieved May 8, 2023, from https://pubmed.ncbi.nlm.nih.gov/29336985/
- Ellstrand, N., Heredia, S., Leak-Garcia, J., Heraty, J., Burger, J., Yao, L., Nohzadeh-Malakshah, S. & Ridley, C. (2010). Crops gone wild: Evolution of weeds and invasives from domesticated ancestors. Evolutionary Applications, 3, 494-504. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/10.1111/j.1752-4571.2010.00140.x
- ECCC (Environment and Climate Change Canada). (2004). An Invasive Alien Species Strategy for Canada. Government of Canada. Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection-2014/ec/CW66-394-2004-eng.pdf
- ECCC (Environment and Climate Change Canada). (2016). 2020 Biodiversity goals & targets for Canada. Government of Canada. Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection 2016/eccc/CW66-524-2016-eng.pdf
- ECCC (Environment and Climate Change Canada). (2021). Timeline: Major milestones of Environment and Climate Change Canada. Government of Canada. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/campaigns/50-years-environmental-action/eccc-timeline.html
- ECCC (Environment and Climate Change Canada). (2022a). Assessment of substances under the Canadian Environmental Protection Act, 1999. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/services/canadian-environmental-protection-act-registry/substances-list/assessment.html
- ECCC (Environment and Climate Change Canada). (2022b). Guidelines for the Notification and Testing of New Substances: Organisms," 2010 modified 2022. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/services/managing-pollution/evaluating-new-substances/biotechnology-living-organisms/guidelines.html#toc12
- ECCC (Environment and Climate Change Canada). (2022c). Risk assessment of chemical substances. Retrieved May 8, 2023, from https://www.canada.ca/en/health-canada/services/chemical-substances/canada-approach-chemicals/risk-assessment.html
- ECCC (Environment and Climate Change Canada). (2023). UPDATE Strengthening the Canadian Environmental Protection Act, 1999 and recognizing a right to a healthy environment. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/news/2023/02/update--strengthening-the-canadian-environmental-protection-act-1999-and-recognizing-a-right-to-a-healthy-environment.html

- EPPO (European and Mediterranean Plant Protection Organization). (2009) Council of Europe Workshop 'Code of conduct on horticulture and invasive alien plants.' Retrieved May 8, 2023, from https://www.eppo.int/MEETINGS/2009_meetings/wk_code_of_conduct
- EPPO. (2011). Guidelines on Pest Risk Analysis: Decision support scheme for quarantine pests. European and Mediterranean Plant Protection Organization. Retrieved May 8, 2023, from https://www.eppo.int/media/uploaded images/RESOURCES/eppo standards/pm5/pm5-03-05-en.pdf
- EPPO. (2019) IAP-RISK Mitigating the threat of invasive alien plants in the EU through pest risk analysis to support the EU Regulation 1143/2014. Retrieved May 8, 2023, from http://www.iap-risk.eu/
- EPPO. (2021) EPPO Panel on Invasive Alien Plants. Retrieved May 8, 2023, from https://www.eppo.int/ACTIVITIES/iap activities
- Essl F., Nehring S., Klingenstein F., Milasowszky N., Nowack C., & Rabitsch W. (2011). Review of risk assessment systems of IAS in Europe and introducing the German–Austrian Black List Information System (GABLIS).

 Journal for Nature Conservation 19(6): 339–350.

 https://www.academia.edu/26528534/Review of risk assessment systems of IAS in Europe and introducing_the_German_Austrian_Black_List_Information_System_GABLIS_
- European Food Saftey Authority (EFSA), Tayeh, C., & Mannino, M. (2021). A review of ranking systems for new plant threats in EU Member States and Third Countries: concepts and applications. EFSA Supporting Publications. Retrieved May 8, 2023, from https://efsa.onlinelibrary.wiley.com/doi/pdf/10.2903/sp.efsa.2021.EN-1615
- European and Mediterranean Plant Protection Organization (2023). "EPPO activities on Invasive Alien Plants."

 Retrieved May 8, 2023, from https://www.eppo.int/ACTIVITIES/iap-activities
- EU (European Union). (2014). Regulation (EU) No 1143/2014 of the European Parliament and of the Council on the prevention and management of the introduction and spread of invasive alien species. Official Journal of the European Union. 2014; L315:35–55. Retrieved May 8, 2023, from https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32014R1143&rid=5
- EU. (2016). Regulation (EU) 2016/2031 of the European Parliament of the Council of 26 October 2016 on protective measures against pests of plants. Official Journal of the European Union, L317/4. Retrieved May 8, 2023, from https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32016R2031&from=EN
- EU. (2019). Commission Implementing Regulation (EU) 2019/1262 of 25 July 2019 amending Implementing Regulation (EU) 2016/1141 to update the list of invasive alien species of Union concern. Retrieved May 8, 2023, from http://data.europa.eu/eli/reg_impl/2019/1262/oj
- Fang, W., & Wang, X. (2020). A field experimental study on the impact of *Acer platanoides*, an urban tree invader, on forest ecosystem processes in North America. Ecol Process, 9(9), Retrieved May 8, 2023, from https://www.researchgate.net/publication/339647789 A field experimental study on the impact of Acer platanoides an urban tree invader on forest ecosystem processes in North America
- FAO (Food and Agric. Organization of the United Nations). (2015). History of the IPPC International Plant Protection Convention. Retrieved May 8, 2023, from https://www.ippc.int/en/history-of-the-ippc/
- Federal Interagency Committee for the Management of Noxious and Exotic Weeds & Westbrooks, R. (1998).

 Invasive Plants: Changing the Landscape of America. All U.S. Government Documents (Utah Regional Depository). 490. Retrieved May 8, 2023, from https://digitalcommons.usu.edu/govdocs/490
- Fish, G. (2022). Private Correspondence regarding impact of Maine Plant Regulations on the Industry. State Horticulturist: Maine Department of Agriculture, Conservation and Forestry
- Fisheries Act, RSC 1985, c F-14. Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/rsc-1985-c-f-14. Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/rsc-1985-c-f-14. How the statement of the
- Fletcher, RA, Brooks, RK, Lakoba, VT, et al. Invasive plants negatively impact native, but not exotic, animals. Glob Change Biol. 2019; 25: 3694–3705. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/abs/10.1111/gcb.14752

- Fondation de la faune du Québec (2022). Programme pour la lutte contre les plantes exotiques envahissaantes.

 Retrieved May 8, 2023, from https://fondationdelafaune.qc.ca/programmes-daide-financiere/programme-pour-la-lutte-contre-les-plantes-exotiques-envahissantes/
- Forner, Walter & Zalba, Sergio & Guadagnin, Demétrio. (2022). Methods for Prioritizing Invasive Plants in Protected Areas: A Systematic Review. Natural Areas Journal. 42. 10.3375/20-47. Retrieved May 8, 2023, from https://bioone.org/journals/natural-areas-journal/volume-42/issue-1/20-47/Methods-for-Prioritizing-Invasive-Plants-in-Protected-Areas--A/10.3375/20-47.short
- FPT IAS (Federal-Provincial-Territorial Invasive Alien Species Task Force). (2017). Recommendations to Improve Invasive Alien Species Prevention and Management in Canada. Biodiversity Steering Group. Biodivcanada. Retrieved May 8, 2023, from https://www.biodivcanada.ca/national-biodiversity-strategy-and-action-plan/other-related-strategies/recommendations-of-the-invasive-alien-species-task-force
- Frid, L., D. Knowler, C. Murray, J. Myers, & L. Scott. (2009). Economic Impacts of Invasive Plants in British Columbia.

 Prepared for the Invasive Plant Council of BC by ESSA Technologies Ltd., Vancouver, BC. IPCBC Rep. #12.

 105 pp. Retrieved May 8, 2023, from http://rem-main.rem.sfu.ca/papers/knowler/Report12_Econ_Impacts.pdf
- Frost, C., Allen, W., Courchamp, F., Jeschke, J., Saul, W., & Wardle, D (2019). Using Network Theory to Understand and Predict Biological Invasions. Trends in Ecology & Evolution, 34. Retrieved May 8, 2023, from https://www.biodiversitydynamics.fr/wp-content/uploads/2020/01/Network.pdf
- Fryer, Janet L. (2010). Ailanthus altissima. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Retrieved May 8, 2023, from https://www.fs.usda.gov/database/feis/plants/tree/ailalt/all.html
- Fulling, E. (1943). Plant life and the law of man. IV. Barberry, currant, and gooseberry, and cedar control. Botanical Review. 9(8): 483-592. Retrieved May 8, 2023, from https://www.jstor.org/stable/4353292
- Gagliardi, J., & Brand, M. (2007). Connecticut Nursery and Landscape Industry Preferences for Solutions to the Sale and Use of Invasive Plants. HortTechnology. 17. 10.21273/HORTTECH.17.1.39. Retrieved May 8, 2023, from https://journals.ashs.org/horttech/view/journals/horttech/17/1/article-p39.xml
- Gantz, C.A., Mandrak, N.E., & Keller, R.P. (2013). Application of an Aquatic Plant Risk Assessment to Non-Indigenous Freshwater Plants in Trade in Canada. Canadian Science Advisory Secretariat (CSAS). Retrieved May 8, 2023, from https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/361289.pdf
- Gardiner, A. (2022). Hottest Gardening Trends for Summer 2022, According to Experts. Newsweek 4/16/2022.

 Retrieved May 8, 2023, from https://www.newsweek.com/gardening-trends-summer-2022-wild-biodiversity-bees-1696281
- Gardner, A., Allan, B., Frisbie, L., & Muturi, E. (2015). Asymmetric effects of native and exotic invasive shrubs on ecology of the West Nile virus vector *Culex pipiens* (*Diptera: Culicidae*)," Parasites & Vectors. https://parasitesandvectors.biomedcentral.com/articles/10.1186/s13071-015-0941-z
- Glanzing, A., McLachlan, K., & Kessal, O. (2004). Garden Plants that are Invasive Plants of National Importance: an overview of their legal status, commercial availability and risk status. World Wildlife Fund. Retrieved May 8, 2023, from https://www.semanticscholar.org/paper/Garden-Plants-that-are-Invasive-Plants-of-National-Glanznig-McLachlan/17b49f82330f52fe7ccd605e5947517a7e40b507
- Global Invasive Species Database. (2021). Species profile: *Cynanchum rossicum*. Retrieved May 8, 2023, from http://www.iucngisd.org/gisd/speciesname/Cynanchum+rossicum
- GNWT (Government of the Northwest Territories Department of Environment and Natural Resources (ENR). (nd)
 Legislative Initiative: Protected Areas Act. Retrieved May 8, 2023, from
 https://www.enr.gov.nt.ca/en/services/legislative-initiatives/protected-areas-act
- Goehring, D. (2021). NORTH DAKOTA'S NOXIOUS WEED LAW AND REGULATIONS. North Dakoda Agriculture Commissioner. Retrieved May 8, 2023, from https://www.ndda.nd.gov/sites/www/files/documents/files/2021%20Noxious%20Weeds%20Book.pdf

- González-Moreno, P., Lazzaro, L., Vilà, M., Preda, C., Adriaens, T., Bacher, S., Brundu, G., Copp, G.H., Essl, F., García-Berthou, E., Katsanevakis, S., Moen, T.L., Lucy, F.E., Nentwig, W., Roy H.E., Srébaliené, G., Talgø, V., Vanderhoeven, S., Andjelković, A., Arbačiauskas, K., Auger-Rozenberg, M-A., Bae, M-J., Bariche, M., Boets, P, Boieiro, M., Borges, P.A., Canning,-Clode J., Cardigos, F., Chartosia, N., Cottier-Cook, E.J., Crocetta, F., D'hondt, B., Foggi, B., Follak, S., Gallardo, B., Gammelmo, Ø., Giakoumi, S., Giuliani, C., Fried, G., Jelaska, L.S., Jeschke, J.M., Jover, M., Juárez-Escario, A., Kalogirou, S., Kočić, A., Kytinou, E., Laverty, C., Lozano, V., Maceda-Veiga, A., Marchante E., Marchante, H., Martinou, A.F., Meyer, S., Michin, D., Montero-Castaño, A, Morais, M.C., Morales-Rodriguez, C., Muhthassim, N., Nagy, Z.A., Ogris, N., Onen, H., Pergl, J., Puntila, R., Rabitsch, W., Ramburn, T.T., Rego, C., Reichenbach, F., Romeralo, C., Saul, W-C., Schrader, G., Sheehan, R., Simonović, P., Skolka, M., Soares, A.O., Sundheim, L., Tarkan, A.S., Tomov, R., Tricarico, E., Tsiamis, K., Uludağ, A., van Valkenburg, J., Verreycken, H., Vettraino, A.M., Vilar, L., Wiig, Ø., Witzell, J., Zanetta, A., & Kenis, M. (2019). Consistency of impact assessment protocols for non-native species. NeoBiota 44: 1-25. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.44.31650
- Gordon, D.R., Gantz, C.A., Jerde, C.L., Chadderton, W.L., Keller, R.P., & Champion, P.D. (2012). Weed Risk Assessment for Aquatic Plants: Modification of a New Zealand System for the United States. PLoS ONE, 7(7). Retrieved May 8, 2023, from https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0040031
- Government of Canada. (1995). Canadian biodiversity strategy: Canada's response to the convention on biological diversity 1995. [online]: Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection 2014/ec/En21-134-1995-eng.pdf
- Government of Canada. (2004). An Invasive Alien Species Strategy for Canada. Retrieved May 8, 2023, from https://www.canada.ca/en/environment-climate-change/services/biodiversity/invasive-alien-species-strategy.html
- Government of Canada, Lindgren, C., & Gauthier, M. (2011). Canadian Invasive Plant Framework: A Collaborative Approach to Addressing Plants in Canada. Winnipeg, Manitoba: Canadian Food Inspection Agency. not available online. Copy requested from the CFIA Plant Health Directorate.
- Government of Canada (2016) Energy Efficiency Regulations, 2016: Regulatory impact analysis statement. Canada Gazette, Part I.150(18). Retrieved May 8, 2023, from https://canadagazette.gc.ca/rp-pr/p1/2016/2016-04-30/html/reg1-eng.html
- Government of Canada. (2020). Mandates and Roles of Canadian Federal Food Safety Partners Date modified: 2020-06-25. Retrieved May 8, 2023, from https://science.gc.ca/site/science/en/blogs/cultivating-science/review-state-knowledge-verotoxigenic-escherichia-coli-and-role-whole-genome-sequencing-emerging/mandates-and-roles-canadian-federal-food-safety-partners
- Government of Canada. (2022). Understanding the Canadian Environmental Protection Act. Retrieved May 8, 2023, from https://www.canada.ca/en/services/environment/pollution-waste-management/understanding-environmental-protection-act.html
- Grice, A., Friedel, M., Marshall, N., & Van Klinken, R. (2011). Tackling Contentious Invasive Plant Species: A Case Study of Buffel Grass in Australia. Environmental management. 49. 285-94.

 https://www.researchgate.net/publication/51774144 Tackling Contentious Invasive Plant Species A C ase Study of Buffel Grass in Australia
- Groves, R.H., Boden, R. & Lonsdale, W.M. (2005). 'Jumping the garden fence: invasive garden plants in Australia and their environmental and agricultural impacts'. A CSIRO report for WWF-Australia. Retrieved May 8, 2023, from https://www.spiffa.org.au/uploads/2/6/7/5/2675656/jumping the garden fence.pdf
- Halford, M., Heemers, L., Wesemael, D. Mathys, C., Wallens, S., Branquart, E., Vanderhoeven, S., Monty, A., & Mahy, G. (2014). The voluntary Code of conduct on invasive alien plants in Belgium: Results and lessons learned from the AlterIAS LIFE+ project. EPPO Bulletin. 44. Retrieved May 8, 2023, from https://www.researchgate.net/publication/263510474 The voluntary Code of conduct on invasive alien plants in Belgium Results and lessons learned from the AlterIAS LIFE project

- Hanley, Nick & Roberts, Michaela. (2019). The economic benefits of invasive species management. People and Nature. 1. 124-137. Retrieved May 8, 2023, from https://core.ac.uk/download/pdf/296217426.pdf
- Harris, S., Elliott, C., Woolnough, A., & Barclay, C. (2018). A heuristic framework for invasive species research planning and measurement. Developing an invasive species research strategy in Tasmania. Record of the Queen Victoria Museum and Art Gallery 117. Launceston, Tasmania, Australia 7250. Retrieved May 8, 2023, from
 - https://www.researchgate.net/publication/329800047_A_heuristic_framework_for_invasive_species_research_planning_and_measurement_Developing_an_invasive_species_research_strategy_in_Tasmania
- Harrower C.A., Scalera R., Pagad S., Schonrogge K., & Roy H.E. (2018). Guidance for interpretation of CBD categories on introduction pathways. Convention on Biological Diversity UNEP. Retrieved May 8, 2023, from https://www.cbd.int/doc/c/9d85/3bc5/d640f059d03acd717602cd76/sbstta-22-inf-09-en.pdf
- Haubrock, P. (2022). Using the InvaCost project to infer implications of monetary impacts of invasive species in Canada. Invasive Species Centre Conference Feb. 1-3. Session 1-B: Risks, impacts, and innovative solutions. Video begins 23min mark. Retrieved May 8, 2023, from https://www.youtube.com/watch?v=IHfzDQYSz7s&list=PLdxRdOLT-h0htPqmBtXv9eIcZ3suwCoZL&index=2
- Hawkins C.L., Bacher S., Essl F., Hulme P.E., Jeschke J.M., Kühn I., Kumschick S., Nentwig W., Pergl J., Pyšek P., Rabitsch W., Richardson D.M., Vilà M., Wilson J., Genovesi P., & Blackburn T.M. (2015). Framework and guidelines for implementing the proposed IUCN Environmental Impact Classification for Alien Taxa (EICAT). Diversity & Distributions 21(11): 1360–1363. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/10.1111/ddi.12379
- Haye, T., Gariepy, T., Hoelmer, K., Rossi, J., Streito, J., Tassus, X., & Desneux, N. (2015). Range expansion of the invasive brown marmorated stinkbug, *Halyomorpha halys*: an increasing threat to field, fruit and vegetable crops worldwide. Journal of Pest Science. 5. Retrieved May 8, 2023, from https://www.researchgate.net/publication/275956708 Range expansion of the invasive brown marm orated stinkbug Halyomorpha halys an increasing threat to field fruit and vegetable crops worldwide
- Hayes, K. & Barry, S. (2008). Are there any consistent predictors of invasion success? Biol Inv. Biological Invasions.

 10. Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/225567176 Are there any consistent predictors of invasion success Biol Inv
- Health Canada. (2022) Chemical substances fact sheets and frequently asked questions. Retrieved May 8, 2023, from https://www.canada.ca/en/health-canada/services/chemical-substances/fact-sheets.html
- Herald, F. (2022). The invasion curve explained. Australia: Invasive Species Council. Retrieved May 8, 2023, from https://invasives.org.au/blog/the-invasion-curve-explained/
- Hettinger, N. (2001). Exotic species, naturalisation and biological nativism. Environmental Values, 10(2), 193–224. Retrieved May 8, 2023, from https://www.semanticscholar.org/paper/Exotic-Species%2C-Naturalisation%2C-and-Biological-Hettinger/f33cf657c4d33d2d006540cac55f7b9025a0a2b9
- Hettinger, N. (2021). Understanding and defending the preference for native species. In B. Bovenkerk & J. Keulartz (Eds.), Animals in our midst: The challenges of co-existing with animals in the Anthropocene (pp. 399–424). Springer. Retrieved May 8, 2023, from https://www.researchgate.net/publication/351205815 Understanding and Defending the Preference for Native Species
- Heywood, V., Brunel, S. (2008). Code of conduct on horticulture and invasive alien plants. Convention on the Conservation of European Wildlife and Natural Habitats. Strasbourg. Retrieved May 8, 2023, from https://rm.coe.int/1680746a50
- Hobbs, R. J., & Humphries, S.E. (1995). An integrated approach to the ecology and management of plant invasions. Conservation Biology 9:761–770. Retrieved May 8, 2023, from http://www.stoppinginvasives.org/dotAsset/4271e44c-d7bb-4658-9681-47fd99e8ac7c.pdf

- Houghton-Thompson, J., Prince, H.H., Smith, J.J., & Hancock, J.F. (2005). Evidence of hybridization between Lythrum salicaria (purple loosestrife) and L. alatum (winged loosestrife) in North America. Ann Bot. 96(5):877-85. Retrieved May 8, 2023, from https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4247054/
- Hulme, P. (2011c). Weed risk assessment: A way forward or a waste of time? Journal of Applied Ecology. 49. 10-19. Retrieved May 8, 2023, from https://besjournals.onlinelibrary.wiley.com/doi/10.1111/j.1365-2664.2011.02069.x
- Hulme, P. (2011a). Biosecurity: the changing face of invasion biology. Fifty Years of Invasion Ecology The Legacy of Charles Elton (ed. D.M. Richardson), pp. 301–314. Blackwells, Oxford. Retrieved May 8, 2023, from https://www.esf.edu/efb/parry/502 reading/elton%20at%2050.pdf
- Hulme, P. (2011b). Addressing the threat to biodiversity from botanic gardens. Trends in Ecology and Evolution, 26:168-174. Retrieved May 8, 2023, from https://www.sciencedirect.com/science/article/abs/pii/S0169534711000206
- Hulme, P.E. (2020). Plant invasions in New Zealand: global lessons in prevention, eradication and control. Biol Invasions 22:1539–1562. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10530-020-02224-6#citeas
- Hulme, P. & Bernard-Verdier, Maud. (2017). Comparing traits of native and alien plants: Can we do better?

 Functional Ecology. 32. Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/319346388 Comparing traits of native and alien plants C an_we_do_better
- Hulme, P., Brundu, G., Carboni, M., Dehnen-Schmutz, K., Early, R., Dullinger, S., Essl, F., J., Pyšek, P., Seebens, H., Tanner, R., Touza, J., van Kleunen, M., & Verbrugge, L. (2017). Integrating invasive species policies across ornamental horticulture supply-chains to prevent plant invasions. Journal of Applied Ecology. 55.

 Retrieved May 8, 2023, from https://www.researchgate.net/publication/318119398_Integrating

 invasive species policies across ornamental horticulture supply-chains to prevent plant invasions
- Iannone, B., Carnevale, S., Main, M., Hill, J., McConnell, J., Johnson, S., Enloe, S., Andreu, M., Bell, E. C., Cuda, J. P., & Baker, S. M. (2020). Invasive Species Terminology: Standardizing for Stakeholder Education. The Journal of Extension, 58(3), Article 27. Retrieved May 8, 2023, from https://tigerprints.clemson.edu/cgi/viewcontent.cgi?article=1110&context=joe
- Idaho code. Title 22 Agriculture and Horticulture Ch 19 The Idaho Invasive Species Act of 2008. Retrieved May 8, 2023, from https://legislature.idaho.gov/statutesrules/idstat/Title22/T22CH19/
- Idaho code. Title 22 Agriculture and Horticulture Ch 19. Noxious Weeds. Retrieved May 8, 2023, from https://legislature.idaho.gov/statutesrules/idstat/Title22/T22CH24/
- Idaho gov. (2022a). Invasive species. Retrieved May 8, 2023, from https://invasivespecies.idaho.gov/invasivespecies-overview
- Idaho gov. (2022b). Invasive Species of Idaho. Aquatic Plants. Retrieved May 8, 2023, from https://invasivespecies.idaho.gov/aquatic-plants
- Idaho gov. (2022c). Invasive Species of Idaho. Terrestrial Plants. Retrieved May 8, 2023, from https://invasivespecies.idaho.gov/terrestrial-plants
- IMISWG (Inter-Ministry Invasive Species Working Group). (2014). Invasive Species Strategic Plan. British Columbia. Retrieved May 8, 2023, from https://www2.gov.bc.ca/assets/gov/environment/plants-animals-and-ecosystems/invasive-species/imiswg/prov is strategy.pdf?v=1671398208986
- Indiana Depart. of Agric. (2019). Terrestrial Plant Rule. Retrieved May 8, 2023, from https://www.in.gov/dnr/rules-and-regulations/invasive-species/terrestrial-invasive-species-plants/
- Invasive Species Centre. (2023). Bohemian Knotweed (*Reynoutria* x *bohemica*). Retrieved May 8, 2023, from https://www.invasivespeciescentre.ca/invasive-species/meet-the-species/invasive-plants/bohemian-knotweed/
- Invasive Species Centre. (2023). Invasive species in a changing climate. Retrieved May 8, 2023, from https://www.invasivespeciescentre.ca/invasive-species/what-is-at-risk/climate-change/

- Invasive.org. (Center for Invasive Species and Ecosystem Health) (2018b). Purple loosestrife *Lythrum salicaria* L. Retrieved May 8, 2023, from https://www.invasive.org/browse/subinfo.cfm?sub=3047
- Invasive.org (Center for Invasive Species and Ecosystem Health) (2018). European water chestnut *Trapa natans* L. Retrieved May 8, 2023, from https://www.invasive.org/browse/subinfo.cfm?sub=3499
- IPBES (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Service). (2019a). Nature's dangerous decline 'unprecedented,' species extinction rates 'accelerating'. Life on Land, Press Material. Retrieved May 8, 2023, from https://www.un.org/sustainabledevelopment/blog/2019/05/nature-decline-unprecedented-report/
- IPBES (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Service). (2019b). Summary for policymakers of the global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services. S. Díaz, J. Settele, E. S. Brondízio, H. T. Ngo, M. Guèze, J. Agard, A. Arneth, P. Balvanera, K. A. Brauman, S. H. M. Butchart, K. M. A. Chan, L. A. Garibaldi, K. Ichii, J. Liu, S. M. Subramanian, G. F. Midgley, P. Miloslavich, Z. Molnár, D. Obura, A. Pfaff, S. Polasky, A. Purvis, J. Razzaque, B. Reyers, R. Roy Chowdhury, Y. J. Shin, I. J. Visseren-Hamakers, K. J. Willis, and C. N. Zayas (eds.). IPBES secretariat, Bonn, Germany. 56 pp. Retrieved May 8, 2023, from https://ipbes.net/global-assessment
- IPBES (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Service). (2022). Report of the Plenary of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services on the work of its ninth session. Retrieved May 8, 2023, from https://ipbes.net/events/ipbes-9-plenary
- IPPC (International Plant Protection Convention). (1951 revised 1997). Rome: Food and Agriculture Organization (FAO) of the United Nations. Retrieved May 8, 2023, from https://www.ippc.int/en/core-activities/governance/convention-text/
- IPPC (The International Plant Protection Convention). (2003). Identification of risks and management of invasive alien species using the IPPC framework. Proceedings of the workshop on invasive alien species and the International Plant Protection Convention, Braunschweig, Germany, 22–26 September 2003. Rome, Italy, FAO. xii + 301 pp. Retrieved May 8, 2023, from https://www.ippc.int/en/publications/2110/
- IPPC (The International Plant Protection Convention). (2005). Report of the Seventh meeting of the Interim Commission on Phytosanitary Measures. FAO. Retrieved May 8, 2023, from https://www.ippc.int/static/media/files/publication/en/2016/11/Report ICPM-7-2005 Apr 2005-11-25.pdf
- IPPC (The International Plant Protection Convention). (2012a). The International Plant Protection Convention Generic Flyer. Retrieved May 8, 2023, from https://www.ippc.int/static/media/files/mediakit/IPPCGenericFlyer-en.pdf
- IPPC (The International Plant Protection Convention). (2012b). Strategic framework 2012-2019. Retrieved May 8, 2023, from https://www.ippc.int/static/media/files/mediakit/IPPCStrategicFramework-en.pdf
- IPPC (The International Plant Protection Convention). (2012c). Internet Trade (e-Commerce) in Plants Potential Phytosanitary Risks [DRAFT]. Retrieved May 8, 2023, from https://www.ippc.int/largefiles/2013/Internet_trade_of_plants.pdf
- IPPC (The International Plant Protection Convention). (2016). Framework for pest risk analysis. IPPC Secretariat, FAO, Rome. Retrieved May 8, 2023, from https://www.ippc.int/static/media/files/publication/en/2016/01/ISPM 02 2007 En 2015-12-22 PostCPM10 InkAmReformatted.pdf
- IPPC (The International Plant Protection Convention). (n.d.) Overview. Retrieved May 8, 2023, from https://www.ippc.int/en/about/overview/
- ISC (Invasive Species Centre). (2021). Annual Report Fiscal Year 2021. Retrieved May 8, 2023, from https://www.invasivespeciescentre.ca/wp-content/uploads/2021/11/AnnualReport WEB.pdf
- ISCBC (Invasive Species Council of British Columbia). (2017). Invasive Species Britton, W.E., 1930. Regulations Concerning the Transportation of Nursery Stock in the United States and Canada. Connecticut Experimental Station Circular 71. Retrieved May 8, 2023, from https://portal.ct.gov/-/media/CAES/DOCUMENTS/Publications/Circulars/C71pdf.pdf

- ISCBC (Invasive Species Council of British Columbia). (2021) Best Management Practices for Parrot's Feather in the Metro Vancouver Region. Metro Vancouver's Regional Planning Advisory Committee. Retrieved May 8, 2023, from www.metrovancouver.org/services/regional-planning/PlanningPublications/ParrotsFeatherBMP.pdf
- Isleib, J. (2012). Michigan noxious weed laws, though rarely enforced, define and regulate prohibited/restricted weeds. Michigan State University Extension. Retrieved May 8, 2023, from https://www.canr.msu.edu/news/michigan_noxious_weed_laws_though_rarely_enforced_define_and_regulate_prohi
- ISPM (International Standards for Phytosanitary Measures). (2005). Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.fao.org/3/a0450e/a0450e.pdf
- ISPM (International Standards for Phytosanitary Measures). (2021a). Adopted Standards. Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.ippc.int/en/core-activities/standards-setting/ispms/
- ISPM-1. (2021b). Phytosanitary principles for the protection of plants and the application of phytosanitary measures in international trade. Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.fao.org/3/j7483e/j7483e.pdf
- ISPM-5. (2023c). ISPM 5: Glossary of Terms. Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.ippc.int/en/publications/622/
- ISPM-11. (2021d). ISPM 11. Pest risk analysis for quarantine pests. Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.ippc.int/en/publications/639/
- ISPM-16. (2021e). ISPM 16. Regulated non-quarantine pests: concept and application. Rome, IPPC, FAO. Retrieved May 8, 2023, from https://www.ippc.int/en/publications/605/
- IUCN (The International Union for Conservation of Nature). (2022). CONSERVATION TOOL Environmental Impact Classification for Alien Taxa (EICAT). Retrieved May 8, 2023, from https://www.iucn.org/resources/conservation-tool/environmental-impact-classification-alien-taxa-eicat
- Jacquart, E.M. (2012). Invasiveness ranking system for non-native plants of Indiana. Unpublished. Invasive Plant Advisory Committee (IPAC) to the Indiana Invasive Species Council, Indianapolis, IN. Retrieved May 8, 2023, from https://www.entm.purdue.edu/iisc/pdf/plants/Ailanthus_altissima.pdf
- Janick, J., & Warrington, I. (2005). Ethics and horticulture. Chronica Horticulturae. 55(2). Retrieved May 8, 2023, from https://www.ishs.org/system/files/chronica-documents/ch5502.pdf
- Jelincic, D., & Tišma, S. (2020). Ensuring sustainability of cultural heritage through effective public policies. Urbani izziv. 31. 78-87. 10.5379/urbani-izziv-en-2020-31-02-002. Retrieved May 8, 2023, from https://www.researchgate.net/publication/347852464 Ensuring sustainability of cultural heritage through effective public policies/citation/download
- Jeschke, J., & Starzer, J. (2018). 'Propagule pressure hypothesis.', CABI Invasives Series. CABI International. May 8, 2023, from https://www.cabidigitallibrary.org/doi/abs/10.1079/9781780647647.0147
- Johnson, S. B. (2016). Why the polluter pays principle is not a policy panacea for weedy but commercially valuable plant species either. In 20th Australasian Weeds Conference, Perth, Western Australia, 11-15 September 2016 (pp. 309-312). Weeds Society of Western Australia. Retrieved May 8, 2023, from https://caws.org.nz/old-site/awc/2016/awc201613091.pdf
- Johnson, S., Cherry, H., & Boorman, D. (2020). Plant Sure: An environmentally safe ornamental plant scheme.

 Conference: Proceedings of the 19th NSW Weeds Conference At: Armidale, NSW Australia. Retrieved May 8, 2023, from https://www.researchgate.net/publication/341372517 Plant Sure

 An environmentally safe ornamental plant scheme
- Johnston, E., Piola, R., & Clark, G. (2009). The Role of Propagule Pressure in Invasion Success. 10.1007/978-3-540-79236-9_7. Retrieved May 8, 2023, from https://www.researchgate.net/publication/225247190
 The Role of Propagule Pressure in Invasion Success
- Jordan, M.J., G. Moore and T.W. Weldy. (2008). Invasiveness ranking system for non-native plants of New York.

 Unpublished. The Nature Conservancy, Cold Spring Harbor, NY; Brooklyn Botanic Garden, Brooklyn, NY;

- The Nature Conservancy, Albany, NY. Retrieved May 8, 2023, from https://nyis.info/wp-content/uploads/20218/01/36162 Ailanthus.altissima.NYS .pdf
- Justo-Hanani, R., & Dayan, T. (2021). Risk regulation and precaution in Europe and the United States: the case of bioinvasion. Policy Sci 54, 3–20. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s11077-020-09409-9
- Kattge, J., et al. (2011) TRY—A Global Database of Plant Traits. Global Change Biology, 17, 2905-2935. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/j.1365-2486.2011.02451.x
- Kaushik, P., Pati, P., Khan, & M., Khare, P. (2022). Plant functional traits best explain invasive species' performance within a dynamic ecosystem A review. Trees Forests and People. 8. Retrieved May 8, 2023, from https://www.sciencedirect.com/science/article/pii/S266671932200067X
- Kehoe, R., Frago, E., Sanders, D. (2020). Cascading extinctions as a hidden driver of insect decline. Ecological Entomology, 46. Retrieved May 8, 2023, from https://www.researchgate.net/publication/347275686 Cascading extinctions as a hidden driver of in sect decline
- Keller, R., Lodge, D., & Finnoff, D. (2007). Risk Assessment for Invasive Species Produces Net Bioeconomic Benefits.

 Proceedings of the National Academy of Sciences of the United States of America, 104, 203-7. Retrieved May 8, 2023, from https://www.researchgate.net/publication/6609403

 Risk Assessment for Invasive Species Produces Net Bioeconomic Benefits
- Keller, R., & Springborn, M. (2013). Closing the Screen Door to New Invasions. Conservation Letters. 7. Retrieved May 8, 2023, from https://conbio.onlinelibrary.wiley.com/doi/pdf/10.1111/conl.12071
- Kelly, J. (2012). Horticulture Code of Good Practice. The Northern Ireland Environment Agency and the National Parks and Wildlife Service. Retrieved May 8, 2023, from https://invasivespeciesireland.com/wp-content/uploads/2010/07/Horticulture-Code-Final.pdf
- Kenis M, Bacher S, Baker RHA, Branquart E, Brunel S, Holt J, Hulme PE, MacLeod A, Pergl J, Petter F, Pyšek P, Schrader G, Sissons A, Starfinger U, Schaffner U (2012) New protocols to assess the environmental impact of pests in the EPPO decision-support scheme for pest risk analysis. Bulletin OEPP. EPPO Bulletin. European and Mediterranean Plant Protection Organisation 42(1): 21–27. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/10.1111/j.1365-2338.2012.02527.x
- Kendig, A., Canavan, S., Anderson, P., Flory, L., Gettys, L., Gordon, D., III, B., Kunzer, J., Petri, T., Pfingsten, I. & Lieurance, D. (2022). Scanning the horizon for invasive plant threats using a data-driven approach.
 NeoBiota. 74. 129-154. Retrieved May 8, 2023, from https://www.researchgate.net/publication/362028952 Scanning the horizon for invasive plant threats using a data-driven approach
- Khapugin, A. (2019). A global systematic review of publications concerning the invasion biology of four tree species. Hacquetia. 18. 233–270. Retrieved May 8, 2023, from https://www.researchgate.net/publication/335378717 A global systematic review of publications concerning the invasion biology of four tree species
- Kitajima, K., Fox, A.M., Sato, T.et al. (2006). Cultivar selection prior to introduction may increase invasiveness: evidence from *Ardisia crenata*. Biol Invasions, 8, 1471–1482. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10530-005-5839-9
- Kulhanek, A., & Smith, K. (2022). Invasive Species Management: Common and Japanese Barberry. Ohio State Univ. Extension. Retrieved May 8, 2023, from https://ohioline.osu.edu/factsheet/anr-0106
- Kumschick, S., Wilson, J.R.U., & Foxcroft, L.C. (2020). A framework to support alien species regulation: the Risk Analysis for Alien Taxa (RAAT). In: Wilson JR, Bacher S, Daehler CC, Groom QJ, Kumschick S, Lockwood JL, Robinson TB, Zengeya TA, Richardson DM. NeoBiota 62: 213-239. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.62.51031
- Lac Bernard Property Owners Association. (2021). Milfoil. Invasive Aquatic Weeds: Milfoil. (Milfoil Poster). Website. Retrieved May 8, 2023, from http://lacbernard.ca/environment/milfoil.htm

- Lafontaine, R., Beudels-Jamar, R., Delsinne, T., & Robert, H. (2013). Risk analysis of the Variable Watermilfoil *Myriophyllum heterophyllum* Michaux. Risk analysis report of non-native organisms in Belgium from the Royal Belgian Institute of Natural Sciences for the Federal Public Service Health, Food chain safety and Environment. Retrieved May 8, 2023, from https://www.researchgate.net/publication/266617477 Risk analysis of the Variable Watermilfoil Myriophyllum heterophyllum Michaux Risk analysis report of non-native organisms in Belgium from the Royal Belgian Institute of Natural Sciences for the Fed
- Landscape Trades. (2001). CNLA News: Restrictions lifted on Japanese barberry Liebhold Retrieved May 8, 2023, from https://landscapetrades.com/cnla-news-brrestrictions-lifted-on-japanese-barberry
- Leung B., Lodge D., Finnoff D., Shogren A., Lewis M., & Lamberti G. (2002). An ounce of prevention or a pound of cure: bioeconomic risk analysis of invasive species. Proc R Soc Lond B Biol Sci 269:2407–2413. Retrieved May 8, 2023, from https://www.researchgate.net/publication/10978379_An_Ounce_
 of Prevention Or a Pound of Cure Bioeconomic Risk Analysis of Invasive Species
- Lewis, C. (2022). Canada Is Hiding its Inaction Behind Certification. Blog prepared for NRDC (Natural Resources Defense Council). Retrieved May 8, 2023, from https://www.nrdc.org/experts/courtenay-lewis/canada-hiding-its-inaction-behind-certification
- Lindgren, C. (2002). Manitoba Purple Loosestrife Project: Partnerships and Initiatives in Alien invaders in Canada's waters, wetlands, and forests. pp. 259- 267. Eds Claudia, R., Nantel, P., & Muckle-Jeffs, E. Canadian Forest Service. Natural Resources Canada, Ottawa, ON. Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection-2014/rncan-nrcan/Fo42-329-2002-eng.pdf
- Lindgren, C., & Wilson, C. (2008). Responding to Invasive Plants in Canada (2005–2008). In: Weeds Across Borders 2008 Conference Proceedings of the Weeds Across Borders 2008 Conference May 27–30, 2008 Banff, Alberta, Canada. Retrieved May 8, 2023, from https://www.researchgate.net/profile/Rodney-Kott/publication/242515912 VEGETATIVE MANAGEMENT USING CONTROLLED SHEEP GRAZING
 THE MONTANA SHEEP INSTITUTE/links/556dcb1908aeab7772262eb5/VEGETATIVE-MANAGEMENT-USING-CONTROLLED-SHEEP-GRAZING-THE-MONTANA-SHEEP-INSTITUTE.pdf#page=19
- Lindgren, Cory & Walker, David. (2012). Predicting the Spread of Purple Loosestrife (*Lythrum salicaria*) in the Prairies. Canadian Field-Naturalist. 126. Retrieved May 8, 2023, from https://www.canadianfieldnaturalist.ca/index.php/cfn/article/view/1376
- Linske, M., Williams, S., Ward, J., Stafford, K. (2018). Indirect Effects of Japanese Barberry Infestations on White-Footed Mice Exposure to *Borrelia burgdorferi*. Environmental entomology. 47. Retrieved May 8, 2023, from https://www.researchgate.net/publication/325499429 Indirect Effects of Japanese

 _Barberry_Infestations_on_White-Footed_Mice_Exposure_to_Borrelia_burgdorferi
- Livingstone, S.W., Isaac, M.E., Cadotte, M.W. (2020). Invasive dominance and resident diversity: unpacking the impact of plant invasion on biodiversity and ecosystem function Ecological Monographs 90(4). Retrieved May 8, 2023, from https://esajournals.onlinelibrary.wiley.com/doi/abs/10.1002/ecm.1425
- Lodge, D.M., Simonin, P.W., Burgiel, S.W., Keller, R.P., Bossenbroek, J.M., Jerde, C.L., Kramer, A.M., Rutherford, E.S., Barnes, M.A., Wittmann, M.E., Chadderton, W.L., Apriesnig, J.L., Beletsky, D., Cooke, R.M., Drake, J.M., Egan, S.P., Finnoff, D.C., Gantz, C.A., Grey, E.K., Hoff, M.H., Howeth, J.G., Jensen, R., Larson, E.R., Mandrak, N.E., Mason, D.M., Martinez, F.A., Newcomb, T.J., Rothlisberger, J.D., Tucker, A.J., Warziniack, T., & Zhang, H. (2016). Risk Analysis and Bioeconomics of Invasive Species to Inform Policy and Management. Annual Review of Environment and Resources, 41, 453-488. Retrieved May 8, 2023, from https://www.annualreviews.org/doi/abs/10.1146/annurev-environ-110615-085532
- Lopez, B., Allen, J. M., Dukes, J. S., Lenoir, J., Vilà, M., Blumenthal, D. M., et al. (2022). Global environmental changes more frequently offset than intensify detrimental effects of biological invasions. Proceedings of the National Academy of Sciences, 119(22). Retrieved May 8, 2023, from http://doi.org/10.1073/pnas.2117389119

- Ma, J., Clemants, S., & Moore, G. (2009). *Ailanthus altissima* New York non-native plant invasiveness ranking form. New York State Department of Environmental Conservation. Retrieved May 8, 2023, from https://nyis.info/wp-content/uploads/20218/01/36162 Ailanthus.altissima.NYS .pdf
- Mack, R.N., & Erneberg M. (2002) The United States naturalized flora: largely the product of deliberate introductions. Ann Mo Bot Gard 89:176–189. Retrieved May 8, 2023, from https://www.jstor.org/stable/3298562?origin=crossref
- Mack, R.N., & Simberloff D., Lonsdale WM, Evans H, Clout M, Bazzaz FA. (2000) Biotic invasions: causes, epidemiology, global consequences, and control. Ecol Appl 10:689–710. Retrieved May 8, 2023, from https://www.researchgate.net/publication/201999174 Biotic Invasions Causes Epidemiology Global C onsequences and Control
- Mack R, Smith M (2011) Invasive plants as catalysts for the spread of human parasites. NeoBiota 9: 13-29. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/1208/list/9/
- Macleod, A., Pautasso, M., Jeger, M., Haines-Young, R. (2010). Evolution of the international regulation of plant pest and challenges for future plant health. Food Security. 2. 10.1007/s12571-010-0054-7. Retrieved May 8, 2023, from https://www.researchgate.net/publication/235751766 Evolution of the international __regulation_of_plant_pest_and_challenges_for_future_plant_health
- Maine Code CMR 01-001 c 273 Criteria for listing invasive terrestrial plants. Retrieved May 8, 2023, from https://www.law.cornell.edu/regulations/maine/department-01/division-001/chapter-273
- Maine Code 38 MRSA 419-C Prevention of the spread of invasive aquatic plants Retrieved May 8, 2023, from https://legislature.maine.gov/statutes/38/title38sec419-C.html
- Maine Department of Agriculture, Conservation and Forestry. (2021). Invasive Plants. Retrieved May 8, 2023, from https://www.maine.gov/dacf/php/horticulture/invasiveplants.shtml
- Maine Department of Agriculture, Conservation and Forestry. (n.d.). Invasive terrestrial plants prohibited from sale in Maine. Retrieved May 8, 2023, from https://www.maine.gov/dacf/php/horticulture/documents/InvasivePlantPoster.pdf
- Maine Department of Environmental Protection. (2019). Materials and Maine Laws involving Invasive Aquatic Plants. Retrieved May 8, 2023, from https://www.maine.gov/dep/water/invasives/invmaterial.html
- Maine Department of Environmental Protection. (2019). Water Gardeners and Aquarium Owners. Retrieved May 8, 2023, from https://www.maine.gov/dep/water/invasives/invaquarium.html
- Manitoba government. (2017). Controlling Noxious Weeds. Retrieved May 8, 2023, from https://www.gov.mb.ca/agriculture/crops/weeds/pubs/controlling-noxious-weeds.pdf
- Manitoba The Noxious Weeds Act, CCSM c N110. Retrieved May 8, 2023, from https://web2.gov.mb.ca/laws/regs/current/_pdf-regs.php?reg=42/2017
- Manitoba Water Protection Act (C.C.S.M. c. W65) Retrieved May 8, 2023, from https://web2.gov.mb.ca/laws/regs/current/pdf-regs.php?reg=173/2015
- Marson, D., Cudmore, B., Drake, D., & Mandrak, N. (2009a). Summary of a survey of aquarium owners in Canada. Can. Manuscr. Rep. Fish. Aquat. Sci. 2905: iv + 20 p. Retrieved May 8, 2023, from https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/339425.pdf
- Marson, D., Cudmore, B., Drake, D., & Mandrak, N. (2009b). Summary of a survey of water garden owners in Canada. Can. Manuscr. Rep. Fish. Aquat. Sci. 2906: v + 23 p. Retrieved May 8, 2023, from https://waves-vagues.dfo-mpo.gc.ca/library-bibliotheque/339424.pdf]
- Martin P, Verbeek M, Thomson S, Martin J, (2005) The costs and benefits of a proposed mandatory invasive species labelling scheme, a discussion paper prepared for WWF-Australia by the Australian Centre for Agriculture and Law, University of New England. WWF-Australia, Sydney. 30 pp. Retrieved May 8, 2023, from https://rune.une.edu.au/web/handle/1959.11/1054 (The following opens pdf). https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=&ved=2ahUKEwiS5YKtv8r8AhXymGoFHczRDsYQFnoECAcQAQ&url=https%3A%2F%2Fwww.wwf.org.au%2FArticleDocuments%2F353%2Fpub-invasive-species-mandatory-labelling-scheme-1sep05.pdf.aspx&usg=AOvVaw2JN5FmKqElCbMHRA3tFYBt

- Maryland Dept. of Agric. (2020). Invasive Plant List. Retrieved May 8, 2023, from https://mda.maryland.gov/plants-pests/Documents/Invasive-Plant-List-March-2020.pdf
- Maryland Dept. Agriculture. (2019). Weed Risk Assessment for *Aralia elata* (Miq.) Seem. (*Araliaceae*) Japanese angelica tree. Retrieved May 8, 2023, from https://mda.maryland.gov/plants-pests/Documents/Aralia-Elata-Maryland-Weed-Risk-Assessment.pdf
- Maryland Dept. of Agric. (2019). Weed Risk Assessment for *Berberis thunbergii* DC (Berberidaceae) Japanese barberry. Retrieved May 8, 2023, from https://mda.maryland.gov/plants-pests/Documents/Berberis-Thunbergii-Maryland-Weed-Risk-Assessment.pdf
- Marzono, M., Dunn, M., Green, S. (2021). Perceptions of biosecurity-based accreditation in the plant trade: a UK example. Forests. 12(12): 1741. Retrieved May 8, 2023, from https://cdn.forestresearch.gov.uk/2015/11/nursery accreditation 2021.pdf
- Massachusetts government. (2021). Prohibited Plant List FAQ Frequently Asked Questions about the Massachusetts Prohibited Plant List. Retrieved May 8, 2023, from https://www.mass.gov/service-details/prohibited-plant-list-faq
- Massachusetts government. (2022). Massachusetts Prohibited Plant List. Retrieved May 8, 2023, from https://www.mass.gov/massachusetts-prohibited-plant-list
- Mathiesen, K. 2016. Australia's worst invasive plant species available for import on Amazon and eBay. The Guardian. May 23. Retrieved May 8, 2023, from https://www.theguardian.com/environment/2016/may/23/australias-worst-invasive-species-available-for-import-on-amazon-and-ebay
- Maurel, N., Hanspach, J., Kuhn, I., Pyšek, P. & Kleunen, M. van. (2016). Introduction bias affects relationships between the characteristics of ornamental alien plants and their naturalization success. Global Ecology and Biogeography 25, 1500–1509. Retrieved May 8, 2023, from https://www.researchgate.net/publication/308647854 Introduction bias affects relationships between the characteristics of ornamental alien plants and their naturalization success
- McClay, Alec. (2012). Revising Alberta's Provincial Weeds List: Experiences and Lessons Learned. Retrieved May 8, 2023, from https://www.researchgate.net/publication/260907986_Revising_Alberta%27s_Provincial_weeds_List_Experiences_and_Lessons_Learned
- McGeoch, M.A., Genovesi, P., Bellingham, P.J., Costello, J., McGrannachan, C., & Sheppard, A. (2016). Prioritizing species, pathways, and sites to achieve conservation targets for biological invasion. Biol Invasions 18, 299–314. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10530-015-1013-1
- McGrannachan C.M., Pagad S., & McGeoch M.A. (2021) A multiregional assessment of transnational pathways of introduction. NeoBiota 64: 43–67. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.64.60642
- Mcneish, R., & McEwan, R. (2016). A review on the invasion ecology of Amur honeysuckle (*Lonicera maackii, Caprifoliaceae*) a case study of ecological impacts at multiple scales. The Journal of the Torrey Botanical Society. 143. 367-385. Retrieved May 8, 2023, from https://www.researchgate.net/publication/305786297 A review on the invasion ecology of Amur honeysuckle Lonicera maackii Caprifoliacea e a case study of ecological impacts at multiple scales
- M.E.A. (Millennium Ecosystem Assessment). (2005). A Report of the Millennium Ecosystem Assessment. Ecosystems and Human Well-Being. Island Press, Washington DC. Retrieved May 8, 2023, from https://www.millenniumassessment.org/documents/document.356.aspx.pdf
- Mengist, W., Soromessa, T. & Feyisa, G.L. (2020). A global view of regulatory ecosystem services: existed knowledge, trends, and research gaps. Ecol Process 9(40). Retrieved May 8, 2023, from https://ecologicalprocesses.springeropen.com/articles/10.1186/s13717-020-00241-w#citeas
- Meyerson, L., Pauchard, A., Brundu, G., Carlton, J., Hierro, J., Kueffer, C., Pandit, M., Pyšek, P., Richardson, D., & Packer, J. (2022). Moving Toward Global Strategies for Managing Invasive Alien Species. Retrieved May 8, 2023, from http://www.lib.udec.cl/wp-content/uploads/2022/08/Meyerson_et_al_2022.pdf

- Michigan code Natural Resources and Environmental Protection Act (excerpt) Act 451 of 1994 PART 413 Transgenic and Nonnative Organisms. Retrieved May 8, 2023, from www.legislature.mi.gov/(S(dol44qjsrrieya45sgjptg45))/documents/mcl/pdf/mcl-451-1994-III-2-1-WILDLIFE-CONSERVATION-413.pdf
- Michigan code Seed Law Act 329 of 1965. Retrieved May 8, 2023, from https://www.legislature.mi.gov/documents/mcl/pdf/mcl-Act-329-of-1965.pdf
- Michigan code Regulation No. 715 Seed Law Implementation Section R. 285.715.7 Prohibited and restricted noxious weeds. Retrieved May 8, 2023, from https://casetext.com/regulation/michigan-administrative-code/department-agriculture-and-rural-development/pesticide-and-plant-pesticide-management-division/regulation-no-715-seed-law-implementation
- Michigan Dept. of Agri. and Rural Development. (2016). Weed Risk Assessment for *Lythrum salicaria* L. (*Lythracea*e) Purple loosestrife. Retrieved May 8, 2023, from https://www.michigan.gov/-/media/Project/Websites/invasives/Documents/ID/Plants/Aquatic/WRA_PurpleLoosestrife.pdf?rev=4054 bfd431f448a7861eb04913a81378
- Michigan Dept. of Agri. and Rural Development. Weed Risk Assessment for Myriophyllum spicatum L. (Haloragaceae) Eurasian watermilfoil. Retrieved May 8, 2023, from https://www.michigan.gov/-/media/Project/Websites/invasives/Documents/ID/Plants/Aquatic/WRA_EurasianWatermilfoil.pdf?rev=0 d65f311fd174327849119cf53c81e6c
- Michigan gov. Invasive Species: Plants (n.d.). Retrieved May 8, 2023, from https://www.michigan.gov/invasives/id-report/plants
- Michigan Invasive Species. (2022). Michigan's Prohibited and Restricted Species. Retrieved May 8, 2023, from https://www.michigan.gov/invasives/id-report/prohibitedrestricted
- Michigan Invasive Species State laws and regulations. Retrieved May 8, 2023, from https://www.michigan.gov/invasives/laws/state-laws-and-regulations
- Migratory Birds Convention Act, 1994, SC 1994, c 22. Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/sc-1994-c-22/latest/sc-1994-c-22.html
- Minnesota code Agriculture Chapter 18 Noxious Weed Law 2020 Retrieved May 8, 2023, from https://www.revisor.mn.gov/statutes/2022/cite/18?keyword_type=all&keyword_sg=statute&keyword=weeds
- Minnesota code Conservation Chapter 84D Invasive. Species Retrieved May 8, 2023, from https://www.revisor.mn.gov/statutes/cite/84D
- Minnesota Department of Agriculture. (2022a). Japanese Barberry. Retrieved May 8, 2023, from https://www.mda.state.mn.us/plants/pestmanagement/weedcontrol/noxiouslist/japanesebarberry
- Minnesota Dept. of Natural Resources. (2022a) Minnesota invasive species laws. Retrieved May 8, 2023, from https://www.dnr.state.mn.us/invasives/laws.html
- Minnesota Department of Agriculture. (2022b). Minnesota Noxious Weed Law. Retrieved May 8, 2023, from https://www.mda.state.mn.us/plants/pestmanagement/weedcontrol/fsmnwp
- Minnesota Department of Agriculture. (2022c). Minnesota Noxious Weed List. Retrieved May 8, 2023, from https://www.mda.state.mn.us/plants-insects/minnesota-noxious-weed-list
- Miteva, D., Fortmann, L., & McNab, R. (2021). Beyond the Traditional: Voluntary Market-Based Initiatives to Promote Land Tenure Security. Retrieved May 8, 2023, from https://link.springer.com/chapter/10.1007/978-3-030-81881-4 13
- Mogomotsi, G., Mogomotsi, P., & O Moeti, O. (2022). WTO Law and Jurisprudence on Invasive Alien Species in the Global South, Chinese Journal of Environmental Law, 6(1), 63-86. Retrieved May 8, 2023, from https://brill.com/view/journals/cjel/6/1/article-p63 3.xml?ebody=pdf-60564
- Monahan, K., McFatridge, S., & Whittaker-Cumming A. (2018). Do environmental regulations cost as much as we think they do? Smart Prosperity Institute. Retrieved May 8, 2023, from https://institute.smartprosperity.ca/sites/default/files/regulations-2018december-10.pdf

- Montana code Title 80 Agriculture subch 4.5.2. Designation of Noxious Weeds. Retrieved May 8, 2023, from https://rules.mt.gov/gateway/ChapterHome.asp?Chapter=4%2E5
- Montana code Title 80 Agriculture Ch 7 Disease, pest and weed control. Retrieved May 8, 2023, from https://leg.mt.gov/bills/mca/title_0800/chapter_0070/parts_index.html
- Montana gov. (nd) Aquatic Noxious Weed Program. Retrieved May 8, 2023, from https://agr.mt.gov/Topics/N-P/Noxious-Weeds-Pages/Aquatic-Invasive-Species-Program
- Montana gov. (2019). Montana Noxious Weed List. Retrieved May 8, 2023, from https://agr.mt.gov/_docs/weeds-docs/2019-Montana-Noxious-Weed-List.pdf
- Montana State University Extension. (2022). Montana Noxious Weed Information. Retrieved May 8, 2023, from https://www.montana.edu/extension/invasiveplants/noxioussub.html
- Moody, M., Palomino, N., Weyl, P., Coetzee, J., Newman, R., Harms, N., Liu, X., & Thum, R. (2016). Unraveling the biogeographic origins of the Eurasian watermilfoil (*Myriophyllum spicatum*) invasion in North America. American Journal of Botany. 103. 10.3732/ajb.1500476. Retrieved May 8, 2023, from https://www.researchgate.net/publication/299541532 Unraveling the biogeographic origins of the Eurasian_watermilfoil_Myriophyllum_spicatum_invasion_in_North_America
- Moravcová, L., Pyšek, P., Jarošík, V. & Pergl, J. (2015). Getting the Right Traits: Reproductive and Dispersal Characteristics Predict the Invasiveness of Herbaceous Plant Species. PloS one. 10. Retrieved May 8, 2023, from https://www.researchgate.net/publication/275357926 Getting the Right Traits Reproductive and Dispersal Characteristics Predict the Invasiveness of Herbaceous Plant Species
- Morse, L.E., J.M. Randall, N. Benton, R. Hiebert, & S. Lu. 2004. An Invasive Species Assessment Protocol: Evaluating Non-Native Plants for Their Impact on Biodiversity. Version 1. NatureServe, Arlington, Virginia. Retrieved May 8, 2023, from https://www.natureserve.org/sites/default/files/invasive_species_assessment_protocol.pdf
- Mumford J, Booy O, Baker RMA et al (2010) Invasive non-native species risk assessment in Great Britain. Aspects
 Appl Biol 104:49–54. Retrieved May 8, 2023, from https://www.researchgate.net/publication/283413548 Invasive species risk assessment in Great Britain
- Murphy H.T., & van Leeuwen S. (2021). Biodiversity: Invasive species, problematic native species, and diseases. In: Australia State of the environment 2021, Australian Government Department of Agriculture, Water and the Environment, Canberra. Retrieved May 8, 2023, from https://soe.dcceew.gov.au/biodiversity/pressures/invasive-species-problematic-native-species-and-diseases
- NAPPO (North American Plant Protection Organization). (2008) Invasive Species Panel. Pre-Import Invasiveness Screening of Plants for Planting Discussion Paper. Retrieved May 8, 2023, from https://nappo.org/application/files/4215/8341/5783/DD_01_IS-ScreeningTool-15-07-09-e.pdf
- NAPPO (North American Plant Protection Organization). (2011a). Discussion Documents: DD 02: Climate Change and Pest Risk Analysis. Retrieved May 8, 2023, from https://nappo.org/application/files/8015 /8341/5785/DD 03 NAPPO IAS Discussion Doc 03 12-07-2012-e.pdf
- NAPPO (North American Plant Protection Organization). (2011b). Discussion Documents: DD 03: The Role of the North American Plant Protection Organization in Addressing Invasive Alien Species. Retrieved May 8, 2023, from https://nappo.org/application/files/8015/8341/5785/DD 03 NAPPO IAS Discussion Doc 03 12-07-2012-e.pdf
- NAPPO (North American Plant Protection Organization). (2022a). Introduction to NAPPO. Retrieved May 8, 2023, from https://nappo.org/english/about-us/introduction-nappo
- NAPPO (North American Plant Protection Organization). (2022b). North American Plant Protection Organization Strategic Plan for 2022-2026. Retrieved May 8, 2023, from https://nappo.org/application/files/8616 /5790/1282/20220713 NAPPO Strategic Plan 2022-2026 final-e.pdf
- NAPPO. (2023) Regional Standards for Phytosanitary Measures. Retrieved May 8, 2023, from https://nappo.org/english/products/regional-standards-phytosanitary-measures-rspm

- National Horticulture Invasive Plant Working Group. (2019). A cooperative initiative with National Horticultural Invasive Plants Working, Canadian Society of Landscape Architects, Canadian Nursery Landscape Association Retrieved May 8, 2023, from https://canadainvasives.ca/wp-content/uploads/2019/06/2019-01-16 CCIS Code of Conduct FINAL.pdf
- National Invasive Species Information Center, Saltcedar, n.d. Retrieved May 8, 2023, from https://www.invasivespeciesinfo.gov/terrestrial/plants/saltcedar
- National Wildlife Federation. (n.d.) Ecosystem Services. Merrifield, VA. Retrieved May 8, 2023, from <a href="https://www.nwf.org/Educational-Resources/Wildlife-Guide/Understanding-Conservation/Ecosystem-Services#:~:text=Ecosystems%20themselves%20couldn%27t%20be,alone%20whole%20ecosystems%20an d%20people
- Natural Resource Council (NRC) (2002) Predicting invasions of nonindigenous plants and plant pests. National Academy Press, Washington. Retrieved May 8, 2023, from https://books.google.ca/books?hl=en&lr=&id=HmmdAgAAQBAJ&oi=fnd&pg=PT19&ots=19sHf77Z &sig=7ZFFece EkDa7fjT6v OUv7m9ac&redir esc=y#v=onepage&q&f=false
- Natural Resources Canada. (2017). The State of Canada's Forests: Annual Report 2017. Canadian Forestry Service. Retrieved May 8, 2023, from https://cfs.nrcan.gc.ca/pubwarehouse/pdfs/38871.pdf
- Natural Resources Canada. (2022). The State of Canada's Forests: Annual Report 2022. Canadian Forestry Service.

 Retrieved May 8, 2023, from

 https://www.nrcan.gc.ca/sites/nrcan/files/forest/sof2022/SoF_Annual2022_EN_access.pdf
- NatureServe Canada. (2023) Website: <u>About; Invasive Species Impact Rank</u> Retrieved May 8, 2023, from https://www.natureserve.org/canada
- Naylor, M. 2003. Water Chestnut (Trapa natans) in the Chesapeake Bay Watershed: A Regional Management Plan.

 Maryland Department of Natural Resources. Retrieved May 8, 2023, from www.midatlanticpanel.org/wp-content/uploads/2016/04/waterchestnut 122003.pdf
- Nentwig W, Kühnel E, Bacher S (2010) A generic impact-scoring system applied to alien mammals in Europe.

 Conservation Biology 24(1): 302–311. https://www.researchgate.net/publication/26672739

 A Generic Impact-Scoring System Applied to Alien Mammals in Europe
- Nentwig, W., Bacher ,S., Pyšek, P., Vilà, M., & Kumschick, S. (2016) The generic impact scoring system (GISS): a standardized tool to quantify the impacts of alien species. Environmental Monitoring and Assessment. 188: 1–13. Retrieved May 8, 2023, from https://www.researchgate.net/publication/301740972 The generic impact scoring system GISS a standardized tool to quantify the impacts of alien species
- New Brunswick Plant Health Act, SNB 1998, c P-9.01. Retrieved May 8, 2023, from https://www.canlii.org/en/nb/laws/stat/snb-1998-c-p-9.01/latest/snb-1998-c-p-9.01.html
- New Brunswick Weed Control act, RSNB1973, ch W-7, [Repealed, spent or not in force]. Retrieved May 8, 2023, from https://www.canlii.org/en/nb/laws/astat/snb-1969-c-21/latest/snb-1969-c-21.html#noteup
- New Hampshire Code Invasive Species Act ch 88 HB 1258-FN. Retrieved May 8, 2023, from https://www.chesapeakenetwork.org/wp-content/uploads/2013/11/NH-statute-re-ISC-HB-1258-FN.pdf
- New Hampshire Code ch Agr 3802.1. Invasive Species rule. Retrieved May 8, 2023, from https://www.gencourt.state.nh.us/rules/state_agencies/agr3800.html
- New Hampshire Code Admin. R. Env-Wq 1302.06 Exotic aquatic weeds. Retrieved May 8, 2023, from https://www.des.nh.gov/sites/g/files/ehbemt341/files/documents/2020-01/Env-Wq%201300.pdf
- New Hampshire Code Title L Water Management and Protection ch 487 Control of Marine Pollution and Aquatic growth. Retrieved May 8, 2023, from https://law.justia.com/codes/new-hampshire/2016/title-l/chapter-487/
- New Hampshire Dept. of Agri. Markets & Food Plant. (2014). Invasive Plants. Retrieved May 8, 2023, from https://www.agriculture.nh.gov/divisions/plant-industry/invasive-plants.htm

- New Hampshire Dept. of Agri. Markets & Food. (2017). Fact Sheet: New Hampshire Prohibited Invasive Plant Species Rules, Agric 3800. Retrieved May 8, 2023, from https://www.agriculture.nh.gov/publications-forms/documents/prohibited-invasive-species.pdf
- New Hampshire Dept. of Agri., Markets & Food (2017). Prohibited Invasive Plant Species Rules, Agric 3800.

 Retrieved May 8, 2023, from https://www.agriculture.nh.gov/publications-forms/documents/prohibited-invasive-species.pdf
- New Hampshire Dept. of Environmental Services. (2019). Law Prohibits Exotic Aquatic Plants. Retrieved May 8, 2023, from https://www.des.nh.gov/sites/g/files/ehbemt341/files/documents/2020-01/bb-40.pdf
- New York Invasive Species Council. (2010). A Regulatory System for Non-Native Species. Retrieved May 8, 2023, from https://www.dec.ny.gov/docs/lands forests pdf/invasive062910.pdf
- New York Invasive Species Program. (2014). New York State Prohibited and Regulation Invasive Plants. Cornell University. Retrieved May 8, 2023, from https://www.dec.ny.gov/docs/lands forests pdf/isprohibitedplants2.pdf
- New York Code Aquatic Invasive Species (AIS) Spread Prevention regulation 6 CRR-NY V C 576. Retrieved May 8, 2023, from https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodes
 https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodes
 https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodes
 https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodes
- New York Code Prohibited and Regulated Invasive Species 6 CRR-NY V C 575. Retrieved May 8, 2023, from https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYork/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations?guid=le8d https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations https://govt.westlaw.com/nycrr/Browse/Home/NewYorkCodesRulesandRegulations https://govt.westlaw.co
- New York Dept. of Environmental Conservation. (2016). Invasive Species Regulations. Retrieved May 8, 2023, from https://www.dec.ny.gov/animals/99141.html
- New York Dept. of Environmental Conservation (2014) New York State Prohibited and Regulated Invasive.

 Retrieved May 8, 2023, from https://www.dec.ny.gov/docs/lands forests pdf/isprohibitedplants2.pdf
- New York Dept. of Environmental Conservation. (2014). 6 NYCRR Part 575 Prohibited and Regulated Invasive Species. Retrieved May 8, 2023, from https://www.dec.ny.gov/docs/lands-forests-pdf/islist.pdf
- Newfoundland Labrador Dept. of Environment and Conservation. (n.d.). Exotic Species Regulations: Travel, Possession and Import. [flyer]. Retrieved May 8, 2023, from https://www.gov.nl.ca/ffa/files/wildlife-biodiversity-invasive-alien-species-travel-possession-import-brochure.pdf
- Newfoundland and Labrador Fisheries, Forestry and Agriculture. (2008). Exotic and Invasive Alien Species Workshop National Initiatives Presentations. On NL-FFA webportal. Retrieved May 8, 2023, from https://www.gov.nl.ca/ffa/publications/wildlife/#exoticworkshop Downloadable presentations:
 - CFIA Canadian Invasive Plant Framework (1.4 MB)
 - Canadian Wildlife Service Canada's Invasive Alien Species Strategy (1.5 MB)
 - NL Canadian Wildlife Service Invasive Alien Species Partnership Program (1.5 MB)
 - NL Wildlife Division, Department of Environment and Climate Change <u>Legislation Review: Invasive</u> <u>Alien Species</u>1.3 MB).
- Newfoundland and Labrador Plant Protection Act RSNL1990 CHAPTER P-16. Retrieved May 8, 2023, from https://www.assembly.nl.ca/legislation/sr/statutes/p16.htm#3
- New Zealand Ministry for Primary Industries. (n.d.) Importing plants, flowers, seeds, and plant-growing products Importing plants, flowers, seeds, and plant-growing product. Retrieved May 8, 2023, from https://www.mpi.govt.nz/import/plants-flowers-seeds-plant-growing-products/
- New Zealand Ministry for Primary Industries. (2020). Fees and charges when importing nursery stock. Retrieved May 8, 2023, from https://www.mpi.govt.nz/import/plants-flowers-seeds-plant-growing-products/nursery-stock/fees-and-charges-when-importing-nursery-stock/

- Ng, K. (2021). Planet-friendly gardening: How small changes can make a huge difference. Independent. Dec. 17, 2021. Retrieved May 8, 2023, from https://www.independent.co.uk/climate-change/sustainable-living/gardening-trends-2022-planet-friendly-b1978261.html
- Ni, Ming. 2022. Herbarium records reveal multiple phases in the relationship between minimum residence time and invasion ranges of alien plant species. Plants People Planet. Retrieved May 8, 2023, from https://www.researchgate.net/publication/363413844 Herbarium records reveal multiple phases in the relationship between minimum residence time and invasion ranges of alien plant species
- Ni, M., Deane, D., Li, S., Wu, Y., Sui, X., Xu, H., Chu, C., He, F., & Fang, S. (2021). Invasion success and impacts depend on different characteristics in non-native plants. Diversity and Distributions. 27. 1-14. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/ddi.13267
- Niemiera A., & Holle B. (2009) Invasive Plant Species and the Ornamental Horticulture Industry. In: Inderjit (eds)
 Management of Invasive Weeds. Invading Nature Springer Series In Invasion Ecology, vol 5. Springer,
 Dordrecht. Retrieved May 2023,
 https://www.researchgate.net/publication/226980189 Invasive Plant Species and the Ornamental Horticulture_Industry
- Niemiera, A.X., & Phillips, G. (2006). The invasive plant debate: a horticulture perspective. Horticultural Reviews 32, 379–445. Retrieved May 8, 2023, from https://sciences.ucf.edu/biology/vonholle/wp-content/uploads/sites/4/2013/03/Niemiera VonHolle 2010-1.pdf
- Nixon, L., Leach, H., Barnes, C., Urban, J., Kirkpatrick, D., Ludwick, D., Short, B., Pfeiffer, D., & Leskey, T. (2020). Development of Behaviorally Based Monitoring and Biosurveillance Tools for the Invasive Spotted Lanternfly (Hemiptera: *Fulgoridae*). Environmental entomology. 49. Retrieved May 8, 2023, from https://academic.oup.com/ee/article/49/5/1117/5895233
- North Dakoda code ND CC § 4.1-47-02 Noxious Weed Control. Retrieved May 8, 2023, from https://casetext.com/statute/north-dakota-century-code/title-41-agriculture/chapter-41-47-noxious-weed-control
- North Dakoda (2022). Noxious Weeds. Retrieved May 8, 2023, from https://www.ndda.nd.gov/divisions/plant-industries/noxious-weeds
- Northwest Territories. Protected Areas Act, SNWT 2019, c 11. Retrieved May 8, 2023, from https://www.canlii.org/en/nt/laws/stat/snwt-2019-c-11/latest/snwt-2019-c-11.html
- Nova Scotia Agricultural Weed Control Act R.S.N.S. 1989, c. 501. Retrieved May 8, 2023, from https://www.canlii.org/en/ns/laws/stat/rsns-1989-c-501/latest/rsns-1989-c-501.html
- Nova Scotia Weed Control Regulations, NS Reg 57/68. Retrieved May 8, 2023, from https://novascotia.ca/just/regulations/regs/WControl.htm
- Nunavut Wildlife Act, SNu 2003, c 26. Retrieved May 8, 2023, from https://www.canlii.org/en/nu/laws/stat/snu-2003-c-26.html
- O'Loughlin L. S., & Green P. T. (2017). Secondary invasion: When invasion success is contingent on other invaders altering the properties of recipient ecosystems. Ecology and Evolution. 7(19):7628-7637. Retrieved May 8, 2023, from https://www.researchgate.net/publication/319163379 Secondary invasion When invasion success is contingent on other invaders altering the properties of recipient ecosystems
- Oh, D., Kowalkski, K., Quach, Q., Wijesinghege, C., Tanford, P., Dassanayake, M., & Clay, K. (2022). Novel genome characteristics contribute to the invasiveness of Phragmites australis (common reed). Molecular Ecology 31(4), 1142-1159. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/mec.16293
- Ohio code Rule 901:5-30-01 | Invasive Plant Species. Retrieved May 8, 2023, from https://codes.ohio.gov/ohio-administrative-code/rule-901:5-30-01
- Ohio code Rule 901:5-37-01 | Prohibited noxious weeds. Retrieved May 8, 2023, from https://codes.ohio.gov/ohio-administrative-code/rule-901:5-37-01

- Office of the Auditor General of Ontario. (2019). 2019 Spring Reports of the Commissioner of the Environment and Sustainable Development to the Parliament of Canada Report 1—Aquatic Invasive Species. Retrieved May 8, 2023, from https://www.oag-bvg.gc.ca/internet/English/parl_cesd_201904_01_e_43307.html
- Office of the Auditor General of Ontario. (2022). Value-for-Money Audit: Management of Invasive Species.

 Toronto, Ontario. Retrieved May 8, 2023, from

 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 https://www.auditor.on.ca/en/content/annualreports/arreports/en22/ENV_ProvMgmtInvasiveSpecies_e
 <a href="https://www.auditor.on.ca/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/arreports/en/content/annualreports/en/content/annualreports/arreports/en/content/annualreports/arreports/arreports/en/content/annual
- Olden, J., Chen, K., García-Berthou, E., King, A., South, J., & Vitule, J. (2021). Invasive Species in Streams and Rivers.

 Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/355787312 Invasive Species in Streams and Rivers
- Ontario Invasive Species Act, 2015, SO 2015, c. Retrieved May 8, 2023, from https://www.canlii.org/en/on/laws/stat/so-2015-c-22/latest/so-2015-c-22.html
- Ontario General, O Reg 354/16.[Invasive Species to Which the Invasive Species Act Applies] Retrieved May 8, 2023, from https://www.canlii.org/en/on/laws/regu/o-reg-354-16/latest/o-reg-354-16.html
- Ontario General, RRO 1990, Reg 1096 [designated as noxious weeds]. Retrieved May 8, 2023, from https://www.canlii.org/en/on/laws/regu/rro-1990-reg-1096/latest/rro-1990-reg-1096.html
- Ontario Ministry of Natural Resources and Forestry. (2022). Remove invasive aquatic plants. Retrieved May 8, 2023, from https://www.ontario.ca/page/remove-invasive-aquatic-plants
- Ontario Weed Control Act, RSO 1990, c W.5. Retrieved May 8, 2023, from https://www.canlii.org/en/on/laws/stat/rso-1990-c-w5/latest/rso-1990-c-w5.html
- Oorschot, M. van, Braat, ten Brink, B., Walpole, M., Kettunen, M., Peralta, Bezerra, N. & Jeuken M. (2008) "Chapter 4: Changes in Biodiversity," in L. Braat and P. ten Brink (eds.) The cost of policy inaction: the case of not meeting the 2010 biodiversity target. Study for the European Commission, DG Environment under contract: ENV.G.1/ETU/2007/0044 (Official Journal reference: 2007 / S 95 116033). Retrieved May 8, 2023, from https://www.cbd.int/financial/doc/copi-2008.pdf
- Orentas, G., & Saddler, L. (2022) Here are the top landscaping trends of 2022. Forbes. Sept 26, 2022. Retrieved May 8, 2023, from https://www.forbes.com/home-improvement/outdoor/top-landscaping-trends-2022/
- Organization for Economic Co-operation and Development (OECD). (n.d.). Canada's Existing Substances Assessment Repository. Retrieved May 8, 2023, from https://www.echemportal.org/echemportal/content/participants/3
- Ormsby, M., & Brenton-Rule, E. (2017). A review of global instruments to combat invasive alien species in forestry. Biological Invasions. 19. 10.1007/s10530-017-1426-0. Retrieved May 8, 2023, from https://www.researchgate.net/publication/315805291 A review of global instruments to combat invasive alien species in forestry
- Oswalt, S., Oswalt, C., Crall, A., Rabaglia, R., Schwartz, M., & Kerns, B. (2021). Inventory and Monitoring of Invasive Species. 10.1007/978-3-030-45367-1_10. Retrieved May 8, 2023, from https://www.fs.usda.gov/research/publications/book/invasiveSpecies/invasiveSpeciesChap10.pdf
- Page NA, Wall RE, Darbyshire SJ, Mulligan GA, 2006. The biology of invasive alien plants in Canada. 4. *Heracleum mantegazzianum* Sommier & Levier. Canadian Journal of Plant Science, 86(2):569-589. Retrieved May 8, 2023, from https://cdnsciencepub.com/doi/10.4141/P05-158
- Parkinson, H. & Mangold, J. (2017). Biology, Ecology and Management of the Knotweed Complex (*Fallopia* and *Persicaria* spp.). Montana State Extension. Retrieved May 8, 2023, from https://www.montana.edu/extension/invasiveplants/documents/publications/extension-publications/Knotweed%20complex EB0196.pdf
- Patoka, J., Magalhães, A., Kouba, A., Faulkes, Z., Jerikho, R., & Vitule, J. (2018). Invasive aquatic pets: failed policies increase risks of harmful invasions. Biodiversity and Conservation. 27. 3037-3046. 10.1007/s10531-018-

- 1581-3. Retrieved May 8, 2023, from https://www.researchgate.net/ publication/325827283 Invasive aquatic pets failed policies increase risks of harmful invasions
- Pennsylvania Code Controlled Plant and Noxious Weed Act 3 PA CS Sections 1501 et seq- Retrieved May 8, 2023, from https://www.legis.state.pa.us/cfdocs/legis/li/uconsCheck.cfm?act=46&sessInd=0&yr=2017
- Pennsylvania Code Ch 317 Invasive plants and noxious weeds. Retrieved May 8, 2023, from https://codelibrary.amlegal.com/codes/readingpa/latest/reading_pa/0-0-0-33144
- Pennsylvania Department of Agric. (2022). Controlled Plant & Noxious Weeds. Retrieved May 8, 2023, from https://www.agriculture.pa.gov/Plants Land Water/PlantIndustry/NIPPP/Pages/Controlled-Plant-Noxious-Weed.aspx
- Pergl, J., Pyšek, P., Backer, S. Franz, F., Genovesi, P., Harrower, C., Hulme, P., Jonathan, J., Marc, K., Kühn, I., Perglová, I., & Rabitsch, W., Roques, A., Roy, D.B., et al. (2017) Troubling travellers: Are ecologically harmful alien species associated with particular introduction pathways? NeoBiota. 32. 1-20. Retrieved May 8, 2023, from https://neobiota.pensoft.net/articles.php?id=10199
- Pest Risk Analysis and Invasive Species Panels (PRA-IAS) of the North American Plant Protection Organization (NAPPO).(2011a). Discussion Documents: DD 02: Climate Change and Pest Risk Analysis. North American Plant Protection Organization. Retrieved May 8, 2023, from https://nappo.org/application/files/5415/8341/5783/DD 02 Climate Change Discussion DocumentRev-07-08-12-e.pdf
- Pest Risk Analysis and Invasive Species Panels (PRA-IAS) of the North American Plant Protection Organization (NAPPO).(2011b). Discussion Documents: DD 03: The Role of the North American Plant Protection Organization in Addressing Invasive Alien Species. North American Plant Protection Organization.

 Retrieved May 8, 2023, from https://nappo.org/application/files/8015/8341/5785/DD 03 NAPPO IAS

 Discussion Doc 03 12-07-2012-e.pdf
- Peters, W.L., Meyer, M.H. & Anderson, N.O. (2006). Minnesota horticultural industry survey on invasive plants. Euphytica 148, 75–8. Retrieved May 8, 2023, from https://www.researchgate.net/publication/325827283 Invasive aguatic pets failed policies increase risks of harmful invasions
- Pfingsten, I.A., Cao, L., Berent. L., Wishah, L.O. & Morningstar, C.R. (2022). *Trapa natans* L.: U.S. Geological Survey, Nonindigenous Aquatic Species Database, Gainesville, FL, and NOAA Great Lakes Aquatic Nonindigenous Species Information System, Ann Arbor, MI. Retrieved May 8, 2023, from https://nas.er.usgs.gov/queries/greatlakes/FactSheet.aspx?Species_ID=263
- Pham, N. (2019). Let's Talk About Seeds: Recommendations for More Meaningful Public Participation in Canadian Seed Policy. MES Major Paper, Faculty of Environmental Studies, York University. Retrieved May 8, 2023, from https://foodpolicyforcanada.info.yorku.ca/seeds-and-plants/
- Pimentel D, Lach L., Zuniga R, & Morrison D. (2000) Environmental and economic costs of nonindigenous species in the United States. Bioscience 50(1):53–65. Retrieved May 8, 2023, from https://www.researchgate.net/publication/259640053 Environmental and Economic Costs of Nonindigenous Species in the United States
- Pimentel D., Zuniga R., & Morrison D. (2005) Update on the environmental and economic costs associated with alien-invasive species in the United States. Ecol Econ 52:273–288. Summary. Retrieved May 8, 2023, from https://www.sciencedirect.com/science/article/abs/pii/S0921800904003027
- Pion, I. (2022). Des plantes envahissmantes toujours en vente libre. La Tribune. 21 octobre. Retrieved May 8, 2023, from https://www.latribune.ca/2022/10/21/des-plantes-envahissantes-toujours-en-vente-libre-656e9ae6e01c9532079a777e76546cb0
- Plant Protection Act (R.S.C. 1990, c. 22). Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/sc-1990-c-22/latest/sc-1990-c-22.html
- Powles, E. (2006). Studies on the population dynamics of the invasive aquatic macrophyte Trapa natans, European water chestnut, as applied to controlling range expansion and rate of spread in the Great Lakes. Electronic Theses and Dissertations 3643. Retrieved May 8, 2023, from https://scholar.uwindsor.ca/etd/3643

- Prince, C. (2022). How Long Until a New Species Becomes Invasive? Let's Talk About the Lag Phase. UF/IFAS Agronomy department. Retrieved May 8, 2023, from https://blogs.ifas.ufl.edu/caip/2022/05/10/how-long-until-a-new-species-becomes-invasive-lets-talk-about-the-lag-phase/
- Prince Edward Island Weed Control Act, RSPEI 1988, c W-2.1. Retrieved May 8, 2023, from https://www.canlii.org/en/pe/laws/stat/rspei-1988-c-w-2.1/latest/rspei-1988-c-w-2.1.html
- Prince Edward Island Plant Health Act, RSPEI 1988, c P-9.1. Retrieved May 8, 2023, from https://www.canlii.org/en/pe/laws/stat/rspei-1988-c-p-9.1/149577/rspei-1988-c-p-9.1.html
- Prince Edward Island Purple Loosestrife Control Regulations, PEI Reg EC629/91. Retrieved May 8, 2023, from https://www.canlii.org/en/pe/laws/regu/pei-reg-ec629-91/latest/pei-reg-ec629-91.html
- Probert, A.F., Volery L., Kumschick, S., Vimercati, G., & Bacher, S. (2020). Understanding uncertainty in the Impact Classification for Alien Taxa (ICAT) assessments. In: Wilson, J.R., Bacher, S., Daehler, C.C., Groom, Q.J., Kumschick, S., Lockwood, J.L., Robinson, T.B., Zengeya, T.A., & Richardson, D.M. NeoBiota 62: 387-405. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.62.52010
- Prostak, R., (2016). What are other states doing? Massachusetts Invasive Plant Advisory Group. Presentation CIPWG: Invasive Plant Symposium October 11, 2016. Retrieved May 8, 2023, from https://cipwg.uconn.edu/wp-content/uploads/sites/244/2016/10/PPT-PDF-Randy-Prostak-Session-1.pdf
- Pyšek, P., Křivánek M. & Jarošík V. (2009). Planting intensity, residence time, and species traits determine invasion success of alien woody species. Ecology, 90, 2734–2744. Retrieved May 8, 2023, from http://www.ibot.cas.cz/personal/pysek/pdf/Pysek,%20Krivanek,%20Jarosik-lnvasion%20success%20of%20woody%20plants Ecology2009.pdf
- Pyšek, P., Hulme, P.E., Simberloff, D., Bacher, S., Blackburn, T.M., Carlton, J.T., Dawson, W., Essl, F., Foxcroft, L.C., Genovesi, P., Jeschke, J.M., Kühn, I., Liebhold, A.M., Mandrak, N.E., Meyerson, L.A., Pauchard, A., Pergl, J., Roy, H.E., Seebens, H., van Kleunen, M., Vilà, M., Wingfield, M.J. and Richardson, D.M. (2020), Scientists' warning on invasive alien species. Biol Rev, 95: 1511-1534. Retrieved May 8, 2023, from https://doi.org/10.1111/brv.12627
- Pyšek, P., Manceur, A.M., Alba, C., McGregor, K.F., Pergl, J., Štajerová, K., Chytrý, M., Danihelka, J., Kartesz, J.T., Klimešová, J., Lučanová, M., Moravcová, L., Nishino, M., Sádlo, J., Suda, J., Tichý, L., & Kühn, I. (2015). Naturalization of central European plants in North America: species traits, habitats, propagule pressure, residence time. Ecology, 96 3, 762-74. Retrieved May 8, 2023, from https://esajournals.onlinelibrary.wiley.com/doi/10.1890/14-1005.1
- Pyšek, P., Sádlo, J., Mandák, B. & Jarosík, V. (2003). Czech alien flora and the historical pattern of its formation: what came first to Central Europe? Oecologia 135, 122-30. Retrieved May 8, 2023, from https://www.researchgate.net/publication/10847474 Czech alien flora and the historical pattern of its_formation_What_came_first_to_Central_Europe
- Québec Agricultural Abuses Act, CQLR c A-2 [repealed 2018-06-13]. Retrieved May 8, 2023, from https://www.canlii.org/en/qc/laws/stat/cqlr-c-a-2/latest/cqlr-c-a-2.html
- Québec Environment Quality Act, CQLR c Q-2. Retrieved May 8, 2023, from https://www.canlii.org/en/qc/laws/stat/cqlr-c-q-2/latest/cqlr-c-q-2.html
- Québec Ministère de l'Environnement et de la Lutte contre les changements climatiques. (2021). Liste des espèces floristiques exotiques envahissantes prioritaires. Retrieved May 8, 2023, from https://www.environnement.gouv.qc.ca/biodiversite/especes-exotiques-envahissantes/liste-EFEE-prioritaires.pdf
- Québec Plant Protection Regulation, CQLR c P-42.1, r 2. Retrieved May 8, 2023, from https://www.canlii.org/en/qc/laws/regu/cqlr-c-p-42.1-r-2/latest/cqlr-c-p-42
- Quinn, L. D., Barney, J. B., McCubbins, J. S., & Endres, A. B. (2013). Navigating the "Noxious" and "Invasive" Regulatory Landscape: Suggestions for Improved Regulation. BioScience. 63(2): 124–131. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/63/2/124/533654

- Randall MJ, Morse LE, Benton N, Hiebert R, Lu S, Killeffer T (2008) The invasive species assessment protocol: a tool for creating regional and national lists of invasive nonnative plants that negatively impact biodiversity.

 Invasive Plant Science and Management 1: 36–49. Retrieved May 8, 2023, from https://www.researchgate.net/publication/232693482 The Invasive Species Assessment Protocol A Tool for Creating Regional and National Lists of Invasive Nonnative Plants That Negatively Impact Biodiversity
- Ratnayake, R M C S. (2014). Why plant species become invasive? Characters related to successful biological invasion. Conference: National Symposium on Invasive alien Species (IAS 2014). At: Colombo. Sri LankaVolume: 1. Retrieved May 8, 2023, from https://www.researchgate.net/publication/273453131
 <a href="https://www.researchgate.net/publication/273453131
- Ray, J., Grimm, J., & Olive, A. (2021). The biodiversity crisis in Canada: Failures and challenges of federal and subnational strategic and legal frameworks. FACETS. 6. 1044-1068. Retrieved May 8, 2023, from https://www.facetsjournal.com/doi/10.1139/facets-2020-0075
- Reaser J. (2001). Invasive alien species prevention and control: the art and science of managing people. In:

 McNeely J. A. (ed). The great reshuffling. Human dimensions of invasive alien species. IUCN, The World
 Conservation Union, Gland, pp 89-104. Retrieved May 8, 2023, from

 https://portals.iucn.org/library/sites/library/files/documents/2001-002.pdf
- Reaser, J., Meyerson, L., Van Holle, B. et al. (2008). Saving camels from straws: how propagule pressure-based prevention policies can reduce the risk of unintentional introductions. Biol Invasions 10:1085–1098.

 Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/226764949 Saving camels from straws How propagule pressure-based prevention policies can reduce the risk of biological invasion
- Reaser, J., Witt, A., Tabor, G., Hudson, P., & Plowright, R. (2021). Ecological Countermeasures for Preventing Zoonotic Disease Outbreaks: When Ecological Restoration is a Human Health Imperative. Restoration Ecology. 29. 10.1111/rec.13357. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/rec.13357#
- Reichard, S. H. (1994). Assessing the potential of invasiveness in woody plants introduced in North America.

 University of Washington Ph.D. dissertation. Retrieved May 8, 2023, from

 https://www.proquest.com/openview/0794fefeaf639fdc8b0931b2780cccf1/1?pq-origsite=gscholar&cbl=18750&diss=y
- Reichard S. H. (2004) Conflicting values and common goals: codes of conduct to reduce the threat of invasive species. Weed Technology 18:1503-1507. Retrieved May 8, 2023, from https://www.researchgate.net/publication/232673298 Conflicting Values and Common Goals Codes of Conduct to Reduce the Threat of Invasive Species1
- Reichard S. H., & White P. (2001). Horticulture as a pathway of invasive plant introductions in the United States. BioScience 51:103–113. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/51/2/103/390610
- Reichard, S., Schmitz, C., Simberloff, D., Morrison, D., Lehtonen, P., Windle, P., Chavarría, G., & Mezitt, R. (2005).

 The Tragedy of the Commons Revisited: Invasive Species. Frontiers in Ecology and the Environment. 3..

 Retrieved May 8, 2023, from https://www.researchgate.net/publication/261794700

 The Tragedy of the Commons Revisited Invasive Species
- Reichard, S., & White, P. (2009). Horticulture as a Pathway of Invasive Plant Introductions in the United States. BioScience. 51. 103-113. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/51/2/103/390610
- Reid, C.H., Hudgins, E.J. Guay, J.D., Patterson, S. Medd, A.M. Coke, S.J. & Bennett, J.R. (2021). The state of Canada's biosecurity efforts to protect biodiversity from species invasions. FACETS 6: 1922–1954. Retrieved May 8, 2023, from www.fecpl.ca/wp-content/uploads/2021/10/facets-2021-0012.pdf
- Rejmánek, M., Richardson, D., Higgins, S.I., Pitcairn, M., & Grotkopp, E. (2005). Ecology of invasive plants: State of the art. Invasive Alien Species: A New Synthesisy. 104-162. https://www.researchgate.net/publication/313724722 Ecology of invasive plants State of the art

- Rhone, G., Clarke, D. & Webb, K. (2004). Two voluntary approaches to sustainable forestry practices. In K. Webb (Ed.), Voluntary codes: Private governance, the public interest, and innovation (pp. 249-272). Carleton Research Unit for Innovation, Science and Environment, Carleton University. Retrieved May 8, 2023, from https://www.researchgate.net/publication/242441380 Two Voluntary Approaches to Sustainable For estry Practices
- Regional Invasive Species & Climate Change Management Networks (RISCC). Retrieved May 8, 2023, from https://www.risccnetwork.org
- Regional Invasive Species & Climate Change Management Networks (RISCC). (2022). Do Not Sell coffee talk recording Oct 19, 2022. Retrieved May 8, 2023, from https://www.risccnetwork.org/northeast
- Ricciardi, A., Jones, L., Kestrup, A., Ward, J. (2011). Expanding the Propagule Pressure Concept to Understand the Impact of Biological Invasions. 10.1002/9781444329988.ch17. Retrieved May 8, 2023, from https://redpath-staff.mcgill.ca/ricciardi/Ricciardi_Elton_C17.pdf
- Riley, S. (2008). Invasive alien species and the protection of biodiversity: The role of quarantine laws in resolving inadequacies in the international legal regime. Thesis. Univ. Sydney. Retrieved May 8, 2023, from https://unsworks.unsw.edu.au/entities/publication/46e1c61c-2a11-4e30-819e-dc2c27e0a962
- Rixon, C.A.M., Duggan, I.C., Bergeron, N.M.N., Ricciardi, A., and MacIsaac, H.J. 2005. Invasion risks posed by the aquarium trade and live fish markets on the Laurentian Great Lakes. Biodiversity and Conserv. 14:1365-1381. Retrieved May 8, 2023, from https://www.researchgate.net/publication/225975925 Invasion risks posed by the aquarium trade and live fish markets on the Laurentian Great Lakes
- Rockwell-Postel, M., Bradley, B., & Laginhas, B. B. (2020). Supporting proactive management in the context of climate change: Prioritizaing range-shifting invasive plants based on impact. Biological Invasions, 22. Retrieved May 8, 2023, from https://scholarworks.umass.edu/nrc faculty pubs/421/
- Rouget, M., & Richardson, D. (2004). Inferring Process from Pattern in Plant Invasions: A Semimechanistic Model Incorporating Propagule Pressure and Environmental Factors. The American naturalist. 162. 713-24.

 10.1086/379204. Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/8907255 Inferring Process from Pattern in Plant Invasions

 A Semimechanistic Model Incorporating Propagule Pressure and Environmental Factors
- Roussy, Anne-Marie. (2014). The Sexual and Vegetative Propagation of Sugar Maple and its Threat from Norway Maple. Thesis. Guelph Univ. Retrieved May 8, 2023, from https://www.uoguelph.ca/canpolin/Publications/Roussy%20thesis.pdf
- Roy, H., Rabitsch, W., Scalera, R., Stewart, A., Gallardo, B., Genovesi, P., Essl, F., Adriaens, T., Bacher, S., Booy, O., Branquart, E., Brunel, S., Copp, G., Dean, H., D'hondt, B., Josefsson, M., Kenis, M., Kettunen, M., Linnamagi, M., Zenetos, A. (2017). Developing a framework of minimum standards for the risk assessment of alien species. Journal of Applied Ecology. 55. Retrieved May 8, 2023, from https://besjournals.onlinelibrary.wiley.com/doi/10.1111/1365-2664.13025
- Roy, H., Vilà, M., Winter, M., & Nentwig, W. (2017). Troubling travellers: Are ecologically harmful alien species associated with particular introduction pathways? NeoBiota. 32. 1-20. 10.3897/neobiota.32.10199.

 NeoBiota 32: 1–20. Retrieved May 8, 2023, from

 https://www.researchgate.net/publication/312056317 Troubling travellers Are ecologically harmful alien species associated with particular introduction pathways
- Russo, E. (2015). Lyme Disease in the Northeast: Altered Ecosystems and Public Health Impacts. Student Theses 13. Fordham University. Retrieved May 8, 2023, from https://fordham.bepress.com/environ_2015/13
- Samson, P., Baker, M., Varlet, A., Jean, T., & Ouellet, J-F. (2021). Delimitation of Eurasian watermilfoil beds at Lake Bernard, MRC des Collines-de-l'Outaouais. Presented to the Owners' and Residents' Association of Lake Bernard. Retrieved May 8, 2023, from http://lacbernard.ca/environment/2021.11.00 abv7 milfoil.pdf
- Saskatchewan The Weed Control Act, SS 2010, c W-11.1. Retrieved May 8, 2023, from https://www.canlii.org/en/sk/laws/stat/ss-2010-c-w-11.1/latest/ss-2010-c-w-11.1.html

- SK (Saskatchewan). (2010). Designation of prohibited noxious and nuisance weeds. Retrieved May 8, 2023, from https://www.npss.sk.ca/docs/2 pdf/The Weed Control Act Plant List.pdf
- SCBD (Secretariat of the Convention on Biological Diversity). (2006a). Global Biodiversity Outlook 2. Montreal, 81 + vii pages. Retrieved May 8, 2023, from https://www.cbd.int/doc/gbo/gbo2/cbd-gbo2-en.pdf
- SCBD (Secretariat of the Convention on Biological Diversity). (2006b). Subject: National level collaboration between agencies responsible for biodiversity and plant protection. United Nations Environment Programme (UNEP). Retrieved May 8, 2023, from https://www.cbd.int/doc/notifications/2006/ntf-2006-129-plant-en.pdf
- SCBD (Secretariat of the Convention on Biological Diversity, & United Nations Environment Programme) (2011).

 Strategic Plan for Biodiversity 2011–2020 and the Aichi Targets: Living in Harmony with Nature. Retrieved May 8, 2023, from https://www.cbd.int/doc/strategic-plan/2011-2020/Aichi-Targets-EN.pdf
- SCBD (Secretariat of the Convention on Biological Diversity, & United Nations Environment Programme) (2022). A New Global Framework for Managing Nature Through 2030. Retrieved May 8, 2023, from https://www.cbd.int/article/draft-1-global-biodiversity-framework
- Seeds Act (R.S.C. 1985, c. S-8) Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/rsc-1985-c-s-8.html
- Shackleton, R.T., Richardson, D.M., Shackleton, C.M., Bennett, B.M., Crowley, S.L., Dehnen-Schmutz, K., Estévez, R.A., Fischer, A., Kueffer, C., Kull, C.A., Marchante, E., Nóvoa, A., Potgieter, L.J., Vaas, J., Vaz, A.S., & Larson, B.M. (2019). Explaining people's perceptions of invasive alien species: A conceptual framework. Journal of environmental management, 229, 10-26. Retrieved May 8, 2023, from https://www.semanticscholar.org/paper/Explaining-people%27s-perceptions-of-invasive-alien-A-Shackleton-Richardson/5d0c4db8f32d5ae857f7a4841d22550831133a65
- Shackleton, C., Ruwanza, S., Sinasson, G., Bennett, S., Lacy, P., Modipa, R., Mtati, N., Dalu, M. & Thondhlana, G. (2016). Unpacking pandora's box: understanding and categorising ecosystem disservices for environmental management and human wellbeing. Ecosystems. 19. 587-600. Retrieved May 8, 2023, from https://www.researchgate.net/publication/289378539 Unpacking Pandora%27s Box Understanding and Categorising Ecosystem Disservices for Environmental Management and Human Wellbeing
- Shine, C., Williams, N., & Gündling, L. (2000). A guide to designing legal and institutional frameworks on alien invasive species. IUCN The World Conservation Union. Retrieved May 8, 2023, from https://www.nobanis.org/globalassets/articlesreports/a-guide-to-designing-legal-framework-on-ias.pdf
- Shine, C. (2003) Overview of the management of invasive alien species from the environmental perspective. In IPPC Secretariat (2005) Identification of risks and management of invasive alien species using the IPPC framework. Proceedings of the workshop on invasive alien species and the International Plant Protection Convention, Braunschweig, Germany, 22–26 September 2003. Rome, Italy, FAO. 301 pp. Retrieved May 8, 2023, from https://www.ippc.int/sites/default/files/documents/1065703408882 FRANCE IUCN Clare Shine 1.pdf
- Shine, C. (2007). Invasive species in an international context: IPPC, CBD, European Strategy on Invasive Alien Species and other legal instruments. Bulletin OEPP/EPPO Bulletin, 37(1), 103-113. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1365-2338.2007.01087.x
- Schnelle, M. A., & Gettys, L. A. (2021). Nuisance to Invasive Ornamentals: Proceedings from the ASHS Invasive Plants Research Group 2020 Workshop, HortTechnology hortte, 31(4), 339-342. Retrieved May 8, 2023, from https://journals.ashs.org/horttech/view/journals/horttech/31/4/article-p339.xml
- Simkovic, Vicki. (2020). European Frog-Bit (*Hydrocharis morsus-ranae*): Best Management Practices in Ontario. Ontario Invasive Plant Council, Peterborough, ON. Retrieved May 8, 2023, from https://www.ontarioinvasiveplants.ca/wp-content/uploads/2021/01/EuropeanFrog-Bit Edn1.0 March2020.pdf
- Simpson, R. D. (2009). Chapter 7: If Invasive Species are "Pollutants", Should Polluters Pay? In C. Perrings, H. Mooney, & M. Williamson (eds). Bioinvasions and Globalization: Ecology, Economics, Management, and

- Policy. Oxford Academic Retrieved May 8, 2023, from https://academic.oup.com/book/8412/chapter-abstract/154166245?redirectedFrom=fulltext
- Smith, A.L., Bazely, D.R. & Yan, N. (2014). Are legislative frameworks in Canada and Ontario up to the task of addressing invasive alien species? Biol Invasions 16, 1325–1344. Retrieved May 8, 2023, from https://www.researchgate.net/publication/258845234 Are legislative frameworks in Canada and Ont ario up to the task of addressing invasive alien species
- Smith, A., Hodkinson, T., Villellas, J., Catford, J., Csergő, A., et al., & Buckley, Y. (2020). Global gene flow releases invasive plants from environmental constraints on genetic diversity. Proceedings of the National Academy of Sciences, 117(8), 4218-4227. Retrieved May 8, 2023, from https://www.pnas.org/doi/10.1073/pnas.1915848117
- Sloan, M. (2010). The Ecological Effects of Norway Maple (*Acer platenoides*) on local plant diversity. Thesis York University. https://central.bac-lac.gc.ca/.item?id=MR62435&op=pdf&app=Library&is thesis=1&oclc number=759029148
- Sons, T. (2022). Gardening's hottest trend is here: The big shift to native plants and what it means for business. Forbes. Feb, 3, 2022. Retrieved May 8, 2023, from https://www.forbes.com/sites/forbesbusinesscouncil/2022/02/03/gardenings-hottest-trend-is-here-the-big-shift-to-native-plants-and-what-it-means-for-your-business/?sh=2d6c3e7e2ffe
- Sosa, A., Jiménez, N., Faltlhauser, A., Righetti, T., Kay, F., Bruzzone, O., Stiers, I., & Fernández Souto, A. (2021). The educational community and its knowledge and perceptions of native and invasive alien species. Scientific Reports. 11. Retrieved May 8, 2023, from https://www.nature.com/articles/s41598-021-00683-y#citeas
- Species at Risk Act, SC 2002, c 29. Retrieved May 8, 2023, from https://www.canlii.org/en/ca/laws/stat/sc-2002-c-29.html
- Spinney, E. (2022). Vermont's Invasive Exotic Plant Watch List Updated. Vermont Invasive Exotic Plant Committee (VIEPC). Retrieved May 8, 2023, from https://www.vtinvasives.org/news-events/news/vermont's-invasive-exotic-plant-watch-list-updated
- Starfinger, Uwe & Schrader, Gritta. (2021). Invasive alien plants in plant health revisited: another 10 years. Bulletin OEPP/EPPO Bulletin. 51. 1-7. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/epp.12787
- STDF (Standards and Trade Development Facility). (2013) International Trade and Invasive Alien Species. Retrieved May 8, 2023, from https://standardsfacility.org/sites/default/files/STDF_IAS_EN_0.pdf
- Stockholm+50. (2022). Stockholm+50: a healthy planet for the prosperity of all our responsibility, our opportunity. UNEP. Retrieved May 8, 2023, from https://www.stockholm50.global
- Stoett, P. J. (2009). Scaled Linkage in Policy Coordination: Catching Invasive Alien Species in a Global Governance.

 Presented to the 2009 Amsterdam Conference on the Human Dimensions of Global Environmental

 Change. Retrieved May 8, 2023, from https://citeseerx.ist.psu.edu/document?repid=rep1&type

 =pdf&doi=c1adb5d5282387fc999c902f2b33a291d40c480d
- Stoett, P. J. (2011). Bioinvasion and global environmental governance: the transnational policy network on invasive alien species. Retrieved May 8, 2023, from https://www.cbd.int/invasive/doc/legislation/Canada.pdf
- Stoett, P. J. (2012). Framing Bioinvasion: Biodiversity, Climate Change, Security, Trade, and Global Governance.

 Global Governance. 16. Retrieved May 8, 2023, from https://www.researchgate.net/publication/
 280813442 Framing Bioinvasion Biodiversity Climate Change Security Trade and Global Governance
- Stringham, O., & Lockwood, J. (2021). Managing propagule pressure to prevent invasive species establishments: propagule size, number, and risk-release curve. Ecological Applications. 31. Retrieved May 8, 2023, from https://www.researchgate.net/publication/349651523 Managing propagule pressure to prevent invas ive species establishments propagule size number and risk-release curve
- Strubbe, D., White, R., Edelaar, P., Rahbek, C., & Shwartz, A. (2019). Advancing impact assessments of non-native species: strategies for strengthening the evidence-base. NeoBiota 51: 41-64. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/35940/list/1/

- Subsidiary Body on Scientific, Technical and Technological Advice (SBSTTA). (2022). Alien species: guiding principles for the prevention, introduction and mitigation of impacts. Convention on Biological Diversity (CBD).

 Retrieved May 8, 2023, from https://www.cbd.int/kb/record/recommendation/7021?Event=SBSTTA-05
- Sullivan, J.J., Williams, P.A., Cameron, E.K. & Timmins, S.M. (2004). People and time explain the distribution of naturalized plants in New Zealand. Weed Technology, 18, 1330-3. Retrieved May 8, 2023, from https://www.jstor.org/stable/3989645
- Sun, Y., Pourmorad, B., Oveisi, M. & Müller-Schärer, H. (2021). Addressing Climate Change: What Can Plant
 Invasion Science and Weed Science Learn From Each Other? Frontiers in Agronomy. 2. Retrieved May 8,
 2023, from https://www.researchgate.net/publication/348098388 Addressing Climate Change

 What Can Plant Invasion Science and Weed Science Learn From Each Other
- Tanner, R.A., Branquart, E., Brundu, G., Buholzer, S., Chapman, D.S., Ehret, P., Fried, G., Starfinger, U., & Valkenburg, J.V. (2017). The prioritisation of a short list of alien plants for risk analysis within the framework of the Regulation (EU) No. 1143/2014. NeoBiota, 35, 87–118. Retrieved May 8, 2023, from https://pdfs.semanticscholar.org/03c6/c33f2704d03ec85fea9a142eb02f2dd3eb0e.pdf?ga=2.217343894.1606384193.1669853763-1274337417.1667485677
- Tassie, D. & Sherman, K. (2014). Invasive Honeysuckles (*Lonicera* spp.) Best Management Practices in Ontario. Ontario Invasive Plant Council, Peterborough, ON. Retrieved May 8, 2023, from https://www.ontarioinvasiveplants.ca/wp-content/uploads/2016/06/OIPC BMP Honeysuckle.pdf
- Tinker, C. (1995). Responsibility for biological diversity conservation under international law. Vand. J. Transnat'l L., 28, 777. Retrieved May 8, 2023, from https://scholarship.law.vanderbilt.edu/cgi/viewcontent.cgi?article=1898&context=vjtl
- Tollington, S., Turbé, A., Rabitsch, W., Groombridge, J., Scalera, R., Essl, F., Roy, H. & Shwartz, A. (2015). Making the EU Legislation on Invasive Species a Conservation Success. Conservation Letters. Retrieved May 8, 2023, from https://conbio.onlinelibrary.wiley.com/doi/full/10.1111/conl.12214
- Conservation Letters. 10. n/a-n/a. 10.1111/conl.12214. Turbelin, A., & Catford, J. (2021). Invasive plants and climate change. In Climate Change: Observed Impacts on Planet Earth. Retrieved May 8, 2023, from https://doi.org/10.1016/B978-0-12-821575-3.00025-6
- Turbelin, A.J., Diagne, C., & Hudgins, E.J. et al. (2022). Introduction pathways of economically costly invasive alien species. Biol Invasions, 24, 2061–2079. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10530-022-02796-5
- United States Transportation of water hyacinths 18 U.S.C. § 46 (2013) Retrieved May 8, 2023, from https://law.justia.com/codes/us/2013/title-18/part-i/chapter-3/section-46/
- United States Code. Designation of noxious weeds. 7 CFR § 360.200. Retrieved May 8, 2023, from https://www.law.cornell.edu/cfr/text/7/360.200
- United States Code Federal Seed Act Regulations 7 CFR § 201.28 Retrieved May 8, 2023, from https://www.govinfo.gov/app/details/CFR-2017-title7-vol3/CFR-2017-title7-vol3-sec201-28
- United States Code. Plant Protection 7 U.S. Code § 7701. Retrieved May 8, 2023, from https://www.govinfo.gov/app/details/USCODE-2020-title7/USCODE-2020-title7-chap104-sec7701/summary
- United States Invasive Plant Council. 2001. Meeting the Invasive Species Challenge: Management Plan. Retrieved May 8, 2023, from https://www.doi.gov/sites/doi.gov/files/migrated/invasivespecies/upload/2001-lnvasive-Species-National-Management-Plan.pdf
- United States Senate. (2019). H. R. 498 AN ACT To eliminate unused sections of the United States Code. 116TH CONGRESS 1ST SESSION. Retrieved May 8, 2023, from https://www.govinfo.gov/content/pkg/BILLS-116hr498rfs.pdf
- U.S. Fish and Wildlife Service and Utah State University. (2015). Invasive plant inventory and early detection prioritization tool: a user's guide, version 4.0, February 2018. USFWS, National Wildlife Refuge System,

- Pacific Southwest Region, Inventory and Monitoring Program, Sacramento, CA. 136pp. Retrieved May 8, 2023, from https://ecos.fws.gov/ServCat/DownloadFile/192142
- University of Illinois Extension Forestry (2015). Illinois Regulations Regarding Invasive Plant Species. Retrieved May 8, 2023, from https://extension.illinois.edu/sites/default/files/illinois_regulations_regarding_invasive_species_updated_2015.pdf
- Vagnon, C., Rohr, R., Bersier, L-F., Cattanéo, F., Guillard, J., et al. (2022). Combining food web theory and population dynamics to assess the impact of invasive species. Frontiers in Ecology and Evolution, 10: 1-12. Retrieved May 8, 2023, from https://hal.inrae.fr/hal-03789356/document
- van Kleunen, M., Essl, F., Pergl, J., Brundu, G., Carboni, M., Dullinger, S., Early, R., González-Moreno, P., Groom, Q., Hulme, P., Kueffer, C., Kühn, I., Máguas, C., Maurel, N., Novoa, A., Parepa, M., Pyšek, P., Seebens, H., Tanner, R., Dehnen-Schmutz, K. (2018). The changing role of ornamental horticulture in alien plant invasions. Biological Reviews. Retrieved May 8, 2023, from https://www.researchgate.net/publication/323551625 The changing role of ornamental horticulture in alien plant invasions
- van Kleunen, M., Weber, E., & Fischer, M. (2009). A Meta-Analysis of Trait Differences Between Invasive and Non-Invasive Plant Species. Ecology letters. 13. 235-45. Retrieved May 8, 2023, from
 https://www.researchgate.net/publication/40680378_A_Meta-Analysis of Trait Differences Between Invasive and Non-Invasive Plant Species
- Vanderhoeven, A., Adriaens, T., D'hondt, B., Van Gossum, H., Vandegehuchte, M., Verreycken, H., Cigar, J., & Branquart, E. (2015). A science-based approach to tackle invasive alien species in Belgium the role of the ISEIA protocol and the Harmonia information system as decision support tools. Management of Biological Invasions. 6. Retrieved May 8, 2023, from https://www.researchgate.net/publication/277656830
 <a href="https://www.researchgate.net/publication/277656830
- Vanderhoeven, S., Piqueray, J., Halford, M., Nulens, G., Vincke, J., & Mahy, G. (2011). Perception and Understanding of Invasive Alien Species Issues by Nature Conservation and Horticulture Professionals in Belgium. Environmental management. 47. 425-42. Retrieved May 8, 2023, from https://www.researchgate.net/publication/49851220 Perception and Understanding of Invasive Alien Species Issues by Nature Conservation and Horticulture Professionals in Belgium
- Vermont Agency of Agric., Food and Markets. (2012). Quarantine #3 Noxious Weeds (Noxious Weeds Rule)
 Frequently Asked Questions (FAQs). Retrieved May 8, 2023, from https://agriculture.vermont.gov/sites/agriculture/files/documents/PHARM/Plant Pest/Amended Weed Rule NoxWeedsFaq.pdf
- Vermont Agency of Agric., Food & Markets. (n.d.) Quarantine #3 -Noxious Weeds Retrieved May 8, 2023, from https://agriculture.vermont.gov/sites/agriculture/files/documents/PHARM/Plant_Pest/NoxiousWeedsQuarantine1.pdf
- Vermont Code R. 20-031-021-X Quarantine #3 Noxious Weeds. Retrieved May 8, 2023, from https://www.law.cornell.edu/regulations/vermont/20-021-Code-Vt-R-20-031-021-X
- Vermont Invasives. (n.d.). Aquatic Invasive Species Regulations. Retrieved May 8, 2023, from https://www.vtinvasives.org/water/aquatic species regulations
- Victorian Government. Invasive Plants and Animals Policy Framework. Retrieved May 8, 2023, from https://agriculture.vic.gov.au/ data/assets/pdf file/0009/582255/Invasive-Plants-and-Animals-Policy-Framework-IPAPF.pdf
- Vilà, M., Gallardo, B., Preda, C., García-Berthou, E., Essl, F., Kenis, M.,Roy, H., & González-Moreno, P. (2019). A review of impact assessment protocols of non-native plants. Biological Invasions, 21:709-723. Retrieved May 8, 2023, from https://link.springer.com/article/10.1007/s10530-018-1872-3
- von Mirbach, M. (1997). Demanding good wood: some current approaches to forest certification are dubious merit, and even the best have significant limitations. Alternatives 23(3). Retrieved May 8, 2023, from https://go.gale.com/ps/i.do?p=AONE&u=googlescholar&id=GALE%7CA19908790&v=2.1&it=r&sid=googleScholar&asid=85326eb6

- Vukovic, N., Šegota, V., Alegro, A., Koletić, N., Rimac, A. & Dekanić, Stjepan. (2019). "Flying under the radar"-how misleading distributional data led to wrong appreciation of knotweeds invasion (Reynoutria spp.) in Croatia. BioInvasions Records. 8. 175-189. Retrieved May 8, 2023, from https://www.researchgate.net/publication/331045625 Flying under the radar-how misleading distributional data led to wrong appreciation of knotweeds invasion Reynoutria spp in Croatia
- Vyn, Richard. (2019). Estimated Expenditures on Invasive Species in Ontario: 2019 Survey Results. Report prepared for the Invasive Species Centre. Retrieved May 8, 2023, from https://www.invasivespeciescentre.ca/wp-content/uploads/2020/02/Final-Report-2019-Survey-Results-No-Appendix-A.pdf https://yorkpublishing.escribemeetings.com/filestream.ashx?DocumentId=8474
- Vyn, R. (2022). Estimated Annual Expenditures on Invasive Species by Canadian Municipalities: 2021 National Survey Results. Report prepared for the Invasive Species Centre. Retrieved May 8, 2023, from https://www.invasivespeciescentre.ca/wp-content/uploads/2022/04/Final-Report-2021-National-Survey-Results-Final-Version.pdf
- Ward, J. S., Williams, S., Worthley, T. (2013). Comparing effectiveness and impacts of Japanese barberry (*Berberis thunbergii*) control treatments and herbivory on plant communities. Invas. Plant Sci. Manag. 6: 459–469. Retrieved May 8, 2023, from https://www.researchgate.net/publication/268445532 Comparing Effectiveness and Impacts of Japan ese Barberry Berberis thunbergii Control Treatments and Herbivory on Plant Communities
- Warren, C.R. (2007). Perspectives on the 'alien' versus 'native' species debate: a critique of concepts, language and practice. Prog. Hum. Geog. 31, 427–446. Retrieved May 8, 2023, from https://journals.sagepub.com/doi/pdf/10.1177/0309132507079499
- Warren, C.R. (2021). Beyond 'Native V. Alien': Critiques of the Native/alien Paradigm in the Anthropocene, and Their Implications. Ethics, Policy & Environment. 10.1080/21550085.2021.1961200. Retrieved May 8, 2023, from https://www.researchgate.net/publication/353565994 Beyond %27Native V Alien%27

 Critiques of the Nativealien Paradigm in the Anthropocene and Their Implications
- Warne, Amanda. 2018. Multiflora rose (Rosa multiflora) Best Management Practices in Ontario. Ontario Invasive Plant Council, Peterborough, ON. https://www.ontarioinvasiveplants.ca/wp-content/uploads/2020/10/MultifloraRose BMP.pdf
- Washington code RCW Chapter 17.10 Noxious Weeds-Control Boards. Retrieved May 8, 2023, from https://app.leg.wa.gov/RCW/default.aspx?cite=17.10
- Washington code RCW Chapter 17.24 Insect Pest and Plant Diseases. Retrieved May 8, 2023, from https://app.leg.wa.gov/RCW/default.aspx?cite=17.24
- Washington code WAC 16-752-600 Establishing the noxious weed seed and plant quarantine. Retrieved May 8, 2023, from https://app.leg.wa.gov/wac/default.aspx?cite=16-752-600
- Washington code WAC 16-752-620 Prohibited acts. Retrieved May 8, 2023, from https://app.leg.wa.gov/WAC/default.aspx?cite=16-752-620
- Washington State Dept. of Agric. (2021). Prohibited Plants and seeds in Washington State. Retrieved May 8, 2023, from https://cms.agr.wa.gov/getmedia/9e83eb5b-8131-48a9-9066-aa76f077a219/brochureprohibitedplants.pdf
- Washington State Noxious Weed Control Board. (n.d.). Washington's Noxious Weed Index. Retrieved May 8, 2023, from https://www.nwcb.wa.gov/noxious-weed-quarantine-list
- Washington State Noxious Weed Control Board. (n.d.). Washington's Noxious Weed Laws. Retrieved May 8, 2023, from https://www.nwcb.wa.gov/washingtons-noxious-weed-laws
- Weber, E. (2004). HORTICULTURE AND THE INVASIVE PLANT SPECIES ISSUE. Acta Hortic. 643, 25-30. Retrieved May 8, 2023, from https://academic.oup.com/bioscience/article/51/2/103/390610
- Weeds Across Borders 2010 Coordinating Committee. (2010). Plant Invasions: Policies, Politics, and Practices.

 Proceedings of the 2010 Weeds Across Borders Conference, 1–4 June 2010, E. Rindos, ed. National
 Conservation Training Center, Shepherdstown, West Virginia. Bozeman, Montana: Montana State

- University, Center for Invasive Plant Management. Retrieved May 8, 2023, from https://files.cfc.umt.edu/cesu/FWS/2010/10Galli-Noble Weeds Across Boarders%20 Proceedings.pdf
- Welk, Erik. (2004). Constraints in range predictions of invasive plant species due to non-equilibrium distribution patterns: purple loosestrife (*Lythrum salicaria*) in North America. Ecological Modelling. 179. 551-567. Retrieved May 8, 2023, from https://www.researchgate.net/publication/222987487
 Constraints in range predictions of invasive plant species due to non-equilibrium_distribution_patterns_Purple_loosestrife_Lythrum_salicaria_in_North_America_North_America_North_North_America_North_North_America_North_No
- Westbrooks, Randy. (2011). Federal Interagency Coordination for Invasive Plant Issues The Federal Interagency Committee for the Management of Noxious and Exotic Weeds (FICMNEW). Retrieved May 8, 2023, from https://pubs.acs.org/doi/10.1021/bk-2011-1073.ch011
- De Wet, J.M.J. & Harlan, J.R. (1975). Weeds and Domesticates: Evolution in the man-made habitat. Econ Bot 29, 99–108 (1975). https://doi.org/10.1007/BF02863309.
- White, D. J., Haber, E., & Keddy, C. (1993). Invasive plants of natural habitats in Canada: An integrated review of wetland and upland species and legislation governing their control. Ottawa, Canada: Canadian Wildlife Service, Environment Canada, and Canadian Museum of Nature. Retrieved May 8, 2023, from https://publications.gc.ca/collections/collection_2019/eccc/CW66-127-1993-eng.pdf
- Whitney, Kenneth & Gabler, Christopher. (2008). Rapid evolution in introduced species, 'invasive traits' and recipient communities: Challenges for predicting invasive potential. Diversity and Distributions. 14. 569 580. Retrieved May 8, 2023, from https://onlinelibrary.wiley.com/doi/full/10.1111/j.1472-4642.2008.00473.x
- WHO (World Health Organization). (2015). Biodiversity and Health. Retrieved May 8, 2023, from https://www.who.int/news-room/fact-sheets/detail/biodiversity-and-health
- Wild Matters Pty. Ltd. (2020). National established weed priorities Towards a national framework; for the Australia Department of Agriculture, Water and the Environment. Retrieved May 8, 2023, from https://weeds.org.au/wp-content/uploads/2021/05/DRAFT-National-Established-Weed-Priorities-Towards-a-National-Framework.pdf
- Williams, F., Constantine, K. L., Ali, A. A. et al. (2021). An assessment of the capacity and responsiveness of a national system to address the threat of invasive species: a systems approach. CABI Agric Biosci 2, 42.

 Retrieved May 8, 2023, from https://cabiagbio.biomedcentral.com/articles/10.1186/s43170-021-00062-7
- Williams, K., Hunter, B., Schmidt, B., Woodward, E., & Cresswell, I. (2021). Australia state of the environment 2021: land, independent report to the Australian Government Minister for the Environment, Commonwealth of Australia, Canberra. Retrieved May 8, 2023, from https://soe.dcceew.gov.au/sites/default/files/2022-07/soe2021-land.pdf
- Williams, S.C., Linske, M., & Ward, J. (2017). Long-Term Effects of *Berberis thunbergii* (*Ranunculales: Berberidaceae*) Management on Ixodes scapularis (Acari: Ixodidae) Abundance and Borrelia burgdorferi (*Spirochaetales: Spirochaetaceae*) Prevalence in Connecticut, USA. Environmental Entomology. 46(6):1329-1338. 10.1093/ee/nvx146. Retrieved May 8, 2023, from <a href="https://www.researchgate.net/publication/320254326_Long-Term_Effects_of_Berberis_thunbergii_Ranunculales_Berberidaceae_Management_on_Ixodes_scapularis_Acari_Ixodidae_Abundance_and_Borrelia_burgdorferi_Spirochaetal_es_Spirochaetaceae_Prevalence_in_Conne
- Williams, S.C., Ward, J., Worthley, E., & Stafford III, K. (2009). Managing Japanese barberry (*Ranunculales: Berberidaceae*) infestations reduces black-legged tick (*Acari: Ixodidae*) abundance and infection prevalence with *Borrelia burgdorferi* (*Spirochaetales: Spirochaetaceae*). Environ. Entomol. 38: 977–984. Retrieved May 8, 2023, from https://www.academia.edu/15053431/Managing Japanese Barberry
 Reduces Blacklegged Tick Acari Ixodidae Abundance and Infection Prevalence With I Borrelia burgdorferi I Spirochaetales Spirochaetaceae
- Wilson, Claire & Darbyshire, Stephen & Jones, Rosita. (2007). The Biology of Invasive Alien Plants in Canada. 7. Cabomba caroliniana A. Gray. Canadian Journal of Plant Science. 87. 615-638. Retrieved May 8, 2023, from https://cdnsciencepub.com/doi/10.4141/P06-068

- Wilson, J., Richardson, D., Rouget, M., Procheş, S., Amis, M., Henderson, L., & Thuiller, Wilfried. (2007). Residence time and potential range: Crucial considerations in modelling plant invasions. Diversity and Distributions.

 13. 11 22. Retrieved May 8, 2023, from https://www.researchgate.net/publication/227708308

 Residence time and potential range Crucial considerations in modelling plant invasions
- Wisconsin Ch NR 40 Invasive species identification, classification, and control. Retrieved May 8, 2023, from https://casetext.com/regulation/wisconsin-administrative-code/agency-department-of-natural-resources/fish-game-and-enforcement-forestry-and-recreation/chapter-nr-40-invasive-species-identification-classification-and-control
- Wisconsin Department of Natural Resources (2015). NR 40 Invasive species list plants only. Retrieved May 8, 2023, from https://dnr.wi.gov/topic/invasives/documents/NR40plantlist.pdf
- WTO (World Trade Organization). (1998). SANITARY AND PHYTOSANITARY MEASURES: INTRODUCTION Understanding the WTO Agreement on Sanitary and Phytosanitary Measures. Retrieved May 8, 2023, from https://www.wto.org/english/tratop e/sps e/spsund e.htm
- WTO (World Trade Organization). (2010). Sanitary and Phytosanitary Measures. Agreements Series. Switzerland. Retrieved May 8, 2023, from https://www.wto.org/english/res_e/booksp_e/agrmntseries4_sps_e.pdf
- WTO (World Trade Organization). (2022). WTO ANALYTICAL INDEX SPS Agreement Article 5 (Jurisprudence)

 Current as of: June 2022. Retrieved May 8, 2023, from

 https://www.wto.org/english/res e/publications e/ai17 e/sps art5 jur.pdf
- WTO (World Trade Organization). (n.d.). The WTO Agreement on the Application of Sanitary and Phytosanitary Measures (SPS Agreement). Retrieved May 8, 2023, from https://www.wto.org/english/tratop e/sps e/spsagr e.htm
- WTO (World Trade Organization). (n.d.). The WTO and the International Plant Protection Convention (IPPC).

 Retrieved May 8, 2023, from https://www.wto.org/english/thewto_e/coher_e/wto_ippc_e.htm
- Wu, S., Huang, J. & Li, S. (2020). Classifying ecosystem disservices and comparing their effects with ecosystem services in Beijing, China. Retrieved May 8, 2023, from https://www.researchgate.net/publication/ 338421110 Classifying ecosystem disservices and comparing their effects with ecosystem services in Beijing China
- Wymore, A., Keeley, A., Yturralde, K., Schroer, M., Propper, C., & Whitham, T. (2011). Genes to ecosystems: exploring the frontiers of ecology with one of the smallest biological units. The New phytologis, 191, 19-36. Retrieved May 8, 2023, from https://nph.onlinelibrary.wiley.com/doi/10.1111/j.1469-8137.2011.03730.x
- Yukon Environment Act, RSY 2002, c 76. Retrieved May 8, 2023, from https://www.canlii.org/en/yk/laws/stat/rsy-2002-c-76.html
- Zhang, Congwen & Boyle, Kevin. (2010). The effect of an aquatic invasive species (Eurasian watermilfoil) on lakefront property values. Ecological Economics. 70. 394-404. Retrieved May 8, 2023, from https://www.researchgate.net/publication/227414480 The effect of an aquatic invasive species Eurasian_watermilfoil_on_lakefront_property_values
- Zenni, R., Essl, F., García-Berthou, E., & McDermott, S. (2021). The economic costs of biological invasions around the world. NeoBiota. 67, 1-9. Retrieved May 8, 2023, from https://neobiota.pensoft.net/article/69971/
- Ziller, S.R., Dechoum, M.S., Silveira, R.A.D., da Rosa, H.M., Motta, M.S., da Silva, L.F., Oliveira, B.C.M., & Zenni, R.D. (2020). A priority-setting scheme for the management of invasive non-native species in protected areas. In: Wilson, J.R., Bacher, S., Daehler, C.C., Groom, Q.J., Kumschick, S., Lockwood, J.L., Robinson, T.B., Zengeya, T.A., Richardson, D.M. NeoBiota 62: 591-606. Retrieved May 8, 2023, from https://doi.org/10.3897/neobiota.62.52633